

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Special Locality Report

203

Town of Crewe

Information in this report is included in Report

67

(Nottoway County)

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Crewe

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SCL Crewe															
49 Earl Davis Gregory Hwy	Town of Crewe (Maint: 67)	0.15	2400	N	94%	1%	1%	1%	3%	0%	N	0.091	N	0.503	2600	N
	To: US 460, East Virginia Ave															
	From: US 460 East															
49 460 Virginia Ave	Town of Crewe (Maint: 67)	1.80	11000	G	88%	1%	1%	1%	9%	0%	F	0.084	F		11000	G
	To: US 460 West															
	From: US 460, West Virginia Ave															
49 Watsons Wood Rd	Town of Crewe (Maint: 67)	0.34	1600	G	93%	1%	1%	1%	4%	0%	C	0.096	F	0.565	1700	G
	To: NCL Crewe															
	From: WCL Crewe															
460 Virginia Ave	Town of Crewe (Maint: 67)	0.76	8900	N	88%	1%	1%	1%	9%	0%	N	0.082	N		9000	N
	To: SR 49 Watsons Wood Rd															
	From: SR 49 Watsons Wood Rd															
460 49 Virginia Ave	Town of Crewe (Maint: 67)	1.80	11000	G	88%	1%	1%	1%	9%	0%	F	0.084	F		11000	G
	To: SR 49 Earl Davis Gregory Hwy															
	From: SR 49 Earl Davis Gregory Hwy															
460 Virginia Ave	Town of Crewe (Maint: 67)	0.70	10000	G	88%	1%	1%	1%	9%	0%	F	0.083	F		10000	G
	To: ECL Crewe															

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Crewe																
From: SCL Crewe																
607 Rocky Ford Rd	0.21	360	N	97%	2%	1%	0%	0%	0%	N	0.108	N	0.516	390	N	2009
To: US 460 W, Virginia Ave																
607 Rocky Ford Rd	0.29	390	R									NA		NA		04/18/2005
To: 67-630 Melody Lane																
From: US 460 Virginia Ave																
618 Carter St	0.14	2300	G	98%	1%	0%	0%	0%	0%	F	0.103	F	0.523	2400	G	2009
To: 67-1009 Tennessee Ave																
618 Carter St	0.14	1200	G	98%	1%	0%	0%	0%	0%	C	0.104	F	0.575	1300	G	2009
To: 67-1011 Pennsylvania Ave																
618 Carter St	0.13	1100	G	98%	1%	0%	0%	0%	0%	F	0.098	F	0.530	1200	G	2009
To: 67-619 Tyler St																
618 Indian Oak Rd	0.29	720	G	98%	0%	1%	1%	0%	0%	F	0.102	F	0.646	770	G	2009
To: 67-1008 Paul St																
618 Indian Oak Rd	0.18	660	G	98%	0%	1%	1%	0%	0%	F	0.107	F	0.549	710	G	2009
To: ECL Crewe																
From: 67-618 Indian Oak Rd																
619 Tyler St	0.25	1700	G	98%	1%	1%	0%	0%	0%	F	0.102	F	0.552	1800	G	2009
To: NCL Crewe																
From: WCL Crewe																
630 Melody Lane	0.50	210	N	99%	0%	1%	0%	0%	0%	N	0.14	N	0.657	220	N	2009
To: 67-607 Rocky Ford Rd																
630 Melody Lane	0.35	320	G	99%	0%	1%	0%	0%	0%	F	0.126	F	0.573	340	G	2009
To: SR 49 W, Watsons Wood Rd																
From: SR 49 E, Watsons Wood Rd																
630 Maryland Ave	0.13	720	G	92%	3%	3%	1%	2%	0%	F	0.107	F	0.590	770	G	2009
To: 67-1044; Bible Way Rd																
From: 67-1044 Maryland Ave																
630 Bible Way Dr	0.28	190	G	92%	3%	3%	1%	2%	0%	C	0.129	F	0.581	200	G	2009
To: NCL Crewe																
From: 67-1038 Country Club Rd																
1001 E Carolina Avenue	0.11	220	G	97%	1%	1%	0%	0%	0%	F	0.123	F	0.75	240	G	2009
To: 67-1005 Fourth St																
1001 E Carolina Avenue	0.37	300	G	97%	1%	1%	0%	0%	0%	F	0.120	F	0.548	320	G	2009
To: 67-1023 First St																
1001 E Carolina Avenue	0.17	590	G	97%	1%	1%	0%	0%	0%	F	0.12	F	0.547	630	G	2009
To: 67-1025 Tyler St																
1001 Carolina Ave	0.08	1100	G	97%	1%	1%	0%	0%	0%	C	0.112	F		1100	G	2009
To: 67-618 Carter St																
1001 W Carolina Ave	0.16	940	G	97%	1%	1%	0%	0%	0%	F	0.108	F	0.552	1000	G	2009
To: 67-1027 Meade St																
1001 W Carolina Ave	0.28	860	G	97%	1%	1%	0%	0%	0%	F	0.108	F	0.521	920	G	2009
To: 67-1033 Lipscomb St																
From: 67-1033 Lipscomb St																
1001 W Carolina Ave	0.59	730	G	97%	1%	1%	0%	0%	0%	F	0.121	F	0.508	780	G	2009
To: 67-1042 Stith St																
1001 W Carolina Avenue	0.25	550	G	97%	1%	1%	0%	0%	0%	F	0.114	F	0.507	580	G	2009
To: 67-1044 Archer St																
From: US 460 Virginia Ave																
1002 Dade St	0.07	470	R									NA		NA		04/14/2005
To: 67-1001 Carolina Ave																
1002 Dade St	0.27	240	R									NA		NA		04/14/2005
To: 67-630 Bible Way Dr																

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Crewe																
1003 67 Maryland Ave	0.09	40	R			From: 67-1002 Dade St					NA			NA		04/14/2005
						To: 67-1044 Archer St, Maryland Ave										
1005 67 Fourth St	0.30	110	N			From: SCL Crewe					NA			NA		04/13/2005
						To: US 460 Virginia Ave										
1005 67 Fourth St	0.07	350	R			From: 67-1001, E Carolina Avenue					NA			NA		04/13/2005
						To: 67-1001, E Carolina Ave										
1005 67 Fourth St	0.07	360	R			From: 67-1009, E Tennessee Ave					NA			NA		04/13/2005
						To: 67-1046, E Georgia Ave										
1005 67 Fourth St	0.07	80	R			From: Dead End					NA			NA		04/13/2005
						To: 67-619 Tyler St										
1007 67 Rock Castle Ave	0.28	190	R			From: 67-1008 Paul St					NA			NA		06/09/2008
						To: 67-618 Carter St; Indian Oak Rd										
1008 67 Paul St	0.06	40	R			From: 67-1007 Rock Castle Ave					NA			NA		06/09/2008
						To: 67-1027; 67-1028										
1009 67 E Tennessee Ave	0.08	270	R			From: 67-1026 Powell St					NA			NA		04/13/2005
						To: 67-1023 First St										
1009 67 E Tennessee Ave	0.34	430	R			From: 67-1005 Fourth St					NA			NA		04/13/2005
						To: 67-1038 Country Club Rd										
1009 67 E Tennessee Ave	0.37	240	R			From: 67-1027 Meade St					NA			NA		04/18/2005
						To: 67-1026 Powell St										
1010 67 E Maryland Ave	0.25	220	R			From: 67-1024 Russell St					NA			NA		04/18/2005
						To: 67-1024 Russell										
1010 67 E Maryland Ave	0.22	160	R			From: 67-1022 Second St					NA			NA		04/18/2005
						To: Dead End; Gap										
1010 67 E Maryland Ave	0.07	46	R			From: 67-1021 Gap					NA			NA		04/18/2005
						To: 67-1005 Fourth St										
1010 67 E Maryland Ave	0.13	80	R			From: 67-1026 Powell St					NA			NA		04/18/2005
						To: 67-1005 Fourth St										
1011 67 E Pennsylvania Ave	0.40	430	R			From: Dead End; Gap					NA			NA		06/09/2008
						To: 67-1005 Fourth St										
1011 67 E Pennsylvania	0.10	70	R			From: 67-1030 Cabell St					NA			NA		06/09/2008
						To: 67-1028 Mason St; Gap										
1012 67 Tucker Ave	0.07	80	R			From: 67-1027 Meade St; Gap					NA			NA		06/09/2008
						To: 67-1026 Powell St										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Crewe																
1013 67 Oliver Ave	0.22	70	R				From: 67-1028 Mason St				NA			NA		06/09/2008
1013 67 Oliver Ave	0.09	60	R				To: 67-1026 Powell St				NA			NA		06/09/2008
							From: 67-618 Carter St									
1014 67 Guy Ave	0.27	70	R				To: Dead End				NA			NA		06/09/2008
							From: 67-1026 Powell St									
1015 67 Gatewood Ave	0.17	160	R				To: 67-619 Tyler St				NA			NA		06/09/2008
							From: 67-1039 Watson St									
1015 67 Gatewood Ave	0.06	10	R				To: Dead End				NA			NA		06/09/2008
							From: Dead End									
1016 67 Park Ave	0.08	45	R				To: 67-1019 Atlantic St				NA			NA		06/09/2008
							From: 67-1019 Atlantic St									
1016 67 Park Ave	0.10	150	R				To: 67-1025 Tyler St				NA			NA		06/09/2008
							From: 67-1019 Atlantic St									
1017 67 Plant St	0.10	60	R				To: 67-1025 Tyler St				NA			NA		06/09/2008
							From: 67-1011, E Pennsylvania Ave									
1018 67 Walnut Ave	0.09	110	R				To: 67-1019 Atlantic St				NA			NA		06/09/2008
							From: 67-1018 Walnut Ave									
1019 67 Atlantic St	0.07	50	R				To: 67-1017 Plant St				NA			NA		06/09/2008
							From: 67-1017 Plant St									
1019 67 Atlantic St	0.05	47	R				To: 67-1016 Park Ave				NA			NA		06/09/2008
							From: US 460 Virginia Ave									
1020 67 First St	0.06	80	R				To: Custis St				NA			NA		06/09/2008
							From: First St									
1020 67 Custis St	0.34	100	R				To: 67-1005 Fourth St				NA			NA		06/09/2008
							From: 67-1020 Custis St									
1021 67 Third St	0.21	160	R				To: 67-1009, E Tennessee Ave				NA			NA		06/09/2008
							From: 67-1009, E Tennessee Ave									
1021 67 Third St	0.07	70	R				To: 67-1010, E Maryland Ave				NA			NA		06/09/2008
							From: 67-1020 Custis St									
1022 67 Second St	0.06	110	R				To: US 460 Virginia Ave				NA			NA		04/13/2005
							From: US 460 Virginia Ave									
1022 67 Second St	0.14	810	R				To: 67-1009, E Tennessee Ave				NA			NA		04/13/2005
							From: 67-1009, E Tennessee Ave									
1022 67 Second St	0.26	830	R				To: 67-1047 California Ave				NA			NA		04/13/2005
							From: 67-1047 California Ave									
1022 67 Second St	0.03	300	R				To: 67-1050 Moncure St				NA			NA		04/13/2005
							From: 67-1050 Moncure St									
1022 67 Second St	0.03	200	R				To: Dead End				NA			NA		06/09/2008
							From: US 460 Virginia Ave									
1023 67 First St	0.34	330	R				To: 67-1046 Georgia Ave				NA			NA		06/09/2008

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Crewe																
1023 67 First St	0.06	90	R			From: 67-1046 Georgia Ave					NA			NA		06/09/2008
						To: 67-1047 California Ave										
1024 67 Russell St	0.07	130	R			From: 67-1048 Custis St					NA			NA		06/11/2008
						To: US 460 Virginia Ave										
1024 67 Russell St	0.14	860	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1009, E Tennessee Ave										
1024 67 Russell St	0.06	120	R			From: 67-1009, E Tennessee Ave					NA			NA		06/11/2008
						To: 67-1010, E Maryland Ave										
1025 67 Tyler St	0.14	2500	R			From: US 460 Virginia Ave					NA			NA		04/14/2005
						To: 67-1009 Tennessee Ave										
1025 67 Tyler St	0.24	1700	R			From: 67-1016 Park Ave					NA			NA		04/14/2005
						To: 67-618; 67-619										
1025 67 Tyler St	0.05	1600	R			From: 67-618; 67-619					NA			NA		04/14/2005
						To: US 460 Virginia Ave										
1026 67 Powell St	0.07	1100	R			From: US 460 Virginia Ave					NA			NA		04/14/2005
						To: 67-1001 Carolina Ave										
1026 67 Powell St	0.43	760	R			From: 67-1001 Carolina Ave					NA			NA		04/14/2005
						To: 67-619 Tyler St										
1027 67 Meade St	0.14	410	R			From: US 460 Virginia Ave					NA			NA		06/09/2008
						To: 67-1009; 67-1028										
1027 67 Meade St	0.10	240	R			From: 67-1009; 67-1028					NA			NA		06/09/2008
						To: 67-1012 Tucker Ave										
1027 67 Meade St	0.14	110	R			From: 67-1012 Tucker Ave					NA			NA		06/09/2008
						To: 67-1014 Guy Ave										
1028 67 Mason St	0.16	180	R			From: 67-1009; 67-1027					NA			NA		06/09/2008
						To: 67-1013 Oliver Ave										
1029 67 Nelson St	0.18	110	R			From: 67-1001; 67-1032					NA			NA		06/11/2008
						To: 67-1028 Mason St										
1030 67 Cabell St	0.06	100	R			From: 67-1001 Carolina Ave					NA			NA		06/11/2008
						To: 67-1029 Nelson St										
1030 67 Cabell St	0.07	30	R			From: 67-1029 Nelson St					NA			NA		06/11/2008
						To: 67-1012 Tucker Ave										
1031 67 Lee St	0.07	48	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1001 Carolina Ave										
1032 67 Stratton St	0.07	70	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1001; 67-1029										
1033 67 Lipscomb St	0.07	460	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1001 Carolina Ave										
1033 67 Lipscomb St	0.29	490	R			From: 67-1001 Carolina Ave					NA			NA		06/11/2008
						To: Dead End										
1034 67 Berkelle St	0.07	80	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1001, W Carolina Ave										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Crewe																
(1034/67) Berkelle St	0.07	40	R			From: 67-1001, W Carolina Ave					NA			NA		06/11/2008
						To: Dead End										
(1035/67) Graves St	0.20	70	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: Old NCL Crewe										
(1036/67) Cary St	0.07	48	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1001, W Carolina Ave										
(1037/67) Venerable St	0.07	200	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1001, W Carolina Ave										
(1038/67) Country Club Rd	0.07	450	R			From: US 460 Virginia Ave					NA			NA		06/09/2008
						To: 67-1001, E Carolina Ave										
(1038/67) Country Club Rd	0.07	210	R			From: 67-1009, E Tennessee Ave					NA			NA		06/09/2008
						To: 67-1009, E Tennessee Ave										
(1038/67) Country Club Rd	0.16	150	R			From: Dead End					NA			NA		06/09/2008
						To: Dead End										
(1039/67) Watson St	0.07	60	R			From: 67-618 Carter St					NA			NA		06/09/2008
						To: 67-1007 Rock Castle Ave										
(1039/67) Watson St	0.08	50	R			From: 67-1015 Gatewood Ave					NA			NA		06/09/2008
						To: 67-1015 Gatewood Ave										
(1040/67) W Tennessee Ave	0.35	80	R			From: 67-1002 Dade St					NA			NA		04/14/2005
						To: 67-1043 Page St										
(1041/67) Mayo St	0.13	110	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1040, W Tennessee Ave										
(1042/67) Stith St	0.13	200	R			From: US 460 Virginia Ave					NA			NA		06/11/2008
						To: 67-1040, W Tennessee Ave										
(1043/67) Page St	0.13	200	R			From: US 460 Virginia Ave					NA			NA		04/14/2005
						To: 67-1040, W Tennessee Ave										
(1044/67) Archer St	0.41	560	R			From: 67-630 Melody Lane					NA			NA		06/11/2008
						To: US 460 Virginia Ave										
(1046/67) E Georgia Ave	0.04	50	R			From: Dead End					NA			NA		06/09/2008
						To: 67-1005 Fourth St										
(1046/67) E Georgia Ave	0.37	110	R			From: 67-1023 First St					NA			NA		06/09/2008
						To: 67-1023 First St										
(1047/67) E California Ave	0.12	70	R			From: 67-1022 Second St					NA			NA		06/09/2008
						To: 67-1022 Second St										
(1048/67) Custis St	0.06	20	R			From: End State Maintenance					NA			NA		06/11/2008
						To: 67-1024 Russell St										
(1048/67) Custis St	0.04	10	R			From: Cul-de-Sac					NA			NA		06/11/2008
						To: Cul-de-Sac										
(1050/67) Moncure St	0.07	80	R			From: Dead End					NA			NA		06/09/2008
						To: 67-1022 Second St										