

**2011**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**99**

York County  
City of Poquoson

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route  
Bypas - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
17 George Washington Mem Hwy	From: NCL Newport News York County	1.20	35000	G	98%	1%	0%	0%	0%	0%	F	0.077	F	0.562	38000	G
17 George Washington Mem Hwy	To: SR 171 Victory Blvd From: York County	0.93	38000	G	98%	1%	0%	0%	0%	0%	F	0.078	F	0.567	41000	G
17 George Washington Mem Hwy	To: SR 134 Hampton Hwy From: York County	2.08	50000	F	98%	1%	0%	0%	0%	0%	C	0.088	A	0.510	53000	F
17 George Washington Mem Hwy	To: 99-621 Dare Rd; Grafton Dr From: York County	1.07	36000	G	98%	1%	0%	0%	0%	0%	F	0.079	F	0.503	38000	G
17 George Washington Mem Hwy	To: SR 173 Denbigh Blvd From: York County	1.39	35000	G	98%	1%	0%	0%	0%	0%	F	0.08	F	0.549	38000	G
17 George Washington Mem Hwy	To: SR 105 Fort Eustis Blvd From: York County	0.59	35000	G	98%	1%	0%	0%	0%	0%	F	0.081	F	0.566	38000	G
17 George Washington Mem Hwy	To: 99-704 Cook Rd From: York County	2.38	28000	G	98%	1%	0%	0%	0%	0%	F	0.091	F	0.669	30000	G
17 George Washington Mem Hwy	To: SR 238 Goosley Rd From: York County	0.28	28000	G	98%	1%	0%	0%	0%	0%	F	0.094	F	0.721	30000	G
17 George Washington Mem Hwy	To: SR 90003 Colonial Pkwy From: York County	0.69	31000	G	98%	1%	0%	0%	0%	0%	F	0.094	F	0.736	33000	G
17 George Washington Mem Hwy	To: 99-1001 Mathew St From: York County	0.09	30000	G	97%	0%	1%	1%	1%	0%	C	0.098	F	0.716	32000	G
	To: Gloucester County Line															
North 17 Ramp	From: US 17 TO I-64 EAST City of Newport News (Maint: 99)	0.16	NA									NA			NA	
	To: I-64-E FROM US 17 NORTH															
South 17 Ramp	From: US 17 TO I-64 EAST City of Newport News (Maint: 99)	0.26	NA									NA			NA	
	To: I-64-E FROM US 17 SOUTH															
South 17 Ramp	From: US 17 TO I-64 WEST City of Newport News (Maint: 99)	0.16	NA									NA			NA	
	To: I-64-W FROM US 17 SOUTH															
60 Bypass Rd	From: NCL Williamsburg York County	1.12	25000	N	99%	0%	0%	0%	0%	0%	N	0.076	N	0.548	27000	N
	To: NCL Williamsburg															
60 Pocahontas Trail	From: James City County Line York County	0.31	7600	N	97%	1%	1%	0%	0%	0%	N	0.092	N	0.53	8300	N
	To: Entrance to Busch Gardens															
60 Pocahontas Trail	From: Entrance to Busch Gardens York County	2.22	10000	G	93%	2%	1%	1%	3%	0%	F	0.086	F	0.538	11000	G
	To: James City County Line															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
60 64 Hampton Roads Beltway	From: US 60 SR 143 Tyler St															
	City of Hampton (Maint: 99)	0.33														
See I-64 for directional traffic volume estimates for this segment.																
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>87000</b> <b>G</b> 96% 1% 1% 0% 2% 0% F 0.067 F 0.541 89000 G																
60 64 Hampton Roads Bridge Tunnel	From: SR 169 Mallory St															
	City of Hampton (Maint: 99)	4.00														
See I-64 for directional traffic volume estimates for this segment.																
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>87000</b> <b>A</b> 97% 1% 1% 0% 2% 0% C 0.078 A 89000 A																
60 Ramp	From: US 60-E267A FROM HUN															
	City of Newport News (Maint: 99)	0.10	<b>NA</b>									NA			NA	
To: I-664-E FROM 23RD & 26TH STREETS																
60 Ramp	From: 4US 60-P000B FROM HUN															
	City of Newport News (Maint: 99)	0.18	<b>NA</b>									NA			NA	
To: I-664-W FROM 23RD & 26TH STREETS																
60 Ramp	From: SR 143; 2US 60-P I-64-W267A															
	City of Hampton (Maint: 99)	0.17	<b>8300</b>	<b>G</b>								0.084	F		8300	G
To: I-64-W FROM RT 60 & 143SETTLERS LANDI																
East 60 Ramp	From: US 60 TO ROUTE 664 EAST															
	City of Newport News (Maint: 99)	0.20	<b>NA</b>									NA			NA	
To: US 60- 267A; 4US 60-P000A FROM HUN																
East 60 Ramp	From: US 60 TO ROUTE 664 WEST															
	City of Newport News (Maint: 99)	0.22	<b>NA</b>									NA			NA	
To: 4US 60-P000B FROM HUN																
60 Ramp	From: 4US 60-P TO ROUTE 664 EAST															
	City of Newport News (Maint: 99)	0.29	<b>NA</b>									NA			NA	
To: US 60-E267A FROM HUNT																
60 Ramp	From: 4US 60-P TO ROUTE 664 WEST															
	City of Newport News (Maint: 99)	0.14	<b>NA</b>									NA			NA	
To: US 60-E267B US 60- 267B FROM HUNT																
64 Ramp	From: I-64 E243A . I-64 W243A To US 60															
	York County	0.30	<b>NA</b>									NA			NA	
To: TORT 60																
64 Ramp	From: FROM RT 60															
	York County	0.12	<b>NA</b>									NA			NA	
To: 99-99025-N000A																
64 Ramp	From: I-64-E243B Gap Termi															
	York County	0.13	<b>NA</b>									NA			NA	
To: SR 143 Gap FROM RT 64																



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: James City County Line															
	York County	0.87	32000	A	91%	1%	1%	1%	6%	0%	F	0.105	A	29000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	A	91%	1%	1%	1%	7%	0%	F	NA		58000	A	
East 64	From: SR 199 W, Humelsine Pkwy; 99-646 Newman Rd															
	York County	4.71	30000	A	91%	1%	1%	1%	6%	0%	C	0.101	A	28000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		61000	A	91%	1%	1%	1%	7%	0%	C	0.097	A	56000	A	
East 64	From: SR 143 Camp Peary Rd															
	York County	3.44	33000	G	91%	1%	1%	1%	6%	0%	F	0.071	F	30000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	G	91%	1%	1%	1%	7%	0%	F	0.077	F	0.53	61000	G
East 64	From: SR 199 E, Humelsine Pkwy															
	York County	1.62	42000	G	91%	1%	1%	1%	6%	0%	F	NA		39000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	93%	1%	1%	1%	5%	0%	F	0.074	F	0.528	78000	G
East 64	From: US 60 Pocahontas Trail; SR 143 Merrimac Trail															
	York County	0.59	39000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	40000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	NA		83000	G	
East 64	From: James City County Line															
	York County Line															
	James City County (Maint: 99)	2.04	39000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	40000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.56	83000	G
East 64	From: SR 143 Merrimac Trail															
	James City County (Maint: 99)	0.30	40000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	42000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	NA		83000	G	
East 64	From: WCL Newport News															
	City of Newport News (Maint: 99)	1.32	40000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	42000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	0.071	F	0.527	83000	G
East 64	From: SR 238 Yorktown Rd															
	City of Newport News (Maint: 99)	2.04	44000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	45000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	G	95%	0%	1%	1%	3%	0%	F	0.069	F	0.536	90000	G
East 64	From: SR 105 Ft Eustis Blvd															
	City of Newport News (Maint: 99)	5.03	49000	G	95%	0%	1%	1%	3%	0%	F	0.076	F	50000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		96000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	0.513	98000	G
East 64	From: SR 143 Jefferson Ave															
	City of Newport News (Maint: 99)	1.41	59000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	60000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		118000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.515	121000	G
	From: SR 171 Oyster Point Rd															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: SR 171 Oyster Point Rd															
	City of Newport News (Maint: 99)	1.81	66000	A	95%	0%	1%	1%	3%	0%	C	0.092	A	68000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		131000	A	95%	0%	1%	1%	3%	0%	C	0.086	A	134000	A	
East 64	From: US 17 J Clyde Morris Blvd															
	City of Newport News (Maint: 99)	1.06	78000	G	95%	0%	1%	1%	3%	0%	F	0.078	F	80000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		153000	G	95%	0%	1%	1%	3%	0%	F	NA	F	157000	G	
East 64	From: WCL Hampton ECL Newport News															
	City of Hampton (Maint: 99)	1.97	78000	G	95%	0%	1%	1%	3%	0%	F	0.078	F	80000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		153000	G	95%	0%	1%	1%	3%	0%	F	0.076	F	0.539	157000	G
East 64	From: Hampton Roads Center Parkway															
	City of Hampton (Maint: 99)	1.33	69000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	71000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		136000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.547	140000	G
East 64 134	From: SR 134 Magruder Blvd															
	City of Hampton (Maint: 99)	0.52	79000	G	95%	0%	1%	1%	3%	0%	F	0.087	B	83000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		159000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.553	164000	G
East 64	From: US 258, SR 134 Mercury Blvd															
	City of Hampton (Maint: 99)	1.19	76000	G	95%	0%	1%	1%	3%	0%	F	0.077	F	78000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		151000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	0.577	155000	G
East 64 Hampton Roads Beltway	From: I-664 Hampton Roads Beltway I-664															
	City of Hampton (Maint: 99)	0.77	56000	G	96%	1%	1%	0%	2%	0%	F	0.074	F	58000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		112000	G	96%	1%	1%	0%	2%	0%	F	0.071	F	0.511	116000	G
East 64 Hampton Roads Beltway	From: SR 167 LaSalle Ave															
	City of Hampton (Maint: 99)	2.51	41000	G	96%	1%	1%	0%	2%	0%	F	0.073	F	43000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		89000	G	96%	1%	1%	0%	2%	0%	F	0.069	F	0.505	92000	G
East 64 60 Hampton Roads Beltway	From: US 60, SR 143 Settlers Landing Rd															
	City of Hampton (Maint: 99)	0.33	42000	G	96%	1%	1%	0%	2%	0%	F	0.074	F	43000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	G	96%	1%	1%	0%	2%	0%	F	0.067	F	0.541	89000	G
East 64 60 Hampton Roads Bridge Tunnel	From: SR 169 Mallory St															
	City of Hampton (Maint: 99)	4.00	44000	A	96%	1%	1%	0%	2%	0%	C	0.083	A	46000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	A	97%	1%	1%	0%	2%	0%	C	0.078	A	89000	A	
East 64 Ramp	From: WCL Norfolk I-64-E TO RT 646															
	York County	0.19	NA										NA	NA		
	To: 99-646; 99-646- 1A FROM & TO I-64															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64 Ramp	From: I-64-E TO RT 143 York County To: SR 143 FROM I-64 EAST	0.16	NA									NA		NA		
East 64 Ramp	From: I-64-E TORT 199 WEST York County To: SR 199 FROM I-64 EAST	0.31	NA									NA		NA		
East 64 Ramp	From: I-64-E TO RT 199 EAST York County To: SR 199 FROM I-64 EAST	0.21	NA									NA		NA		
East 64 Ramp	From: I-64 East York County To: US 60	0.30	2400	G							0.137	F		2400	G	
East 64 Ramp	From: I-64-E TO RT 143 York County To: I-64-W243B I-64- 243B Gap Termi	0.11	NA									NA		NA		
East 64 Ramp	From: I-64-E TO RT 105-FORT EUSTIS BOULEVARD City of Newport News (Maint: 99) To: SR 105 FROM I-64 EAST	0.29	NA									NA		NA		
East 64 Ramp	From: I-64-E TO RT 105-FORT EUSTIS BOULEVARD City of Newport News (Maint: 99) To: SR 105 SR 105-W001A TO & FROM I-64	0.19	NA									NA		NA		
East 64 Ramp	From: I-64-E TO RT 143 SOUTH-JEFFERSON AVENU City of Newport News (Maint: 99) To: SR 143 FROM I-64 EAST	0.35	NA									NA		NA		
East 64 Ramp	From: I-64-E TO RT 143 NORTH00- JEFFERSON AVE City of Newport News (Maint: 99) To: SR 143 FROM I-64 EAST	0.12	NA									NA		NA		
East 64 Ramp	From: I-64-E BEGIN COLLECTOR ROAD00- RT 143 J City of Newport News (Maint: 99) To: I-64-E255A TO ROUTE 14300- JEFFERSON AV	0.27	NA									NA		NA		
East 64 Ramp	From: SR 143-S018A FROM ROUTE 14300- JEFFERSON City of Newport News (Maint: 99) To: I-64-E255B TO ROUTE 14300- JEFFERSON AV	0.07	NA									NA		NA		
East 64 Ramp	From: SR 143-N018A FROM ROUTE 14300- JEFFERSON City of Newport News (Maint: 99) To: SR 143	0.21	NA									NA		NA		
East 64 Ramp	From: SR 143 City of Newport News (Maint: 99) To: I-64 East	0.33	19000	G								0.075	F	19000	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64 Ramp	From: I-64-E TO RT 171 WEST-OYSTER POINT ROA City of Newport News (Maint: 99) To: SR 171 FROM I-64 EAST	0.36	NA											NA	NA	
East 64 Ramp	From: I-64-E TO RT 171 EAST-VICTORY BOULEVAR City of Newport News (Maint: 99) To: SR 171 SR 171-W001A FROM & TO I-64	0.25	NA											NA	NA	
East 64 Ramp	From: I-64-E TO RT 17 SOUTH City of Newport News (Maint: 99) To: US 17 I-64-E258B TO & FROM I-64	0.30	NA											NA	NA	
East 64 Ramp	From: I-64-E TO RT 17 NORTH City of Newport News (Maint: 99) To: US 17 I-64-E258A TO & FROM I-64	0.15	NA											NA	NA	
East 64 Ramp	From: I-64-E TO HAMPTON ROADS CENTER PARKWAY City of Hampton (Maint: 99) To: 114-7026 FROM I-64 EAST	0.21	NA											NA	NA	
East 64 Ramp	From: I-64-E TO HAMPTON ROADS CENTER PARKWAY City of Hampton (Maint: 99) To: 114-7026 FROM I-64 EAST	0.33	NA											NA	NA	
East 64 134 Ramp	From: I-64-E TO RT 258 City of Hampton (Maint: 99) To: I-64-E263B TO RT 258 WEST	0.10	NA											NA	NA	
East 64 Ramp	From: I-64-E TO RT 258 EAST-MERCURY BOULEVAR City of Hampton (Maint: 99) To: US 258 JB-99-27 FROM RTE 64 EAST	0.13	NA											NA	NA	
East 64 134 Ramp	From: I-64-E TO RT 258 EAST-MERCURY BOULEVAR City of Hampton (Maint: 99) To: US 258 FROM I-64 EAST	0.32	NA											NA	NA	
East 64 Ramp	From: I-64 East City of Hampton (Maint: 99) To: 114-7035 Lasalle Ave	0.24	6700	G							0.077	F		6700	G	
East 64 Ramp	From: I-64-E Gap TO RIP RAP ROAD City of Hampton (Maint: 99) To: 114-7037 Gap FROM I-64 EAST	0.11	NA											NA	NA	
East 64 Ramp	From: I-64 East City of Hampton (Maint: 99) To: US 60 Settlers Landing Rd	0.07	7600	G							0.097	F		7600	G	
East 64 Ramp	From: I-64 East City of Hampton (Maint: 99) To: 114-7057 Mallory St	0.13	4700	G							0.12	F		4700	G	
East 64 Ramp	From: I-64-E TO INSPECTION STATION City of Hampton (Maint: 99) To: 114-7057- T INSPECTION BOOTH AREA	0.04	NA											NA	NA	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64 Ramp	From: 114-7057- T INSPECTION BOOTH AREA															
	City of Hampton (Maint: 99)	0.04	NA								NA			NA		
	To: 114-7057- A TO RT 64 EAST															
West 64	From: James City County Line															
	York County	1.43	31000	A	90%	1%	1%	1%	7%	0%	F	0.105	A	28000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	A	91%	1%	1%	1%	7%	0%	F	NA		58000	A	
	To: SR 199 W, Humelsine Pkwy; 99-646 Newman Rd															
West 64	From: York County	4.80	30000	A	90%	1%	1%	1%	7%	0%	C	0.103	A	28000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		61000	A	91%	1%	1%	1%	7%	0%	C	0.097	A	56000	A	
	To: SR 143 Camp Peary Rd															
West 64	From: York County	3.31	30000	G	90%	1%	1%	1%	7%	0%	F	0.077	F	31000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	G	91%	1%	1%	1%	7%	0%	F	0.077	F	0.53	61000	G
	To: SR 199 E, Humelsine Pkwy															
West 64	From: York County	1.41	38000	G	96%	0%	1%	1%	3%	0%	F	0.079	F	39000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	93%	1%	1%	1%	5%	0%	F	0.074	F	0.528	78000	G
	To: US 60 Pocahontas Trail; SR 143 Merrimac Trail															
West 64	From: York County	0.34	42000	G	96%	0%	1%	1%	3%	0%	F	0.079	F	43000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	NA		83000	G	
	To: James City County Line															
West 64	From: York County Line															
	James City County (Maint: 99)	2.38	42000	G	96%	0%	1%	1%	3%	0%	F	0.079	F	43000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.56	83000	G
	To: WCL Newport News															
West 64	From: City of Newport News (Maint: 99)	0.06	42000	G	96%	0%	1%	1%	3%	0%	F	0.079	F	43000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	NA		83000	G	
	To: SR 143 Jefferson Ave															
West 64	From: City of Newport News (Maint: 99)	1.28	40000	G	96%	0%	1%	1%	3%	0%	F	0.075	F	41000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	0.071	F	0.527	83000	G
	To: SR 238 Yorktown Rd															
West 64	From: City of Newport News (Maint: 99)	2.32	44000	G	96%	0%	1%	1%	3%	0%	F	0.073	F	45000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	G	95%	0%	1%	1%	3%	0%	F	0.069	F	0.536	90000	G
	To: SR 105 Fort Eustis Blvd															
West 64	From: City of Newport News (Maint: 99)	5.22	47000	G	96%	0%	1%	1%	3%	0%	F	0.072	F	48000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		96000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	0.513	98000	G
	To: SR 143 Jefferson Ave															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: SR 143 Jefferson Ave City of Newport News (Maint: 99)	1.55	59000	G	96%	0%	1%	1%	3%	0%	F	0.076	F	60000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		118000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	121000	G	
West 64	To: SR 171 Oyster Point Rd From: City of Newport News (Maint: 99)	1.50	65000	A	96%	0%	1%	1%	3%	0%	C	0.095	A	66000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		131000	A	95%	0%	1%	1%	3%	0%	C	0.086	A	134000	A	
West 64	To: US 17 J Clyde Morris Blvd From: City of Newport News (Maint: 99)	0.78	76000	G	96%	0%	1%	1%	3%	0%	F	0.082	F	78000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		153000	G	95%	0%	1%	1%	3%	0%	F	NA		157000	G	
West 64	To: WCL Hampton From: ECL Newport News City of Hampton (Maint: 99)	2.41	76000	G	96%	0%	1%	1%	3%	0%	F	0.082	F	78000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		153000	G	95%	0%	1%	1%	3%	0%	F	0.076	F	157000	G	
West 64	To: Hampton Roads Center Parkway From: City of Hampton (Maint: 99)	0.78	67000	G	96%	0%	1%	1%	3%	0%	F	0.083	F	69000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		136000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	140000	G	
West 64 134	To: SR 134 Magruder Blvd From: City of Hampton (Maint: 99)	0.79	80000	G	96%	0%	1%	1%	3%	0%	F	0.085	F	82000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		159000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	164000	G	
West 64	To: US 258, SR 134 Mercury Blvd From: City of Hampton (Maint: 99)	0.92	76000	G	96%	0%	1%	1%	3%	0%	F	0.089	F	77000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		151000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	155000	G	
West 64 Hampton Roads Beltway	To: I-664 Hampton Roads Beltway From: I-664 City of Hampton (Maint: 99)	1.05	57000	G	96%	0%	1%	1%	3%	0%	F	0.072	F	58000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		112000	G	96%	1%	1%	0%	2%	0%	F	0.071	F	116000	G	
West 64 Hampton Roads Beltway	To: SR 167 LaSalle Ave From: City of Hampton (Maint: 99)	2.36	48000	G	96%	0%	1%	1%	3%	0%	F	0.074	F	49000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		89000	G	96%	1%	1%	0%	2%	0%	F	0.069	F	92000	G	
West 64 60 Hampton Roads Beltway	To: US 60, SR 143 Settlers Landing Rd From: City of Hampton (Maint: 99)	0.38	45000	G	96%	0%	1%	1%	3%	0%	F	0.072	F	46000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	G	96%	1%	1%	0%	2%	0%	F	0.067	F	89000	G	
West 64 60 Hampton Roads Bridge Tunnel	To: SR 169 Mallory St From: City of Hampton (Maint: 99)	3.93	43000	A	97%	0%	1%	0%	2%	0%	C	0.078	A	44000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	A	97%	1%	1%	0%	2%	0%	C	0.078	A	89000	A	
	To: WCL Norfolk															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64 Ramp	From: York County To: York County	I-64-W TO RT 646 SOUTH RT 199 0.20	NA											NA	NA	
West 64 Ramp	From: York County To: York County	I-64-W TO RT 646 NORTH 0.25	NA											NA	NA	
West 64 Ramp	From: York County To: York County	I-64-W TO RT 14300- CAMP PERRY ROAD 0.16	NA											NA	NA	
West 64 Ramp	From: York County To: York County	I-64-W238B TO RT 143 SOUTH & CAMP P 0.11	NA											NA	NA	
West 64 Ramp	From: York County To: York County	I-64-W238A TO RT 143 SOUTH & CAMP P 0.06	NA											NA	NA	
West 64 Ramp	From: York County To: York County	I-64-W TO RT 199 WEST 0.22	NA											NA	NA	
West 64 Ramp	From: York County To: York County	I-64-W TO RT 199 EAST 0.39	NA											NA	NA	
West 64 Ramp	From: York County To: York County	I-64-W RO RT 60 & BUSCH GARDENS 0.82	NA											NA	NA	
West 64 Ramp	From: York County To: York County	I-64-W TO RT 143 0.27	NA											NA	NA	
West 64 Ramp	From: City of Newport News (Maint: 99) To: City of Newport News (Maint: 99)	I-64-W TO RT 23800- YORKTOWN ROAD 0.14	NA											NA	NA	
West 64 Ramp	From: City of Newport News (Maint: 99) To: City of Newport News (Maint: 99)	I-64-W TO RT 105-FORT EUSTIS BOULEVARD 0.19	NA											NA	NA	
West 64 Ramp	From: City of Newport News (Maint: 99) To: City of Newport News (Maint: 99)	I-64-W TO RT 143-JEFFERSON AVENUE 0.21	NA											NA	NA	
West 64 Ramp	From: City of Newport News (Maint: 99) To: City of Newport News (Maint: 99)	I-64-W TO RT 143 SOUTH-JEFFERSON AVENUE 0.12	NA											NA	NA	
West 64 Ramp	From: City of Newport News (Maint: 99) To: City of Newport News (Maint: 99)	I-64-W TO RT 143 NORTH-JEFFERSON AVENUE 0.33	NA											NA	NA	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64 Ramp	From: I-64 West City of Newport News (Maint: 99)	0.21	21000	G							0.079	F		21000	G	
	To: SR 143															
West 64 Ramp	From: I-64-W255B TO ROUTE 14300- JEFFERSON AV City of Newport News (Maint: 99)	0.07	NA								NA			NA		
	To: SR 143-N018B FROM ROUTE 14300- JEFFERSON															
West 64 Ramp	From: I-64-W255A TO ROUTE 14300- JEFFERSON AV City of Newport News (Maint: 99)	0.08	NA								NA			NA		
	To: SR 143-S018B FROM ROUTE 14300- JEFFERSON															
West 64 Ramp	From: I-64-W END COLLECTOR ROAD00- RTE 143 JE City of Newport News (Maint: 99)	0.34	NA								NA			NA		
	To: I-64-W TO RT 171 WEST-OYSTER POINT ROA															
West 64 Ramp	From: I-64-W TO RT 171 WEST-OYSTER POINT ROA City of Newport News (Maint: 99)	0.30	NA								NA			NA		
	To: SR 171 FROM I-64 WEST															
West 64 Ramp	From: I-64-W TO RT 171 EAST-VICTORY BOULEVAR City of Newport News (Maint: 99)	0.39	NA								NA			NA		
	To: SR 171 SR 171-W001B FROM & TO I-64															
West 64 Ramp	From: I-64-W TO RT 17 SOUTH City of Newport News (Maint: 99)	0.15	NA								NA			NA		
	To: US 17 I-64-W258B FROM I-64 WEST															
West 64 Ramp	From: I-64 West City of Newport News (Maint: 99)	0.30	7800	G							0.09	F		7800	G	
	To: US 17 N; J Clyde Morris Blvd															
West 64 Ramp	From: I-64-W TO HAMPTON ROADS CENTER PARKWAY City of Hampton (Maint: 99)	0.28	NA								NA			NA		
	To: 114-7026 FROM I-64 WEST															
West 64 Ramp	From: I-64 W City of Hampton (Maint: 99)	0.23	NA								NA			NA		
	To: US 258 Mecury Blvd															
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99)	0.17	6500	G							0.091	F		6500	G	
	To: US 258															
West 64 Ramp	From: I-64-W TO I-664 EAST City of Hampton (Maint: 99)	0.46	NA								NA			NA		
	To: I-664-E FROM I-64 WEST															
West 64 Ramp	From: I-64-W TO RT 134-ARMISTEAD Ave & LASA City of Hampton (Maint: 99)	0.17	NA								NA			NA		
	To: SR 134 CONNECTOR FROM RT 64 WEST															



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64 Ramp	From: SR 134 CONNECTOR FROM RT 64 WEST City of Hampton (Maint: 99) To: 114-7035 FROM RT 64 WEST	0.09	NA									NA		NA		
West 64 Ramp	From: I-64-W TO RT 134-ARMISTEAD AVENUE City of Hampton (Maint: 99) To: SR 134 FROM I-64 WEST	0.19	NA									NA		NA		
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: SR 143 County St	0.11	4800	G	96%	0%	1%	1%	3%	0%	F	0.095	F	5000	G	
West 64 Ramp	From: I-64-W TO MALLORY STREET City of Hampton (Maint: 99) To: 114-7057; 114-7057- B SEGAR STREET	0.15	NA									NA		NA		
105 Ft Eustis Blvd	From: NCL Newport News York County To: US 17	2.36	17000	G	96%	0%	1%	1%	2%	0%	F	NA		18000	G	
East 105 Ramp	From: SR 105 TO I-64 EAST City of Newport News (Maint: 99) To: I-64-E FROM RT 105-FORT EUSTIS BOULEVA	0.28	NA									NA		NA		
East 105 Ramp	From: SR 105 I-64-W250A TO & FROM IS 64 City of Newport News (Maint: 99) To: I-64-W FROM RT 105-FORT EUSTIS BOULEVA	0.19	NA									NA		NA		
West 105 Ramp	From: SR 105 I-64-E250B TO & FROM IS 64 City of Newport News (Maint: 99) To: I-64-E FROM RT 105-FORT EUSTIS BOULEVA	0.19	NA									NA		NA		
132	From: NCL Williamsburg York County To: US 60	0.10	15000	G	96%	1%	2%	0%	0%	0%	F	0.088	N	0.640	16000	G
132	From: US 60 Bypass Rd York County To: SR 143 Merrimac Trail	1.16	9500	G	98%	1%	0%	0%	0%	0%	C	0.081	F	0.502	9900	G
134 Hampton Hwy	From: US 17 George Washington Memorial Hwy York County To: SR 171 Victory Blvd	0.98	19000	G	98%	0%	0%	1%	0%	0%	F	0.092	F	0.629	21000	G
134 Hampton Hwy	From: SR 171 Victory Blvd York County To: 99-600 Big Bethel Rd	1.54	26000	G	98%	0%	0%	1%	0%	0%	C	0.092	F	0.579	28000	G
134 Hampton Hwy	From: 99-600 Big Bethel Rd York County To: NCL Hampton	1.77	25000	G	98%	0%	0%	1%	0%	0%	F	0.094	F	0.686	27000	G
134 134 Ramp	From: I-64 City of Hampton (Maint: 99) To: I-64-E FROM RT 134 EAST	0.10													See VA 134 for directional traffic volume estimates for this segment.	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SR 134 Magruder Blvd															
134 64	City of Hampton (Maint: 99)	0.52														
	See I-64 for directional traffic volume estimates for this segment.															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>159000 G</b> 95% 0% 1% 1% 3% 0% F 0.074 F 0.553 164000 G															
	To: US 258, SR 134 Mercury Blvd															
134 64 Ramp	City of Hampton (Maint: 99)	0.10														
	To: I-64-E263B TO RT 258 WEST															
	From: I-64-E TO RT 258 EAST-MERCURY BOULEVAR															
134 64 Ramp	City of Hampton (Maint: 99)	0.32														
	See I-64 for directional traffic volume estimates for this segment.															
	To: US 258 FROM I-64 EAST															
	From: SR 134 Armistead Ave															
134 Ramp	City of Hampton (Maint: 99)	0.22	<b>15000</b>	<b>G</b>								0.086	F		15000	G
	To: I-64 West															
	From: SR 134 Ramp to Cunningham Dr															
East 134 Ramp	City of Hampton (Maint: 99)	0.10	<b>11000</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	0.104	B		12000	G
	To: I-64 East															
	From: James City County Line															
143 Merrimac Trail	York County	2.50	<b>14000</b>	<b>G</b>	98%	0%	1%	1%	0%	0%	F	0.117	F	0.515	14000	G
	From: James City County Line															
143 Merrimac Trail	York County	0.76	<b>7300</b>	<b>G</b>	98%	0%	1%	1%	0%	0%	F	0.086	F	0.505	7800	G
	To: ECL Williamsburg															
	From: NCL Williamsburg															
143 Merrimac Trail	York County	0.22	<b>8800</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	0.091	F	0.519	9000	G
	To: SR 132															
143 Merrimac Trail	York County	0.60	<b>18000</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	0.087	F	0.514	19000	G
	To: I-64															
143 Merrimac Trail	York County	0.24	<b>2600</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	0.118	F	0.925	2600	G
	To: Camp Peary Main Gate															
	From: SR 143 TO ROUTE 664 EAST															
143 Ramp	City of Newport News (Maint: 99)	0.09	<b>NA</b>										NA		NA	
	To: SR 143- 9B TO 35TH STREET															
143 Ramp	City of Newport News (Maint: 99)	0.39	<b>NA</b>										NA		NA	
	To: 121-7006-E000B FROM 34TH STREET															
143 Ramp	City of Newport News (Maint: 99)	0.34	<b>NA</b>										NA		NA	
	To: I-664-E FROM JEFFERSON AVE & 34TH ST															
	From: SR 143- 9A TO 35TH STREET															
143 Ramp	City of Newport News (Maint: 99)	0.16	<b>NA</b>										NA		NA	
	To: I-664-E005A FROM JEFFERSON AVENUE															
	From: SR 143 TO I-64 West															
143 Ramp	City of Newport News (Maint: 99)	0.14	<b>NA</b>										NA		NA	
	To: I-64-W FROM RT 143-JEFFERSON AVENUE															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
143 Ramp	From: City of Newport News (Maint: 99)	SR 143 TO I-64 WEST	0.22	NA												NA	
	To: City of Newport News (Maint: 99)	I-64-W RAMP FR RT 143 FROM RT 14300-															
143 Ramp	From: City of Newport News (Maint: 99)	SR 143 TO I-64 EAST	0.25	NA												NA	
	To: City of Newport News (Maint: 99)	I-64-E FROM RT 14300- JEFFERSON AVENUE															
143 Ramp	From: York County	FR-137 SR 143 TO I-64 EAST	0.19	NA												NA	
	To: York County	I-64-E FROM RT 143															
North 143 Ramp	From: City of Newport News (Maint: 99)	SR 143 TO I-64 EAST	0.13	NA												NA	
	To: City of Newport News (Maint: 99)	I-64-E FROM RT 143 NORTH00- JEFFERSON A															
North 143 Ramp	From: City of Newport News (Maint: 99)	SR 143 TO I-64 WEST	0.19	NA												NA	
	To: City of Newport News (Maint: 99)	I-64-W FROM RT 143 NORTH-JEFFERSON AVE															
North 143 Ramp	From: York County	SR 143 TO I-64 WEST	0.16	NA												NA	
	To: York County	I-64-W FROM RT 143 NORTH															
South 143 Ramp	From: City of Newport News (Maint: 99)	SR 143 TO I-64 EAST	0.23	NA												NA	
	To: City of Newport News (Maint: 99)	I-64-E FROM RT 143 SOUTH-JEFFERSON AVE															
South 143 Ramp	From: City of Newport News (Maint: 99)	SR 143 TO I-64 WEST	0.13	NA												NA	
	To: City of Newport News (Maint: 99)	I-64-W FROM RT 143 SOUTH-JEFFERSON AVE															
South 143 Ramp	From: York County	SR 143 TO I-64 WEST	0.20	NA												NA	
	To: York County	I-64-W FROM RT 143-CAMP PERRY ROAD															
162 Second St	From: York County	ECL Williamsburg	0.17	20000	G							0.090	N	0.545	22000	G	
	To: York County	SR 143 Merimac Trail															
171 Victory Blvd	From: York County	WCL Newport News	0.82	49000	G	99%	0%	1%	0%	0%	0%	C	0.084	F	0.537	52000	G
	To: York County	US 17 George Washington Mem Hwy															
171 Victory Blvd	From: York County	SR 134 Hampton Hwy	0.35	31000	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.523	33000	G
	To: York County	99-600 Big Bethel Rd															
171 Victory Blvd	From: York County	WCL Poquoson	1.02	19000	G	99%	0%	0%	0%	0%	0%	F	0.080	F	0.592	20000	G
	To: York County	York County Line															
171 Victory Blvd	From: City of Poquoson	SR 172 Wythe Creek Rd	0.79	13000	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.553	13000	G
	To: City of Poquoson																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
171 Little Florida Rd	City of Poquoson	1.00	11000	G	99%	0%	0%	0%	0%	F	0.097	F	0.657	12000	G	
171 Little Florida Rd	City of Poquoson	0.44	7900	G	99%	0%	0%	0%	0%	F	0.097	F	0.644	8500	G	
171 Poquoson Ave	City of Poquoson	0.50	6700	G	99%	0%	1%	0%	0%	C	0.093	F	0.634	7100	G	
171 Poquoson Ave	City of Poquoson	0.91	3600	G	99%	0%	1%	0%	0%	F	0.088	F	0.597	3800	G	
171 Poquoson Ave	City of Poquoson	1.00	2600	G	99%	0%	1%	0%	0%	F	0.084	F	0.676	2800	G	
171 Messick Rd	City of Poquoson	1.27	1300	G	99%	0%	1%	0%	0%	F	0.104	F	0.560	1400	G	
East 171 Ramp	City of Newport News (Maint: 99)	0.33	NA								NA			NA		
East 171 Ramp	City of Newport News (Maint: 99)	0.25	NA								NA			NA		
West 171 Ramp	City of Newport News (Maint: 99)	0.26	NA								NA			NA		
West 171 Ramp	City of Newport News (Maint: 99)	0.36	NA								NA			NA		
172 Wythe Creek Rd	City of Poquoson	1.08	13000	G	98%	0%	1%	1%	0%	C	0.094	F	0.672	13000	G	
172 Wythe Creek Rd	City of Poquoson	0.24	12000	G	98%	0%	1%	1%	0%	F	0.09	F	0.598	13000	G	
172 Wythe Creek Rd	City of Poquoson	0.62	8000	G	98%	0%	1%	1%	0%	F	0.092	F	0.618	8500	G	
173 Denbigh Blvd	York County	2.18	15000	A	99%	0%	0%	0%	0%	C	0.102	A		16000	A	
173 Goodwin Neck Rd	York County	1.05	8500	G	95%	0%	1%	1%	3%	C	0.088	F	0.565	9000	G	
173 Goodwin Neck Rd	York County	1.10	3500	G	95%	0%	1%	1%	3%	F	0.084	F	0.659	3700	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
173 Goodwin Neck Rd	From:	99-718 Back Creek Rd														
	York County	2.23	2100	G	95%	0%	1%	1%	3%	0%	F	0.072	F	0.605	2200	G
	To:	99-629 East of Tampico Stillwater Lane														
199	From:	I-64														
	York County	0.71	24000	G	97%	1%	1%	0%	1%	0%	C	0.085	F	0.506	26000	G
	To:	99-603 Mooretown Rd														
199	York County	1.08	22000	G	97%	0%	1%	1%	1%	0%	F	0.087	F	0.522	24000	G
	To:	US 60 Richmond Rd														
	From:	US 60 Pocahontas Trail														
199	York County	0.09	28000	G	97%	0%	1%	1%	1%	0%	F	0.094	N	0.571	30000	G
	To:	SR 143 Merrimac Trail														
199	York County	0.86	28000	A	97%	0%	1%	1%	1%	0%	C	0.095	A		30000	A
	To:	I-64														
199	York County	0.47	16000	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.592	17000	G
	To:	99-640 Water Country Pkwy														
199	York County	0.62	7900	G	97%	0%	1%	1%	1%	0%	F	0.097	F	0.574	8500	G
	To:	99-641 Penniman Rd														
East 199 Ramp	From:	SR 199 TO I-64 EAST														
York County	0.32	NA										NA			NA	
	To:	I-64-E FROM RT 199 EAST														
East 199 Ramp	From:	SR 199 TO I-64 WEST														
York County	0.22	NA										NA			NA	
	To:	I-64-W FROM RT 199 EAST														
West 199 Ramp	From:	SR 199 TO I-64 EAST														
York County	0.21	NA										NA			NA	
	To:	I-64-E FROM RT 199 WEST														
West 199 Ramp	From:	SR 199 TO I-64 WEST														
York County	0.27	NA										NA			NA	
	To:	I-64-W FROM RT 199 WEST														
238 Old Williamsburg Rd	From:	ECL Newport News														
	York County	1.35	9900	A	97%	1%	1%	1%	1%	0%	C	0.114	A		11000	A
	To:	99-660 Baptist Rd														
238 Old Williamsburg Rd	York County	0.91	8900	G	97%	1%	1%	1%	1%	0%	F	0.094	F	0.766	9500	G
	To:	99-1020; Goosley Rd														
238 Goosley Rd	From:	99-1020 Old Williamsburg Rd														
	York County	1.18	6300	G	97%	1%	1%	1%	1%	0%	F	0.110	F	0.802	6700	G
	To:	US 17 George Washington Mem Hwy														
238 Goosley Rd	York County	0.51	1600	G	97%	1%	1%	1%	1%	0%	F	0.144	F	0.781	1700	G
	To:	SR 704 Cook Rd														
238 Cook Rd	From:	SR 704; Goosley Rd														
	York County	0.27	5700	G	97%	1%	1%	1%	1%	0%	F	0.124	N	0.912	6200	G
	To:	99-1020 Moore House Rd														

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW			
							2Axle	3+Axle	1Trail	2Trail									
238 Moore House Rd	From:	99-1020; Cook Rd																	
	York County	0.73	3000	G	97%	1%	1%	1%	1%	0%	F	0.124	F	0.912	3200	G			
238 Ballard St	To:	99-676; Ballard St																	
	York County	0.62	2200	G	97%	1%	1%	1%	1%	0%	F	0.151	F	0.941	2400	G			
238 Ramp	From:	SR 238 TO I-64 East																	
	City of Newport News (Maint: 99)	0.20	NA									NA			NA				
258 Ramp	To:	I-64-E FROM RT 23800- YORKTOWN ROAD																	
	City of Hampton (Maint: 99)	0.03	NA									NA			NA				
East 258	From:	US 258 W063B																	
	City of Hampton (Maint: 99)	0.05	NA									NA			NA				
East 258	To:	I-64-W																	
	City of Hampton (Maint: 99)	0.14	NA									NA			NA				
East 258 Ramp	From:	US 258 TO RTE 64																	
	City of Hampton (Maint: 99)	0.56	NA									NA			NA				
West 258 Ramp	To:	US 258-E063B TO RTE 64 WEST																	
	City of Hampton (Maint: 99)	0.18	NA									NA			NA				
West 258 Ramp	From:	US 258 TO I-64 WEST																	
	City of Hampton (Maint: 99)	0.26	NA									NA			NA				
664 I-664 Exit 5 Ramp (from both directions merged)	To:	I-64-E FROM RT 258 EAST-MERCURY BOULEV																	
	City of Newport News (Maint: 99)	0.11	NA									NA			NA				
664 I-664 Exit 5 Ramp (from both directions merged)	From:	EB and WB I-664 Exit 5 ramps																	
	City of Newport News (Maint: 99)	0.11	NA									NA			NA				
664 Ramp	To:	Ramp to US 60 WB Warwick Ave																	
	City of Newport News (Maint: 99)	0.11	NA									NA			NA				
664 Ramp	From:	I-664- 5A TO WARWICK AVENUE																	
	City of Newport News (Maint: 99)	0.11	NA									NA			NA				
664 Hampton Roads Beltway	To:	3US 60-P FROM ROUTE 664																	
	City of Hampton (Maint: 99)	1.13	38000	G	94%	0%	1%	1%	4%	0%	F	0.096	F		41000	G			
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:			76000	G	94%	0%	1%	1%	4%	0%	F	0.084	F	0.608	82000	G
			<i>East I-664 is signed as South I-664</i>																
			Powhatan Parkway																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 664 Hampton Roads Beltway	From: Powhatan Parkway City of Hampton (Maint: 99)	1.21	36000	G	94%	0%	1%	1%	4%	0%	F	0.1	F	39000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		76000	G	94%	0%	1%	1%	4%	0%	F	0.087	F	82000	G	
	<i>East I-664 is signed as South I-664</i>															
East 664 Hampton Roads Beltway	To: Aberdeen Road City of Hampton (Maint: 99)	0.66	34000	G	94%	0%	1%	1%	4%	0%	F	0.099	F	37000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000	G	94%	0%	1%	1%	4%	0%	F	0.099	F	75000	G	
	<i>East I-664 is signed as South I-664</i>															
East 664 Hampton Roads Beltway	To: NCL Newport News From: SCL Hampton City of Newport News (Maint: 99)	0.12	34000	G	94%	0%	1%	1%	4%	0%	F	0.099	F	37000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000	G	94%	0%	1%	1%	4%	0%	F	NA		75000	G	
	<i>East I-664 is signed as South I-664</i>															
East 664 Hampton Roads Beltway	To: Roanoke Ave; Chestnut St From: City of Newport News (Maint: 99)	1.02	32000	G	94%	0%	1%	1%	4%	0%	F	0.101	F	34000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	G	94%	0%	1%	1%	4%	0%	F	0.088	F	68000	G	
	<i>East I-664 is signed as South I-664</i>															
East 664 Hampton Roads Beltway	To: SR 143 Jefferson Ave; 35th St From: City of Newport News (Maint: 99)	1.64	24000	G	94%	0%	1%	1%	4%	0%	F	0.084	F	26000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		57000	G	94%	0%	1%	1%	4%	0%	F	0.084	F	62000	G	
	<i>East I-664 is signed as South I-664</i>															
East 664 Monitor Merrimac Memorial Bridge Tunnel	To: Terminal Ave From: City of Newport News (Maint: 99)	2.84	29000	A	94%	0%	1%	1%	4%	0%	F	0.123	A	31000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		59000	A	94%	0%	1%	1%	4%	0%	F	NA		63000	A	
	<i>East I-664 is signed as South I-664</i>															
East 664 Ramp	To: WCL Suffolk From: I-664-E TO POWHATAN PKWY City of Hampton (Maint: 99)	0.16	NA									NA		NA		
	To: 114-7059; 114-7059- 1B TO RT 664 FR															
East 664 Ramp	To: I-664 East From: City of Hampton (Maint: 99)	0.14	5900	G							0.084	F		5900	G	
	To: 114-7025 Aberdeen Rd															
East 664 Ramp	To: I-664 East From: City of Newport News (Maint: 99)	0.15	4600	G							0.103	F		4600	G	
	To: 121-7019 Chestnut Ave															
East 664 Ramp	To: I-664-E TO 35TH STREET From: City of Newport News (Maint: 99)	0.32	NA									NA		NA		
	To: I-664-W005A I-664- 5A TO 35TH S															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
East 664 Ramp	From: I-664-E TO INSPECTION STATION City of Newport News (Maint: 99) To: I-664-E FROM INSPECTION STATION	0.21	NA											NA	NA		
East 664 Ramp	From: I-664-E TO 26TH & 27TH STREETS City of Newport News (Maint: 99) To: I-664-E006B TO 27TH STREET	0.15	NA											NA	NA		
East 664 Ramp	From: I-664-E006A TO 27TH STREET City of Newport News (Maint: 99) To: 4US 60-P	0.10	NA											NA	NA		
East 664 Ramp	From: I-664-E TO 27TH STREET City of Newport News (Maint: 99) To: 121-3 FROM ROUTE 664 EAST	0.16	NA											NA	NA		
East 664 Ramp	From: I-664-E TO TERMINAL AVENUE City of Newport News (Maint: 99) To: TERMINAL AVENUE FROM ROUTE 664 EASTSOUTH	0.17	NA											NA	NA		
West 664 Hampton Roads Beltway	From: I-64 City of Hampton (Maint: 99) To: Powhatan Parkway	1.66	38000	G	94%	0%	1%	1%	4%	0%	F	0.102	F	41000	G		
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		76000	G	94%	0%	1%	1%	4%	0%	F	0.084	F	0.608	82000	G
		<i>West I-664 is signed as North I-664</i>															
West 664 Hampton Roads Beltway	From: Powhatan Parkway City of Hampton (Maint: 99) To: Aberdeen Road	1.27	40000	G	94%	0%	1%	1%	4%	0%	F	0.105	F	43000	G		
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		76000	G	94%	0%	1%	1%	4%	0%	F	0.087	F	0.632	82000	G
		<i>West I-664 is signed as North I-664</i>															
West 664 Hampton Roads Beltway	From: Aberdeen Road City of Hampton (Maint: 99) To: NCL Newport News	0.28	35000	G	94%	0%	1%	1%	4%	0%	F	0.110	F	37000	G		
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000	G	94%	0%	1%	1%	4%	0%	F	NA		75000	G	
		<i>West I-664 is signed as North I-664</i>															
West 664 Hampton Roads Beltway	From: NCL Newport News City of Newport News (Maint: 99) To: SCL Hampton	0.55	35000	G	94%	0%	1%	1%	4%	0%	F	0.110	F	37000	G		
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000	G	94%	0%	1%	1%	4%	0%	F	NA		75000	G	
		<i>West I-664 is signed as North I-664</i>															
West 664 Hampton Roads Beltway	From: Roanoke Ave; Chestnut St City of Newport News (Maint: 99) To: SR 143 Jefferson Ave; 35th St	0.78	31000	G	94%	0%	1%	1%	4%	0%	F	0.11	F	34000	G		
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	G	94%	0%	1%	1%	4%	0%	F	0.088	F	0.620	68000	G
		<i>West I-664 is signed as North I-664</i>															



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 664	From: SR 143 Jefferson Ave; 35th St Hampton Roads Beltway City of Newport News (Maint: 99)	1.41	33000	G	94%	0%	1%	1%	4%	0%	F	0.09	F	36000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <i>West I-664 is signed as North I-664</i>		57000	G	94%	0%	1%	1%	4%	0%	F	0.084	F	62000	G	
West 664	To: Terminal Ave Monitor Merrimac Memorial Bridge Tunnel City of Newport News (Maint: 99)	2.93	30000	A	94%	0%	1%	1%	4%	0%	F	0.111	A	32000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <i>West I-664 is signed as North I-664</i>		59000	A	94%	0%	1%	1%	4%	0%	F	NA		63000	A	
West 664	To: WCL Suffolk Ramp City of Hampton (Maint: 99)	0.22	12000	G								NA		12000	G	
West 664	From: I-664-W TO I-64 EAST Ramp City of Hampton (Maint: 99)	0.13	NA									NA		NA		
	To: I-64-E FROM I-664 WEST															
West 664	From: I-664-W TO POWHATAN PARKWAY Ramp City of Hampton (Maint: 99)	0.16	NA									NA		NA		
	To: 114-7059; 114-7059- 1A FR RT 664 TO															
West 664	From: I-664-W TO ABERDEEN ROAD Ramp City of Hampton (Maint: 99)	0.16	NA									NA		NA		
	To: 114-7025; 114-7025- A FROM & TO ROU															
West 664	From: I-664 West Ramp City of Newport News (Maint: 99)	0.13	990	G								0.096	F	990	G	
	To: 121-7017 Roanoke Ave															
West 664	From: I-664-W TO JEFFERSON & 6TH ST Ramp City of Newport News (Maint: 99)	0.20	NA									NA		NA		
	To: I-664-E005A TO 35TH S															
West 664	From: I-664-W005A TO JEFFERSON AVE Ramp City of Newport News (Maint: 99)	0.10	NA									NA		NA		
	To: SR 143 FROM ROUTE 664 WES															
West 664	From: I-664-W TO 25TH & 26TH STREETS Ramp City of Newport News (Maint: 99)	0.13	NA									NA		NA		
	To: I-664-W006B TO 25TH STREET															
West 664	From: I-664-W006B TO 25TH STREET Ramp City of Newport News (Maint: 99)	0.13	NA									NA		NA		
	To: 4US 60-P FROM ROUTE 664 WEST															
West 664	From: I-664-W006A TO 25TH STREET Ramp City of Newport News (Maint: 99)	0.10	NA									NA		NA		
	To: US 60 FROM ROUTE 664 WEST															
West 664	From: I-664 WB NB I-664 WB (NB) Exit 7 Ramp City of Newport News (Maint: 99)	0.26	NA									NA		NA		
	To: Terminal Ave															
90003	From: Williamsburg Corporate Limit Colonial Parkway York County (Maint: US )	10.77	6000	O								NA		NA		
	To: US 17															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
	From:	US 17																
90003 Colonial Parkway	York County (Maint: US )	0.59	2200	0								NA				NA		
	To:	99-1020, Moore House Rd; Yorktown Visitor Center																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>James City County</b>																
(F137) Rochambeau Dr	4.69	4200	R									NA		NA		09/20/2007
<b>York County</b>																
(F137) Rochambeau Dr	0.72	9200	R									NA		NA		09/20/2007
(F138) Winchester Rd	0.98	NA										NA		NA		
(F139)	0.21	7	R									NA		NA		09/20/2007
<b>City of Newport News</b>																
(F141)	0.08	NA										NA		NA		
<b>York County</b>																
(F280) Roy Lane	0.22	48	R									NA		NA		09/20/2007
(F668) Paynes Rd	0.21	100	R									NA		NA		09/20/2007
(F670) Cardinal Lane	0.52	430	R									NA		NA		08/21/2007
(F671)	0.16	NA										NA		NA		
(600) Big Bethel Rd	1.00	8600	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.598	9200	G	2011
(600) Big Bethel Rd	1.13	4500	G	99%	0%	0%	0%	0%	0%	F	0.110	F	0.622	4800	G	2011
(600) Big Bethel Rd	0.10	5600	R									NA		NA		06/22/2010
(600) Big Bethel Rd	0.07	5700	R									NA		NA		06/22/2010
(600) Tide Mill Rd	0.22	1000	R									NA		NA		06/22/2010
(600) Tide Mill Rd	0.30	470	R									NA		NA		06/22/2010
(600) Tide Mill Rd	0.09	230	R									NA		NA		06/22/2010
(600) Tide Mill Rd	0.05	280	R									NA		NA		08/21/2007
(601) Boundary Rd	0.12	110	R									NA		NA		06/22/2010
(601) Boundary Rd	0.18	160	R									NA		NA		06/22/2010
(602) Fenton Mill Rd	1.95	760	R									NA		NA		06/29/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
602 Fenton Mill Rd	0.86	980	R								NA			NA		06/29/2010
			From: 99-646 Newman Rd													
602 Fenton Mill Rd	0.85	540	R								NA			NA		06/29/2010
			From: 99-1601 Quaker Meeting House Rd													
			To: James City County Line; 47-602													
603 Mooretown Rd	2.14	6000	G	98%	0%	1%	0%	0%	0%	F	0.083	F	0.509	6100	G	2011
			From: 99-713 Waller Mill Rd													
603 Mooretown Rd	2.67	8900	G	98%	0%	1%	0%	0%	0%	C	0.083	F	0.516	9100	G	2011
			From: 99-645 Airport Rd													
			To: RT 199?													
604 Tom Thomas Rd	0.39	1500	R								NA			NA		09/26/2007
			From: FR-137 Rochambeau Dr													
604 Barlow Rd	1.91	1400	R								NA			NA		06/29/2010
			From: 99-602 Fenton Mill Rd													
604 Barlow Rd	0.28	1200	G								NA			1200	G	2011
			From: 99-1626 Auburn Lane													
604 Barlow Rd	0.05	90	R								NA			NA		06/29/2010
			From: 99-646 Newman Rd													
			To: 99-1627 Londonderry Lane													
605 Winthrop Rd	0.06	140	R								NA			NA		06/29/2010
			From: 99-641 Penniman Rd													
605 Winthrop Rd	0.06	120	R								NA			NA		06/29/2010
			From: 99-608 Catesby Lane													
			To: 99-609 Burnham Rd													
606 Running Man Trail	0.85	2100	R								NA			NA		06/17/2010
			From: 99-600 Big Bethel Rd													
606 Running Man Trail	0.07	1500	R								NA			NA		06/17/2010
			From: 99-1735 Anacostia Turn													
606 Running Man Trail	0.07	1600	R								NA			NA		06/17/2010
			From: 99-1733													
606 Running Man Trail	0.07	1700	R								NA			NA		06/17/2010
			From: 99-1732 SOUTH													
606 Running Man Trail	0.07	1900	R								NA			NA		06/17/2010
			From: 99-1730 S, Quantico Loop													
606 Running Man Trail	0.04	1900	R								NA			NA		06/17/2010
			From: 99-1731 Kicotan Turn													
606 Running Man Trail	0.06	200	R								NA			NA		06/17/2010
			From: 99-1730 N, Quantico Loop													
606 Running Man Trail	0.17	1600	G								NA			1600	G	2011
			From: 99-1630 Tuckahoe Trace													
606 Calthrop Neck Rd	0.75	4100	R								NA			NA		06/17/2010
			From: SR 171 Victory Blvd													
606 Calthrop Neck Rd	0.38	1100	R								NA			NA		06/17/2010
			From: 99-682 Lambs Creek Dr													
606 Calthrop Neck Rd	0.54	530	R								NA			NA		06/17/2010
			From: 99-1524 River Point Dr													
			To: Dead End													
607 Harrop Lane	0.06	770	R								NA			NA		06/17/2010
			From: 99-641 Penniman Rd													
607 Harrop Lane	0.06	410	R								NA			NA		06/17/2010
			From: 99-608 Catesby Lane													
			To: 99-609 Burnham Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(607) Harrop Lane	0.06	20	R									NA		NA		06/17/2010
(608) Catesby Lane	0.23	270	R									NA		NA		06/17/2010
(608) Catesby Lane	0.12	290	R									NA		NA		06/17/2010
(608) Catesby Lane	0.10	140	R									NA		NA		06/17/2010
(609) Burnham Rd	0.13	290	R									NA		NA		06/17/2010
(609) Burnham Rd	0.10	90	R									NA		NA		06/17/2010
(609) Burnham Rd	0.10	120	R									NA		NA		06/17/2010
(610) Jernigan Lane	0.31	300	R									NA		NA		06/17/2010
(610) Jernigan Lane	0.05	100	R									NA		NA		06/17/2010
(611) Maynor Dr	0.05	200	R									NA		NA		07/08/2010
(612) E Maynor Dr	0.12	260	R									NA		NA		07/08/2010
(612) W Maynor Dr	0.12	200	R									NA		NA		07/08/2010
(613) Darby Rd	0.40	1900	R									NA		NA		07/08/2010
(613) Darby Rd	0.40	320	R									NA		NA		07/08/2010
(614) Showalter Rd	1.49	2300	R									NA		NA		07/08/2010
(615) Charles Rd	0.54	430	R									NA		NA		07/08/2010
(616) Patricks Creek Rd	0.50	380	R									NA		NA		07/08/2010
(617) Railway Rd	0.30	740	R									NA		NA		07/08/2010
(617) Railway Rd	0.43	440	R									NA		NA		07/08/2010
(618) Hodges Cove Rd	0.10	430	R									NA		NA		05/12/2010
(618) Hodges Cove Rd	0.45	240	R									NA		NA		05/12/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(619) Ship Point Rd	0.13	1200	R								NA			NA		05/12/2010
(619) Ship Point Rd	0.50	810	R								NA			NA		05/12/2010
(619) Anchor Dr	0.13	270	R								NA			NA		05/12/2010
(619) Anchor Dr	0.03	30	R								NA			NA		05/12/2010
(620) Oriana Rd	2.56	5500	G	100%	0%	0%	0%	0%	0%	C	0.103	F	0.607	5900	G	2011
(620) Lakeside Dr	0.51	8600	G	100%	0%	0%	0%	0%	0%	F	0.084	F	0.540	9200	G	2011
(620) Lakeside Dr	1.50	4100	G	100%	0%	0%	0%	0%	0%	F	0.105	F	0.665	4400	G	2011
(620) Railway Rd	0.75	2300	R								NA			NA		05/12/2010
(620) Link Rd	0.22	1200	R								NA			NA		05/12/2010
(620) Link Rd	0.71	690	R								NA			NA		05/12/2010
(620) Link Rd	0.22	970	R								NA			NA		05/12/2010
(620) Holly Point Rd	0.40	320	R								NA			NA		05/12/2010
(621) Grafton Dr	0.73	2500	R								NA			NA		05/12/2010
(621) Dare Rd	1.61	4500	G	99%	0%	0%	0%	0%	0%	C	0.095	F	0.593	4800	G	2011
(621) Dare Rd	0.86	2700	R								NA			NA		05/12/2010
(621) Dare Rd	0.20	1300	R								NA			NA		05/12/2010
(621) Dare Rd	0.17	640	R								NA			NA		05/12/2010
(621) Dare Rd	0.33	440	R								NA			NA		05/12/2010
(622) Brick Church Rd	0.10	1100	R								NA			NA		05/12/2010
(622) Brick Church Rd	0.56	1100	R								NA			NA		05/12/2010
(622) Brick Church Rd	0.22	430	R								NA			NA		08/21/2007
(622) Seaford Rd	0.45	8400	G	99%	0%	0%	1%	0%	0%	C	0.09	F	0.629	8900	G	2011
(622) Seaford Rd	1.85	6300	G	99%	0%	0%	1%	0%	0%	F	0.090	F	0.647	6700	G	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(622) Seaford Rd	0.53	2200	R								NA			NA		04/28/2010
(622) Seaford Rd	0.66	1200	R								NA			NA		04/28/2010
(622) Seaford Rd	0.04	790	R								NA			NA		04/28/2010
(622) Seaford Rd	0.33	590	R								NA			NA		04/28/2010
(622) Seaford Rd	0.12	10	R								NA			NA		04/28/2010
(623) Wildey Rd	0.35	210	R								NA			NA		04/28/2010
(623) Wildey Rd	0.25	360	R								NA			NA		04/28/2010
(624) Sparrer Rd	0.10	70	R								NA			NA		04/28/2010
(624) Sparrer Rd	0.25	300	R								NA			NA		04/28/2010
(625) Purgold Rd	0.10	130	G								NA			130	G	2011
(625) Purgold Rd	0.14	180	R								NA			NA		04/28/2010
(626) Shirley Rd	0.12	910	R								NA			NA		04/28/2010
(626) Shirley Rd	0.16	780	R								NA			NA		04/28/2010
(626) Shirley Rd	0.13	380	R								NA			NA		04/28/2010
(627) Woods Rd	0.14	890	R								NA			NA		04/29/2010
(627) Landing Rd	0.36	640	R								NA			NA		04/29/2010
(627) Landing Rd	0.04	20	R								NA			NA		04/29/2010
(628) Lewis Dr	0.30	230	R								NA			NA		04/29/2010
(629) Dandy Loop Rd	0.20	1600	R								NA			NA		04/29/2010
(629) Dandy Loop Rd	0.40	620	R								NA			NA		04/29/2010
(629) Dandy Loop Rd	0.10	360	R								NA			NA		04/29/2010
(629) Dandy Loop Rd	0.40	290	R								NA			NA		04/29/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(629) Dandy Loop Rd	1.20	1400	R								NA			NA		04/29/2010
						From: 99-656 N, Middle Rd										
						To: SR 173 Goodwin Neck Rd										
(629) Stillwater Lane	0.20	220	R								NA			NA		04/29/2010
						From: Dead End										
						To: 99-621 Grafton Dr										
(630) Amory Lane	0.10	3200	R								NA			NA		04/29/2010
						From: US 17 George Washington Mem Hwy										
(630) Wolf Trap Rd	1.53	7500	G	99%	0%	0%	0%	0%	0%	C	0.08	F	0.561	8000	G	2011
						From: SR 173 Goodwin Neck Rd										
(630) Wolf Trap Rd	0.88	1900	R								NA			NA		04/29/2010
						From: 99-718 Hornsbyville Rd										
						To: 99-718 Hornsbyville Rd										
(631) Waterview Rd	0.89	820	R								NA			NA		04/29/2010
						From: 99-707 Janis Dr										
(631) Waterview Rd	0.80	340	R								NA			NA		04/29/2010
						From: Dead End										
						To: 99-718 Hornsbyville Rd										
(632) Old Wormley Creek Rd	0.22	1000	R								NA			NA		04/29/2010
						From: 99-1252 Bolivar Dr										
(632) Old Wormley Creek Rd	0.78	790	R								NA			NA		04/29/2010
						From: Dead End										
						To: SR 238 Washington Rd										
(633) Cornwallis Rd	0.07	70	R								NA			NA		04/29/2010
						From: 99-650 Lafayette Rd										
(633) Cornwallis Rd	0.03	49	R								NA			NA		04/29/2010
						From: 99-676 Moore House Rd										
						To: US 17 George Washington Mem Hwy										
(634) Old York Hampton Hwy	1.20	3800	G	98%	0%	0%	1%	1%	0%	C	0.097	F	0.572	4000	G	2011
						From: 99-1215 Copeland Lane										
(634) Old York Hampton Hwy	0.11	2600	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.55	2700	G	2011
						From: 99-718 S, Hornsbyville Rd										
						To: 99-718 Hornsbyville Rd										
(634) (718) Hornsbyville Rd	1.34	2800	G	99%	0%	0%	0%	0%	0%	C	0.104	F	0.545	2900	G	2011
						From: 99-718 Battle Rd										
						To: 99-718 N, Battle Rd										
(634) Old York Hampton Hwy	0.27	3800	G	99%	0%	0%	0%	0%	0%	C	0.104	F	0.585	4100	G	2011
						From: 99-693 Wormley Creek Dr										
(634) Old York Hampton Hwy	0.75	2700	G	99%	0%	0%	0%	0%	0%	F	0.111	F	0.623	2900	G	2011
						From: 99-704 S, Cook Rd										
(634) Surrender Rd	1.27	410	R								NA			NA		04/29/2010
						From: 99-704 N, Cook Rd										
						To: Dead End										
(635) Marl Pit Rd	0.30	100	R								NA			NA		04/29/2010
						From: 99-637 Union Rd										
						To: NCL Newport News										
(636) Richneck Rd	0.84	1400	G	99%	0%	1%	0%	0%	0%	C	0.106	F	0.6	1500	G	2011
						From: SR 105										
						To: NCL Newport News										
(637) Crawford Rd	2.87	360	R								NA			NA		04/29/2010
						From: SR 238 Goosley Rd										
(637) Union Rd	0.32	200	R								NA			NA		04/29/2010
						From: 99-704 Cook Rd; Gap										
						To: 99-635 Marl Pit Rd										
(637) Union Rd	0.30	110	R								NA			NA		04/29/2010
						From: Dead End										



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
<b>York County</b>																		
(639) Maple Rd	0.45	520	R													04/29/2010		
From: Dead End												NA						
To: 99-660 Baptist Rd																		
(640) Water Country Pkwy	0.13	1200	R													04/29/2010		
From: 99-641 Penniman Rd												NA						
(640) Water Country Pkwy	0.23	1700	R													04/29/2010		
From: 99-1121 Unnamed_Route 1121_												NA						
To: SR 199																		
(640) Water Country Pkwy	0.23	550	R													04/29/2010		
From: SR 199												NA						
To: 99-1122 Unnamed_Route 1122_																		
(640) Water Country Pkwy	0.01	50	R													04/29/2010		
From: 99-1122 Unnamed_Route 1122_												NA						
To: Dead End																		
(641) Penniman Rd	0.64	2600	G	98%	0%	1%	0%	0%	0%	F	0.095	F	0.654	2800	G	2011		
From: ECL Williamsburg																		
To: SR 143 Merrimac Trail												C	0.090	F	0.505	6000	G	2011
(641) Penniman Rd	0.86	5600	G	98%	0%	1%	0%	0%	0%	C	0.090	F	0.505	6000	G	2011		
From: SR 143 Merrimac Trail																		
To: 99-723 Fillmore Dr												F	0.082	F	0.563	2800	G	2011
(641) Penniman Rd	1.65	2600	G	98%	0%	1%	0%	0%	0%	F	0.082	F	0.563	2800	G	2011		
From: 99-723 Fillmore Dr																		
To: SR 199 South																		
From: SR 199 North												C	0.133	A		5900	A	2011
(641) Penniman Rd	1.19	5300	A	98%	0%	0%	0%	1%	0%	C	0.133	A		5900	A	2011		
From: SR 199 North																		
To: Ramp From Colonial Pkwy												NA						
(641) Penniman Rd	0.17	2400	R													04/29/2010		
From: Ramp From Colonial Pkwy												NA						
To: Dead End																		
(642) Oak Dr	0.22	1400	R													04/29/2010		
From: 99-677 Government Rd												NA						
To: 99-641 S, Penniman Rd																		
(642) Queens Creek Rd	0.20	2100	R													04/29/2010		
From: 99-641 S, Penniman Rd												NA						
To: 99-641 N, Penniman Rd																		
(642) Queens Creek Rd	0.10	2300	R													04/29/2010		
From: 99-641 N, Penniman Rd												NA						
To: 99-724 Steward Dr																		
(642) Queens Creek Rd	0.36	1800	R													04/29/2010		
From: 99-724 Steward Dr												NA						
To: 99-647 Maynor Dr																		
(642) Queens Creek Rd	0.04	300	R													04/29/2010		
From: 99-647 Maynor Dr												NA						
To: 99-1110 Springfield Dr																		
(642) Queens Creek Rd	0.05	40	R													04/29/2010		
From: 99-1110 Springfield Dr												NA						
To: 99-1113 Queensbury Lane																		
(642) Queens Creek Rd	0.05	40	R													04/29/2010		
From: 99-1113 Queensbury Lane												NA						
To: Dead End																		
(643) Caran Rd	0.08	540	R													04/29/2010		
From: 99-713 Waller Mill Rd												NA						
To: 99-662 Arden Dr																		
(643) Caran Rd	0.06	600	R													04/29/2010		
From: 99-662 Arden Dr												NA						
To: 99-690 Palace Lane																		
(643) Caran Rd	0.06	50	R													04/29/2010		
From: 99-690 Palace Lane												NA						
To: Dead End																		
(644) Old Dare Rd	0.13	80	R													04/29/2010		
From: 99-655 Allens Mill Rd												NA						
To: Dead End																		
(645) Airport Rd	0.48	5000	R													04/29/2010		
From: 99-603 Mooretown Rd												NA						
To: 99-749																		
(645) Airport Rd	1.16	5400	R													04/29/2010		
From: 99-749												NA						
To: 99-737																		

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(645) Airport Rd	0.36	5600	R								NA		NA			04/29/2010
(646) Lightfoot Rd	1.75	9800	G	99%	0%	1%	0%	0%	C	0.085	F	0.523	10000	G		2011
(646) Newman Rd	1.30	2700	G	99%	0%	1%	0%	0%	F	0.089	F	0.565	2800	G		2011
(646) Ramp	0.20	NA									NA		NA			
North (646) Ramp	0.17	NA									NA		NA			
South (646) Ramp	0.34	NA									NA		NA			
(647) Maynor Dr	0.05	460	R								NA		NA			04/29/2010
(648) Browns Lane	0.32	360	R								NA		NA			04/29/2010
(649) Rich Rd	0.33	240	R								NA		NA			04/29/2010
(650) Lafayette Rd	0.18	60	R								NA		NA			04/29/2010
(651) Ilex Dr	0.40	210	R								NA		NA			04/29/2010
(652) Claxton Creek Rd	0.32	210	G								NA		210	G		2011
(652) Claxton Creek Rd	0.10	40	R								NA		NA			04/29/2010
(653) Firby Rd	0.30	290	R								NA		NA			04/29/2010
(654) Walden Dr	0.20	120	R								NA		NA			05/13/2010
(654) Cove Crescent	0.13	120	R								NA		NA			05/13/2010
(655) Allens Mill Rd	1.17	1400	R								NA		NA			05/13/2010
(655) Allens Mill Rd	0.03	80	R								NA		NA			05/13/2010
(656) Middle Rd	0.48	360	R								NA		NA			05/13/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(657) Wynne Rd	0.50	320	R			From: 99-617 Railway Rd					NA			NA		05/13/2010
						To: Dead End										
(658) Yorkville Rd	0.10	2600	R			From: 99-620 Lakeside Dr					NA			NA		05/13/2010
(658) Yorkville Rd	0.55	1900	R			From: 99-615 Charles Rd					NA			NA		05/13/2010
(658) Yorkville Rd	0.10	1600	R			From: 99-1522 W, Lorna Doone Dr					NA			NA		05/13/2010
(658) Yorkville Rd	0.09	1400	R			From: 99-1522 E, Lorna Doone Dr					NA			NA		05/13/2010
(658) Yorkville Rd	0.16	1000	R			From: 99-746 Pinchurst Dr					NA			NA		05/13/2010
(658) Yorkville Rd	0.20	410	R			From: 99-661 Piney Point Rd					NA			NA		05/13/2010
(658) Yorkville Rd	0.20	130	R			From: 99-783 Fairfield Dr					NA			NA		05/13/2010
						To: 99-738 Oyster Cove Rd										
(659) Dogwood Rd	0.03	20	R			From: Dead End					NA			NA		08/21/2007
(659) Dogwood Rd	0.60	360	R			From: 99-1024 Nancy Court					NA			NA		05/13/2010
						To: SR 238 Yorktown Rd										
(660) Baptist Rd	0.10	60	R			From: Dead End					NA			NA		05/13/2010
(660) Baptist Rd	1.65	1800	R			From: 99-701 Spring Rd					NA			NA		05/13/2010
						To: SR 238 Old Williamsburg Rd										
(661) Piney Point Rd	0.35	100	R			From: Dead End					NA			NA		05/13/2010
(661) Piney Point Rd	0.05	340	R			From: 99-761 Piney Point Rd					NA			NA		05/13/2010
(661) Piney Point Rd	0.08	440	R			From: 99-758 Cedar Point Crescent					NA			NA		05/13/2010
(661) Piney Point Rd	0.08	600	R			From: 99-654 Cove Crescent; Walden Dr					NA			NA		05/13/2010
(661) Piney Point Rd	0.09	980	R			From: 99-788					NA			NA		05/13/2010
						To: 99-658 Yorkville Rd										
(662) Arden Dr	0.04	410	R			From: 99-643 Caran Rd					NA			NA		05/13/2010
(662) Arden Dr	0.06	240	R			From: 99-665 Kelsey Rd					NA			NA		05/13/2010
(662) Arden Dr	0.02	49	R			From: 99-771					NA			NA		05/13/2010
						To: Dead End										
(663) Robanna Dr	0.07	470	R			From: 99-622 Seaford Rd					NA			NA		05/13/2010
(663) Robanna Dr	0.08	680	R			From: 99-1283 Wills Circle					NA			NA		05/13/2010
(663) Robanna Dr	0.09	650	R			From: 99-1284 Travis Circle					NA			NA		05/13/2010
						To: 99-1285 Perrin Circle										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(663) Robanna Dr	0.04	560	R			From: 99-1285 Perrin Circle					NA			NA		05/13/2010
(663) Robanna Dr	0.06	280	R			To: 99-1286 Putnam Dr					NA			NA		05/13/2010
(663) Robanna Dr	0.21	420	R			From: 99-768 Thomas Rd					NA			NA		05/13/2010
						To: Dead End										
(665) Kelsey Rd	0.12	140	R			From: 99-662 Arden Dr					NA			NA		04/28/2010
						To: Dead End										
(666) Coburn Ct	0.15	30	R			From: SR 238 Yorktown Rd					NA			NA		04/28/2010
						To: NCL Newport News										
(667) Jason Dr	0.06	220	R			From: 99-722					NA			NA		04/28/2010
						To: 99-722										
(668) Curtis Dr	0.06	2000	R			From: 47-668; 99-641; York County Line					NA			NA		04/28/2010
(668) Curtis Dr	0.07	1500	R			To: 99-724 Stewart Dr					NA			NA		04/28/2010
						To: 99-720 Wilkins Dr										
(669) Hidden Lane	0.10	40	R			From: Dead End					NA			NA		04/28/2010
						To: 99-626 Shirley Rd										
(670) Hansford Lane	0.34	90	R			From: 99-622 Seaford Rd					NA			NA		04/28/2010
						To: Dead End										
(671) Weston Rd	0.05	80	R			From: Dead End					NA			NA		04/28/2010
(671) Weston Rd	0.35	420	R			To: 99-1295 Berrys Landing					NA			NA		04/28/2010
						To: 99-621 Dare Rd										
(672) Crockett Rd	0.09	250	R			From: Dead End					NA			NA		04/28/2010
(672) Crockett Rd	0.08	300	R			To: 99-1247 Glenn Cove					NA			NA		04/28/2010
(672) Crockett Rd	0.09	550	R			To: 99-1246 Charles Circle					NA			NA		04/28/2010
(672) Crockett Rd	0.09	620	R			To: 99-1245 Evergreen Circle					NA			NA		04/28/2010
						To: 99-787 Old Seaford Rd										
(673) Parker Lane	0.20	170	R			From: 99-718 Back Creek Rd					NA			NA		04/28/2010
						To: Dead End										
(674) Presson Rd	0.30	140	R			From: Dead End					NA			NA		04/28/2010
						To: 99-623 Wildey Rd										
(675) Mansion Rd	0.59	820	R			From: Cul-de-Sac					NA			NA		08/21/2007
						To: 99-782 Carys Chapel Rd										
(676) Moore House Rd	0.28	220	R			From: SR 238 Washington Rd					NA			NA		05/03/2010
(676) Moore House Rd	0.38	47	R			To: 99-633 Cornwallis Rd					NA			NA		05/03/2010
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(677) Government Rd	0.21	2100	R			From: 47-677; 1120					NA			NA		05/03/2010
(677) Government Rd	0.20	510	R			From: 99-642 Oak Dr					NA			NA		05/03/2010
(678) Cockletown Rd	0.08	490	R			From: 99-641 Penniman Rd					NA			NA		05/03/2010
(678) Cockletown Rd	0.08	430	R			From: 99-1204 Cockletown Rd					NA			NA		05/03/2010
(678) Cockletown Rd	0.08	430	R			From: 99-1205 Harris Grove Lane					NA			NA		05/03/2010
(678) Harrod Lane	0.40	320	R			From: US 17 George Washington Mem Hwy					NA			NA		05/03/2010
(679) Lindsay Landing Lane	0.12	2300	R			From: 99-634 Old York Hampton Hwy					NA			NA		05/03/2010
(679) Lindsay Landing Lane	0.12	1500	R			From: 99-614 Showalter Rd					NA			NA		05/03/2010
(679) Lindsay Landing Lane	0.12	1500	R			From: 99-1509 Vine Dr					NA			NA		05/03/2010
(679) Lindsay Landing Lane	0.08	1300	R			From: 99-1581 Breezy Point Dr					NA			NA		05/03/2010
(679) Lindsay Landing Lane	0.16	810	R			From: 99-1526					NA			NA		05/03/2010
(679) Lindsay Landing Lane	0.14	470	R			From: 99-1515 Jonadab Rd					NA			NA		05/03/2010
(679) Lindsay Landing Lane	0.19	280	R			From: 99-1582 Leroy Dr					NA			NA		05/03/2010
(679) Lindsay Landing Lane	0.25	70	R			From: 99-1516 Quartermarsh Dr					NA			NA		05/03/2010
(680) Rich Rd	0.25	610	R			From: Dead End					NA			NA		05/03/2010
(681) Bethany Terrace	0.10	180	R			From: 99-649 Rich Rd					NA			NA		05/03/2010
(682) Lambs Creek Dr	0.25	1000	R			From: US 17 George Washington Mem Hwy					NA			NA		05/03/2010
(682) Lambs Creek Dr	0.04	470	R			From: 99-600 Big Bethel Rd					NA			NA		06/21/2010
(682) Lambs Creek Dr	0.10	370	R			From: Cul-de-Sac					NA			NA		06/21/2010
(682) Lambs Creek Dr	0.07	250	R			From: 99-606 Running Man Trail					NA			NA		06/21/2010
(682) Lambs Creek Dr	0.03	80	R			From: 99-1523 Madeira Dr					NA			NA		06/21/2010
(683) Carpenter Dr	0.07	170	R			From: 99-683 Carpenter Dr					NA			NA		06/21/2010
(684) Creek Terrace	0.17	80	R			From: 99-684 W, Creek Terrace					NA			NA		06/21/2010
(685) Blalock Dr	0.05	110	R			From: Cul-de-Sac					NA			NA		06/21/2010
(685) Blalock Dr	0.05	110	R			From: 99-682 E, Lambs Creek Dr					NA			NA		06/21/2010
(685) Blalock Dr	0.05	110	R			From: Cul-de-Sac					NA			NA		06/21/2010
(685) Blalock Dr	0.05	110	R			From: 99-682 E, Lambs Creek Dr					NA			NA		06/21/2010
(685) Blalock Dr	0.05	110	R			From: 99-682 W, Lambs Creek Dr					NA			NA		06/21/2010
(685) Blalock Dr	0.05	110	R			From: 99-722					NA			NA		07/08/2010
(685) Blalock Dr	0.05	110	R			From: Dead End					NA			NA		07/08/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(686) Cheadle Loop Rd	0.25	1000	R									NA		NA		07/08/2010
(686) Cheadle Loop Rd	0.20	910	R									NA		NA		07/08/2010
(686) Cheadle Loop Rd	0.23	310	R									NA		NA		07/08/2010
(686) Cheadle Loop Rd	0.07	240	R									NA		NA		07/08/2010
(686) Cheadle Loop Rd	0.28	550	R									NA		NA		07/08/2010
(686) Cheadle Loop Rd	0.07	590	R									NA		NA		07/08/2010
(686) Cheadle Loop Rd	0.04	670	R									NA		NA		07/08/2010
(687) Springfield Rd	0.32	170	R									NA		NA		07/08/2010
(688) Pine Tree Rd	0.04	40	R									NA		NA		07/08/2010
(689) Harbor Cres	0.11	330	R									NA		NA		04/27/2010
(690) Commons Way	0.39	1900	R									NA		NA		04/27/2010
(690) Palace Lane	0.22	140	R									NA		NA		04/27/2010
(691) Elliott Rd	0.23	90	R									NA		NA		04/27/2010
(692) Oak Point Dr	0.25	120	R									NA		NA		04/27/2010
(693) Wormley Creek Dr	0.51	2000	G									NA		2000	G	2011
(693) Wormley Creek Dr	0.08	840	R									NA		NA		04/27/2010
(693) Wormley Creek Dr	0.09	690	R									NA		NA		05/04/2010
(693) Wormley Creek Dr	0.09	600	R									NA		NA		05/04/2010
(693) Wormley Creek Dr	0.26	470	R									NA		NA		05/04/2010
(693) Wormley Creek Dr	0.44	250	R									NA		NA		05/04/2010
(694) Court Rd	0.10	60	R									NA		NA		05/04/2010
(695) Misty Dr	0.07	40	R									NA		NA		05/04/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(696) Mary Ann Dr	0.07	40	R									NA		NA		04/28/2010
(697)	0.09	47	R									NA		NA		04/28/2010
(698) Yorkview Rd	0.43	300	R									NA		NA		05/04/2010
(699) Shirley Dr	0.25	310	R									NA		NA		05/04/2010
(700) Sylvia Dr	0.05	60	R									NA		NA		05/04/2010
(700) Sylvia Dr	0.06	70	R									NA		NA		05/04/2010
(701) Spring Rd	0.35	470	R									NA		NA		05/04/2010
(702) Jethro Lane	0.17	250	R									NA		NA		05/04/2010
(702) Jethro Lane	0.26	210	R									NA		NA		05/04/2010
(703) Artillery Rd	0.21	280	R									NA		NA		05/04/2010
(703) Artillery Rd	0.57	320	R									NA		NA		05/04/2010
(704) Cook Rd	0.72	4900	G	99%	0%	0%	0%	0%	0%	F	0.080	F	0.702	5200	G	2011
(704) Cook Rd	1.15	5800	G	99%	0%	0%	0%	0%	0%	C	0.090	F	0.637	6200	G	2011
(704) Cook Rd	0.22	5600	G	99%	0%	0%	0%	0%	0%	F	0.107	F	0.68	5900	G	2011
(705) Alexander Lee Pkwy	0.68	830	R									NA		NA		05/04/2010
(706) Theatre Rd	0.28	790	R									NA		NA		05/04/2010
(706) Yorktown Rd	0.09	8100	R									NA		NA		04/27/2010
(706) Yorktown Rd	0.05	7500	R									NA		NA		04/27/2010
(706) Yorktown Rd	0.19	6200	R									NA		NA		04/27/2010
(706) Yorktown Rd	0.08	6100	R									NA		NA		04/27/2010
(706) Yorktown Rd	0.08	5000	R									NA		NA		04/27/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(706) Yorktown Rd	0.09	4400	R									NA		NA		04/27/2010
(706) Yorktown Rd	0.75	4700	R									NA		NA		04/27/2010
(706)	0.11	5500	R									NA		NA		04/27/2010
(706)	0.67	2600	R									NA		NA		04/27/2010
(707) Janis Dr	0.07	70	R									NA		NA		04/27/2010
(707) Janis Dr	0.12	230	R									NA		NA		04/29/2010
(708) Basta Dr	0.10	120	R									NA		NA		04/29/2010
(708) Basta Dr	0.11	390	R									NA		NA		04/29/2010
(709) Burts Rd	0.20	1000	R									NA		NA		04/29/2010
(709) Burts Rd	0.67	750	R									NA		NA		04/29/2010
(710) Lodge Rd	0.22	45	R									NA		NA		08/10/2010
(710) Lodge Rd	0.13	240	R									NA		NA		08/10/2010
(711) Church Rd	0.45	420	R									NA		NA		05/03/2010
(712) York Point Rd	0.20	300	R									NA		NA		04/28/2010
(712) York Point Rd	0.90	620	R									NA		NA		04/28/2010
(712) Bay Tree Beach Rd	1.00	250	R									NA		NA		04/28/2010
(713) Waller Mill Rd	0.26	4300	G	99%	0%	0%	0%	0%	0%	C	0.08	F	0.520	4600	G	2011
(713) Waller Mill Rd	0.23	1800	R									NA		NA		07/02/2010
(713) Waller Mill Rd	0.18	1000	R									NA		NA		07/02/2010
(713) Waller Mill Rd	1.11	460	R									NA		NA		07/02/2010
(714) Jennings Dr	0.30	210	R									NA		NA		07/02/2010
(715) East Branch Rd	0.20	220	R									NA		NA		08/30/2010



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(716) Hubbard Lane	0.93	4900	G	98%	0%	0%	1%	0%	0%	C	0.093	F	0.506	5300	G	2011
(716) Queens Dr	0.78	1700	G								NA		1700	G	2011	
(716) Queens Dr	0.45	750	R								NA		NA		07/15/2010	
(716) Queens Dr	0.30	510	R								NA		NA		07/15/2010	
(716) Queens Dr	0.79	120	R								NA		NA		07/15/2010	
(716) Queens Dr	0.09	220	R								NA		NA		07/15/2010	
(716) Queens Dr	0.10	370	R								NA		NA		07/15/2010	
(716) Queens Dr	0.05	510	R								NA		NA		07/15/2010	
(716) Queens Dr	0.08	650	R								NA		NA		07/15/2010	
(716) Queens Dr	0.11	920	R								NA		NA		07/15/2010	
(716) Queens Dr	0.09	1000	R								NA		NA		07/15/2010	
(716) Queens Dr	0.15	1200	R								NA		NA		07/09/2010	
(716) Queens Dr	0.10	1300	R								NA		NA		07/09/2010	
(716) Queens Dr	0.16	1500	R								NA		NA		07/09/2010	
(717) Old Landing Rd	0.15	630	R								NA		NA		07/09/2010	
(717) Old Landing Rd	0.15	740	R								NA		NA		07/09/2010	
(717) Old Landing Rd	0.09	210	R								NA		NA		07/09/2010	
(717) Old Landing Rd	0.14	200	R								NA		NA		07/09/2010	
(717) Old Landing Rd	0.04	90	R								NA		NA		07/09/2010	
(717) Old Landing Rd	0.04	100	R								NA		NA		07/09/2010	
(717) Old Landing Rd	0.08	40	R								NA		NA		07/09/2010	
(718) Battle Rd	0.38	2800	R								NA		NA		07/09/2010	
(718) Old York Hampton Hwy	0.19	4400	G	99%	0%	0%	0%	0%	0%	F	0.103	F	0.549	4700	G	2011
(718) Hornsbyville Rd	1.34	2800	G	99%	0%	0%	0%	0%	0%	C	0.104	F	0.545	2900	G	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(718) Hornsbyville Rd	0.28	1400	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.59	1500	G	2011
(718) Back Creek Rd	1.06	1000	R											NA		07/09/2010
(718) Back Creek Rd	0.29	980	R											NA		07/09/2010
(718) Back Creek Rd	0.24	610	R											NA		07/09/2010
(718) Back Creek Rd	0.08	2900	R											NA		07/09/2010
(718) Back Creek Rd	0.21	1400	R											NA		07/09/2010
(718) Back Creek Rd	0.21	1100	R											NA		07/09/2010
(718) Back Creek Rd	0.06	100	R											NA		07/09/2010
(719) Westover Dr	0.07	340	R											NA		07/09/2010
(719) Westover Dr	0.06	290	R											NA		07/09/2010
(720) Wilkins Dr	0.07	240	R											NA		07/09/2010
(720) Wilkins Dr	0.07	580	R											NA		07/09/2010
(720) Wilkins Dr	0.15	1000	R											NA		07/09/2010
(720) Wilkins Dr	0.17	270	R											NA		07/09/2010
(720) Wilkins Dr	0.16	210	R											NA		07/09/2010
(720) Wilkins Dr	0.03	270	R											NA		07/09/2010
(721) Berkley Dr	0.07	490	R											NA		07/09/2010
(722)	0.07	280	R											NA		07/09/2010
(722)	0.15	550	R											NA		07/09/2010
(722)	0.11	180	R											NA		07/09/2010
(722)	0.16	160	R											NA		07/09/2010
(722)	0.03	130	R											NA		07/09/2010
(722)	0.05	190	R											NA		07/09/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(722)	0.19	370	R										NA	NA		07/09/2010
(723) Fillmore Dr	0.03	710	R										NA	NA		07/09/2010
(723) Fillmore Dr	0.07	630	R										NA	NA		07/09/2010
(723) Fillmore Dr	0.07	330	R										NA	NA		08/26/2010
(724) Stewart Dr	0.14	560	R										NA	NA		08/26/2010
(724) Stewart Dr	0.33	240	R										NA	NA		08/26/2010
(725) Dodge Dr	0.08	270	R										NA	NA		07/20/2010
(726)	0.02	10	R										NA	NA		07/20/2010
(726)	0.08	440	R										NA	NA		07/20/2010
(726)	0.09	410	R										NA	NA		07/20/2010
(726)	0.21	570	R										NA	NA		07/20/2010
(726)	0.03	8	R										NA	NA		07/20/2010
(727) Nelson Dr	0.11	370	R										NA	NA		07/20/2010
(727) Nelson Dr	0.20	290	R										NA	NA		07/20/2010
(727) Nelson Dr	0.13	310	R										NA	NA		07/20/2010
(728) Colonial Ave	0.06	690	R										NA	NA		07/20/2010
(728) Colonial Ave	0.07	750	R										NA	NA		07/20/2010
(728) Colonial Ave	0.12	120	R										NA	NA		08/27/2010
(730) Bruton Dr	0.19	440	R										NA	NA		08/27/2010
(731) Edale Ave	0.06	660	R										NA	NA		08/27/2010
(731) Edale Ave	0.08	290	R										NA	NA		08/27/2010
(732)	0.11	90	R										NA	NA		08/27/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(733)	0.03	90	R				From: 99-708 Basta Dr					NA		NA		08/27/2010
							To: 99-707 Janis Dr									
(734) Byrd Lane	0.15	300	R				From: Dead End					NA		NA		08/27/2010
							To: US 17 George Washington Mem Hwy									
(735) Greenland Dr	0.32	330	R				From: Dead End					NA		NA		08/27/2010
							To: 99-706 Yorktown Rd									
(736) York Rd	0.26	150	R				From: 99-660 SOUTH, Baptist Rd					NA		NA		08/27/2010
							To: 99-660 NORTH, Baptist Rd									
(737)	0.28	510	R				From: Dead End					NA		NA		05/03/2010
							To: 99-645 Airport Rd									
(738) Oyster Cove Rd	0.14	70	R				From: Dead End					NA		NA		05/03/2010
							To: 99-658 Yorkville Rd									
(739) Harbour Dr	0.08	46	R				From: 99-717 Old Landing Rd					NA		NA		05/03/2010
							To: Dead End									
(740) Cove Court	0.05	20	R				From: 99-717 Old Landing Rd					NA		NA		05/03/2010
							To: Dead End									
(741) Wornom Dr	0.24	110	R				From: 99-622 Seaford Rd					NA		NA		05/03/2010
							To: 99-627 Woods Rd									
(742) Burcher Rd	0.15	70	R				From: 99-621 Dare Rd					NA		NA		04/29/2010
							To: Dead End									
(743) Buckingham Dr	0.19	120	R				From: 99-629 W, Dandy Loop Rd					NA		NA		04/29/2010
							To: 99-629 E, Dandy Loop Rd									
(744) Carters Neck Rd	0.51	230	R				From: 99-604 Barlow Rd					NA		NA		09/26/2007
							To: Dead End									
(745) Horseshoe Dr	0.30	290	R				From: 99-716 SOUTH					NA		NA		07/27/2010
							To: 99-1321 Point Laurel Place									
(745) Horseshoe Dr	0.17	210	R				From: 99-716 N; 99-1328					NA		NA		07/20/2010
							To: Dead End									
(746) Pinehurst Dr	0.03	60	R				From: Dead End					NA		NA		05/13/2010
							To: 99-654 Walden Dr									
(746) Pinehurst Dr	0.10	140	R				From: 99-788					NA		NA		05/13/2010
							To: 99-658 Yorkville Rd									
(746) Pinehurst Dr	0.10	330	R				From: Dead End					NA		NA		05/13/2010
							To: 99-658 Yorkville Rd									
(747) Massie Lane	0.41	90	R				From: Dead End					NA		NA		05/13/2010
							To: 99-606 Running Man Trail									
(748) Chismans Point Rd	0.06	110	R				From: Dead End					NA		NA		04/28/2010
							To: 99-624 Sparrer Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(749)	0.49	810	R			From: 99-603 Mooretown Rd To: 99-645 Airport Rd					NA			NA		09/26/2007
(750) Railway Rd	0.45	220	R			From: 99-620 Link Rd To: Dead End					NA			NA		05/13/2010
(751) Ella Taylor Rd	0.25	2600	R			From: US 17 George Washington Mem Hwy To: 99-1503 Harwood Dr					NA			NA		05/13/2010
(751) Ella Taylor Rd	0.08	2200	R			From: 99-1508 Rural Retreat Rd To: 99-1507 Kitty Dr					NA			NA		05/13/2010
(751) Ella Taylor Rd	0.08	1600	R			From: 99-1507 Kitty Dr To: 99-614 Showalter Rd					NA			NA		05/13/2010
(751) Ella Taylor Rd	0.16	1400	R			From: 99-614 Showalter Rd To: Cul-de-Sac					NA			NA		05/13/2010
(752) Sheppard Dr	0.12	240	R			From: Cul-de-Sac To: 99-795					NA			NA		05/13/2010
(752) Sheppard Dr	0.06	240	R			From: 99-795 To: 99-716 Hubbard Lane					NA			NA		07/20/2010
(752) Sheppard Dr	0.08	640	R			From: 99-716 Hubbard Lane To: 99-753 Glenn Circle					NA			NA		07/20/2010
(752) Sheppard Dr	0.11	310	R			From: 99-753 Glenn Circle To: 99-727 Nelson Dr					NA			NA		07/20/2010
(752) Sheppard Dr	0.31	270	R			From: 99-727 Nelson Dr To: 99-727 Nelson Dr					NA			NA		09/24/2007
(753) Glenn Circle	0.11	200	R			From: Cul-de-Sac To: 99-752 Sheppard Dr					NA			NA		07/20/2010
(754) Shamrock Ave	0.12	240	R			From: 99-752 Sheppard Dr To: 99-798 Trivalon Court					NA			NA		07/20/2010
(754) Shamrock Ave	0.08	370	R			From: 99-798 Trivalon Court To: 99-756 Don Juan Circle					NA			NA		07/20/2010
(754) Shamrock Ave	0.15	1000	R			From: 99-756 Don Juan Circle To: 99-755 Trinity Dr					NA			NA		07/20/2010
(755) Trinity Dr	0.08	140	R			From: 99-755 Trinity Dr To: US 17 George Washington Mem Hwy					NA			NA		07/20/2010
(755) Trinity Dr	0.06	140	R			From: US 17 George Washington Mem Hwy To: 99-754 Shamrock Ave					NA			NA		07/20/2010
(755) Trinity Dr	0.06	140	R			From: 99-754 Shamrock Ave To: 99-800 Pine St					NA			NA		07/20/2010
(756) Don Juan Circle	0.04	20	R			From: 99-800 Pine St To: 99-796 Oak St					NA			NA		07/20/2010
(756) Don Juan Circle	0.15	150	R			From: 99-796 Oak St To: Cul-de-Sac					NA			NA		07/20/2010
(756) Don Juan Circle	0.15	150	R			From: Cul-de-Sac To: 99-798 Trivalon Court					NA			NA		07/20/2010
(756) Don Juan Circle	0.15	150	R			From: 99-798 Trivalon Court To: 99-754 Shamrock Ave					NA			NA		07/20/2010
(757) Winsome Haven Dr	0.15	60	R			From: 99-754 Shamrock Ave To: Dead End					NA			NA		04/27/2010
(757) Winsome Haven Dr	0.15	310	R			From: Dead End To: 99-1248 Pamela Place					NA			NA		04/27/2010
(757) Winsome Haven Dr	0.20	490	R			From: 99-1248 Pamela Place To: 99-1243 Grace St					NA			NA		04/27/2010
(757) Winsome Haven Dr	0.20	490	R			From: 99-1243 Grace St To: 99-622 Seaford Rd					NA			NA		04/27/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(758) Cedar Point Crescent	0.14	400	R			From: 99-661 Piney Point Rd					NA		NA			05/13/2010
(758) Cedar Point Crescent	0.04	50	R			To: 99-759 Cherry Point Dr					NA		NA			05/12/2010
						To: Dead End										
(759) Cherry Point Dr	0.05	110	R			From: Dead End					NA		NA			05/13/2010
(759) Cherry Point Dr	0.11	200	R			To: 99-760 Woodhaven Dr					NA		NA			05/13/2010
						To: 99-758 Cedar Point Crescent										
(760) Woodhaven Dr	0.11	90	R			From: 99-759 Cherry Point Dr					NA		NA			05/13/2010
						To: Dead End										
(761) Piney Point Rd	0.14	190	R			From: Dead End					NA		NA			05/13/2010
						To: 99-661 Piney Point Rd										
(762) York Point Dr	0.23	90	R			From: Dead End					NA		NA			05/13/2010
						To: 99-712 York Point Rd										
(763) Chisman Circle	0.14	120	R			From: Dead End					NA		NA			04/28/2010
						To: 99-712 York Point Rd										
(764) Mill Rd	0.24	120	R			From: 99-765 S, Crandol Dr					NA		NA			04/28/2010
(764) Mill Rd	0.09	410	R			To: 99-765 N, Crandol Dr					NA		NA			04/28/2010
						To: US 17 George Washington Mem Hwy										
(765) Crandol Dr	0.06	60	R			From: FR-670 Cardinal Lane					NA		NA			04/28/2010
(765) Crandol Dr	0.06	350	R			To: 99-776 Frances Circle					NA		NA			04/28/2010
(765) Crandol Dr	0.11	190	R			To: 99-764 S, Mill Rd					NA		NA			04/28/2010
						To: 99-764 N, Mill Rd										
(766) Meadowview Dr	0.23	240	R			From: 99-620 Oriana Rd					NA		NA			04/28/2010
						To: Cul-de-Sac										
(767) Cove Dr	0.15	180	R			From: Cul-de-Sac					NA		NA			04/28/2010
						To: 99-622 Seaford Rd										
(768) Thomas Rd	0.10	80	R			From: Dead End					NA		NA			06/02/2010
						To: 99-663 Robanna Dr										
(769) Sunset Dr	0.16	80	R			From: Dead End					NA		NA			06/02/2010
						To: 99-718 Back Creek Dr										
(770) Cemetery Lane	0.10	20	R			From: Dead End					NA		NA			06/02/2010
						To: 99-710 Lodge Rd										
(771)	0.24	80	R			From: 99-662 Arden Dr					NA		NA			04/28/2010
(771)	0.06	120	R			To: 99-774 Lorac Court					NA		NA			04/28/2010
						To: 99-772 Carrs Hill Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(772) Carrs Hill Rd	0.21	110	R									NA		NA		04/28/2010
(773)	0.10	49	R									NA		NA		06/28/2010
(774) Lorac Court	0.04	48	R									NA		NA		07/02/2010
(775) Hansford Court	0.09	70	R									NA		NA		07/02/2010
(776) Frances Circle	0.07	940	R									NA		NA		04/27/2010
(776) Frances Circle	0.05	40	R									NA		NA		06/03/2010
(777) Raymond Dr	0.21	140	R									NA		NA		06/02/2010
(777) Raymond Dr	0.07	300	R									NA		NA		04/28/2010
(778) Kenneth Dr	0.17	220	R									NA		NA		04/28/2010
(778) Kenneth Dr	0.09	520	R									NA		NA		04/28/2010
(779) Scott Dr	0.13	280	R									NA		NA		04/28/2010
(780) Yorkshire Dr	0.17	460	R									NA		NA		04/28/2010
(780) Yorkshire Dr	0.21	240	R									NA		NA		04/28/2010
(781) Brook Run	0.10	220	R									NA		NA		04/28/2010
(781) Brook Run	0.12	340	R									NA		NA		04/28/2010
(782) Carys Chapel Rd	1.50	4700	G	99%	0%	0%	0%	0%	0%	C	0.107	F	0.734	5000	G	2011
(782) E Yorktown Rd	0.29	5100	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.630	5400	G	2011
(783) Fairfield Dr	0.11	80	R									NA		NA		04/28/2010
(783) Fairfield Dr	0.07	260	R									NA		NA		04/28/2010
(784) Bayview Dr	0.03	280	R									NA		NA		04/28/2010
(784) Bayview Dr	0.17	60	R									NA		NA		04/28/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(786) Oaktree Rd	1.00	220	R									NA		NA		04/28/2010
(787) Old Seaford Rd	0.02	400	R									NA		NA		04/28/2010
(787) Old Seaford Rd	0.13	630	R									NA		NA		04/28/2010
(787) Old Seaford Rd	0.06	630	R									NA		NA		04/28/2010
(787) Old Seaford Rd	0.12	220	R									NA		NA		04/28/2010
(788)	0.03	90	R									NA		NA		04/28/2010
(788)	0.19	120	R									NA		NA		04/28/2010
(788)	0.13	110	R									NA		NA		04/28/2010
(789) Plantation Dr	0.15	110	R									NA		NA		04/28/2010
(790) Blanton Dr	0.07	350	R									NA		NA		04/28/2010
(791) Victory Rd	0.14	80	R									NA		NA		04/28/2010
(791) Victory Rd	0.12	40	R									NA		NA		04/28/2010
(792) Old Lakeside Dr	0.26	180	R									NA		NA		04/28/2010
(792) Old Lakeside Dr	0.40	160	R									NA		NA		04/28/2010
(793) Goose Creek Rd	0.15	240	R									NA		NA		04/28/2010
(794) Creek Circle	0.13	110	R									NA		NA		04/28/2010
(795)	0.13	220	R									NA		NA		04/28/2010
(795)	0.10	220	R									NA		NA		04/28/2010
(795)	0.20	430	R									NA		NA		04/28/2010
(795)	0.09	130	R									NA		NA		04/28/2010
(796) Oak St	0.17	380	R									NA		NA		04/28/2010



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(797) Skimino Rd	0.54	1300	R								NA			NA		04/28/2010
						From: 99-604 Barlow Rd										
						To: 99-1610 Wilson Dr										
(797) Skimino Rd	0.33	1300	R								NA			NA		04/28/2010
						From: 99-1611 Deer Path Rd										
(797) Skimino Rd	0.31	710	R								NA			NA		05/04/2010
						From: 99-1612 Forest Lane										
(797) Skimino Rd	0.24	140	R								NA			NA		05/04/2010
						To: Dead End										
						From: Cul-de-Sac										
(798) Trivalon Court	0.05	90	R								NA			NA		05/04/2010
						To: 99-754 Shamrock Ave										
(798) Trivalon Court	0.06	90	R								NA			NA		05/04/2010
						To: 99-756 Don Juan Circle										
						From: Cul-de-Sac										
(799) Production Dr	0.50	1400	R								NA			NA		05/04/2010
						To: US 17 George Washington Mem Hwy										
						From: US 17 George Washington Mem Hwy										
(800) Pine St	0.13	470	R								NA			NA		05/04/2010
						To: 99-755 Trinity Dr										
						From: 99-620 S, Railway Rd										
(805) Old Railway Rd	0.15	1700	R								NA			NA		05/04/2010
						To: 99-620 N, Railway Rd										
						From: 99-620 Oriana Rd										
(830) South Maple Rd	0.09	190	R								NA			NA		05/04/2010
						To: 99-831 Kentucky Dr										
						From: 99-620 Oriana Rd										
(831) Kentucky Dr	0.22	150	R								NA			NA		05/04/2010
						To: 99-830 South Maple Rd										
						From: US 60 Richmond Rd; James City County Line										
(1000)	0.15	30	R								NA			NA		05/04/2010
						To: Dead End										
						From: 99-1020 Ballard St										
(1001) Zweybrucken Rd	0.22	1000	R								NA			NA		05/04/2010
						To: 99-1006 Bacon St										
(1001) Main St	0.05	1000	R								NA			NA		05/04/2010
						To: 99-1002 Comte de Grasse St										
(1001) Main St	0.02	380	R								NA			NA		05/04/2010
						To: 99-1002 W, Smith St										
(1001) Main St	0.06	410	R								NA			NA		05/04/2010
						To: 99-1005 Nelson St										
(1001) Main St	0.06	300	R								NA			NA		05/04/2010
						To: 99-1004 Read St										
(1001) Main St	0.05	280	R								NA			NA		05/04/2010
						To: 99-1003 Church St										
(1001) Main St	0.07	630	R								NA			NA		05/04/2010
						To: 99-1020 MID, Ballard St										
(1001) Main St	0.05	710	R								NA			NA		05/04/2010
						To: 99-1007 Buckner St										
(1001) Main St	0.06	200	R								NA			NA		05/04/2010
						To: 99-1008 Martau St										
(1001) Mathews St	0.20	3700	G	98%	0%	1%	1%	1%	0%	C	0.13	F	0.976	3900	G	2011
						To: 99-1020 Water St										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
1002 Smith St	0.20	1100	R								NA			NA		05/04/2010
1002 Comte De Grasse St; Water St	0.25	1300	R								NA			NA		05/04/2010
1002 Water St	0.15	400	R								NA			NA		05/04/2010
1003 Church St	0.15	590	R								NA			NA		05/04/2010
1003 Church St	0.10	290	R								NA			NA		05/04/2010
1004 Read St	0.20	500	R								NA			NA		05/04/2010
1004 Read St	0.10	1300	R								NA			NA		05/04/2010
1005 Nelson St	0.20	100	R								NA			NA		05/04/2010
1005 Nelson St	0.05	70	R								NA			NA		09/18/2007
1006 Bacon St	0.21	140	R								NA			NA		05/04/2010
1007 Buckner St	0.13	70	R								NA			NA		05/03/2010
1008 Martau St	0.05	50	R								NA			NA		05/03/2010
1009 Ambler St	0.02	150	R								NA			NA		05/03/2010
1009 Ambler St	0.03	90	R								NA			NA		05/03/2010
1010 Pulaski St	0.05	60	R								NA			NA		05/03/2010
1011 Pier Rd	0.20	48	R								NA			NA		05/03/2010
1012 Alexander Hamilton Blvd	0.11	1300	R								NA			NA		05/03/2010
1015 Leigh Ct	0.04	850	R								NA			NA		05/03/2010
1015 Leigh Ct	0.12	360	R								NA			NA		05/03/2010
1015 Leigh Ct	0.06	230	R								NA			NA		05/03/2010
1015 Leigh Ct	0.19	230	R								NA			NA		05/03/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1015) Leigh Ct	0.10	2200	R									NA		NA		05/03/2010
(1016) Walnut Sr	0.31	440	R									NA		NA		05/03/2010
(1017) Running Cedar Ct	0.05	40	R									NA		NA		05/03/2010
(1018) Magnolia Lane	0.05	45	R									NA		NA		05/03/2010
(1019) Barham Blvd	0.25	1300	R									NA		NA		05/03/2010
(1020) Old Williamsburg Rd	1.00	2700	G	98%	0%	1%	0%	0%	0%	F	0.135	F	0.952	2900	G	2011
(1020) Water St	0.62	4700	G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.973	5000	G	2011
(1020) Ballard St	0.66	1800	G	98%	0%	1%	0%	0%	0%	C	0.101	F	0.51	1900	G	2011
(1020) Ballard St	0.13	5400	G	98%	0%	1%	0%	0%	0%	F	0.09	F	0.682	5700	G	2011
(1024) Nancy Court	0.05	150	R									NA		NA		09/24/2007
(1025) Sunshine Way	0.33	260	R									NA		NA		05/12/2010
(1026) Vivian Court	0.28	300	R									NA		NA		09/24/2007
(1027)	0.17	NA										NA		NA		
(1028)	0.06	NA										NA		NA		
(1029) Farm Lane	0.23	150	R									NA		NA		05/12/2010
(1030) Ewell Rd	0.23	830	R									NA		NA		05/12/2010
(1031) Nevalou Court	0.28	90	R									NA		NA		05/12/2010
(1032) Brightwood Terrace	0.16	270	R									NA		NA		05/12/2010
(1034) Warwick Court	0.12	320	R									NA		NA		09/24/2007

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1035) Stafford Court	0.18	100	R			From: 99-705 Alexander Lee Pkwy					NA		NA			09/24/2007
						To: Cul-de-Sac										
(1036)	0.05	NA				From: 99-621 Grafton Dr					NA		NA			
						To: US 17 George Washington Mem Hwy										
(1050) Fort Eustis Blvd	0.44	3300	R			From: US 17 George Washington Mem Hwy; SR 105					NA		NA			05/12/2010
						To: 99-634 Old York Hampton Hwy										
(1060)	0.10	110	R			From: Cul-de-Sac					NA		NA			09/24/2007
						To: SR 238 Old Williamsburg Rd										
(1069) Glen Laurel Way	0.48	1600	R			From: 99-621 Grafton Dr					NA		NA			05/10/2010
						To: Cul-de-Sac										
(1070) Falling Spring Run	0.43	1200	R			From: Cul-de-Sac					NA		NA			05/10/2010
						To: 99-621 Grafton Dr										
(1098) Franklin Rd	0.14	180	R			From: Cul-de-Sac					NA		NA			05/10/2010
						To: 99-620 Holly Point Rd										
(1099)	0.10	NA				From: Cul-de-Sac					NA		NA			
						To: 99-1098 Franklin Rd										
(1101) Douglas Dr	0.06	1100	R			From: SR 143 Merrimac Trail					NA		NA			08/24/2010
						To: 99-1105 Banneker Dr										
(1102) Bethune Dr	0.09	520	R			From: 99-1105 Banneker Dr					NA		NA			08/24/2010
						To: 99-1108 Drew Rd										
(1102) Bethune Dr	0.06	500	R			From: 99-1108 Drew Rd					NA		NA			08/24/2010
						To: 99-1115 Luther Dr										
(1103) Bunche Dr	0.06	720	R			From: 99-1105 Banneker Dr					NA		NA			08/24/2010
						To: 99-1108 Drew Rd										
(1104) Armstrong Dr	0.06	800	R			From: SR 143 Merrimac Trail					NA		NA			08/24/2010
						To: 99-1105 Banneker Dr										
(1105) Banneker Dr	0.12	440	R			From: 99-1108 Drew Rd					NA		NA			08/24/2010
						To: 99-1104 Armstrong Dr										
(1105) Banneker Dr	0.14	290	R			From: 99-1104 Armstrong Dr					NA		NA			08/24/2010
						To: 99-1103 Bunche Dr										
(1105) Banneker Dr	0.03	700	R			From: 99-1103 Bunche Dr					NA		NA			08/24/2010
						To: 99-1101 Douglas Dr										
(1105) Banneker Dr	0.03	710	R			From: 99-1101 Douglas Dr					NA		NA			08/24/2010
						To: 99-1102 Bethune Dr										
(1105) Banneker Dr	0.09	200	R			From: 99-1102 Bethune Dr					NA		NA			08/24/2010
						To: Dead End										
(1106) William Carter Rd	0.19	60	R			From: Cul-de-Sac					NA		NA			08/24/2010
						To: 99-641; 99-677										
(1107) Booker T Rd	0.06	320	R			From: 99-1108 Drew Rd					NA		NA			08/24/2010
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1108) Drew Rd	0.11	270	R			From: 99-1105 Baneker Dr						NA		NA		08/24/2010
(1108) Drew Rd	0.09	410	R			To: 99-1107 Booker T Rd						NA		NA		08/24/2010
(1108) Drew Rd	0.07	100	R			From: 99-1103 Bunche Dr						NA		NA		08/24/2010
(1108) Drew Rd						To: 99-1102 Bethune Dr										
(1109) Weaver Rd	0.02	80	R			From: Dead End						NA		NA		08/24/2010
(1109) Weaver Rd	0.01	10	R			To: 99-1115 Luther Dr						NA		NA		08/21/2007
(1109) Weaver Rd						To: Dead End										
(1110) Springfield Dr	0.15	140	R			From: Cul-de-Sac						NA		NA		08/24/2010
(1110) Springfield Dr	0.04	210	R			To: 99-1114 Hickory Hills Dr						NA		NA		08/24/2010
(1110) Springfield Dr	0.13	220	R			From: 99-1112 Ridgecrest Circle						NA		NA		08/24/2010
(1110) Springfield Dr	0.05	360	R			To: 99-1111 Oakmont Circle						NA		NA		08/25/2010
(1110) Springfield Dr						To: 99-642 Queens Creek Rd										
(1111) Oakmont Circle	0.10	230	R			From: Cul-de-Sac						NA		NA		08/25/2010
(1111) Oakmont Circle						To: 99-1110 Springfield Dr										
(1112) Ridgecrest Circle	0.06	120	R			From: 99-1110 Springfield Dr						NA		NA		08/25/2010
(1112) Ridgecrest Circle						To: Cul-de-Sac										
(1113) Queensbury Lane	0.84	1000	R			From: 99-1113 Queensbury Lane						NA		NA		08/25/2010
(1113) Queensbury Lane						To: 99-642 Queens Creek Rd										
(1114) Hickory Hills Dr	0.20	440	R			From: 99-1110 Springfield Dr						NA		NA		08/25/2010
(1114) Hickory Hills Dr						To: Cul-de-Sac										
(1115) Luther Dr	0.11	260	R			From: 99-1109 Weaver Rd						NA		NA		08/25/2010
(1115) Luther Dr	0.06	220	R			To: 99-1102 Bethune Dr						NA		NA		08/25/2010
(1115) Luther Dr	0.04	150	R			From: 99-1116 Park Circle						NA		NA		08/25/2010
(1115) Luther Dr						To: Cul-de-Sac										
(1116) Park Circle	0.05	80	R			From: Cul-de-Sac						NA		NA		08/17/2010
(1116) Park Circle						To: 99-1115 Luther Dr										
(1117)	0.14	170	R			From: 99-677 Government Rd						NA		NA		08/17/2010
(1117)						To: Dead End										
(1118)	0.12	180	R			From: 99-1117						NA		NA		08/17/2010
(1118)						To: Cul-de-Sac										
(1119) Wellington Dr	0.28	410	R			From: Cul-de-Sac						NA		NA		08/17/2010
(1119) Wellington Dr						To: 99-642 Queens Creek Rd										
(1120) Unnamed	0.08	20	R			From: Dead End						NA		NA		08/17/2010
(1120) Unnamed						To: 99-677; James City County Line										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1121) Unnamed	0.06	47	R			From: 99-640 Water Country Pkwy					NA			NA		09/25/2007
						To: Dead End										
(1122) Unnamed	0.16	110	R			From: Dead End					NA			NA		08/17/2010
						To: 99-640 Water Country Pkwy										
(1123) Tam-O-Shanter Blvd	0.30	860	R			From: SR 143 Merrimac Trail					NA			NA		08/17/2010
(1123) Tam-O-Shanter Blvd	0.22	680	R			From: 99-1124 Rolling Hills Dr					NA			NA		08/18/2010
						To: Cul-de-Sac										
(1124) Rolling Hills Dr	0.09	260	R			From: 99-1123 Tam-O-Shanter Blvd					NA			NA		08/18/2010
(1124) Rolling Hills Dr	0.30	80	R			From: 99-1125 Boca Raton Circle					NA			NA		08/18/2010
						To: Cul-de-Sac										
(1125) Boca Raton Circle	0.05	60	R			From: Cul-de-Sac					NA			NA		08/18/2010
						To: 99-1124 Rolling Hills Dr										
(1126)	0.29	260	R			From: 99-1123 S, Tam-O-Shanter Blvd					NA			NA		08/18/2010
(1126)	0.06	90	R			From: 99-1123 N, Tam-O-Shanter Blvd					NA			NA		08/18/2010
						To: 99-1127 Thunderbird Lane										
(1127) Thunderbird Lane	0.15	110	R			From: 99-1124 Rolling Hills Dr					NA			NA		08/18/2010
(1127) Thunderbird Lane	0.03	48	R			From: 99-1126					NA			NA		08/18/2010
						To: Cul-de-Sac										
(1130) Panther Paw Path	0.23	180	R			From: Cul-de-Sac					NA			NA		07/08/2010
						To: 99-720 Wilkins Dr										
(1132) High Point Rd	0.15	250	R			From: Cul-de-Sac					NA			NA		09/26/2007
						To: 99-641 Penniman Rd										
(1133) Old Hollow Rd	0.15	230	R			From: Cul-de-Sac					NA			NA		09/26/2007
						To: 99-1132 High Point Rd										
(1134) Low Ridge Rd	0.21	170	R			From: 99-1132 High Point Rd					NA			NA		09/26/2007
						To: Cul-de-Sac										
(1135) Vineyard Lane	0.08	570	R			From: 47-624; 99-641					NA			NA		08/10/2010
(1135) Vineyard Lane	0.09	130	R			From: 99-1136 Catawba Court					NA			NA		08/10/2010
						To: Cul-de-Sac										
(1136) Catawba Court	0.12	280	R			From: 99-1135 Vineyard Lane					NA			NA		08/10/2010
						To: Cul-de-Sac										
(1137) Brittonia Dr	0.29	1800	R			From: 99-642 Queens Creek Rd					NA			NA		08/10/2010
						To: 99-730 Bruton Dr										
(1138) Shea Lane	0.04	240	R			From: 99-1137 Brittonia Dr					NA			NA		08/10/2010
						To: 99-1139 Trafalgar Court										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1138) Shea Lane	0.07	80	R			From: 99-1139 Trafalgar Court					NA			NA		08/10/2010
						To: 99-1119 Wellington Dr										
(1139) Trafalgar Court	0.07	120	R			From: Cul-de-Sac					NA			NA		08/10/2010
						To: 99-1138 Shea Lane										
(1140) Drewry Lane	0.13	110	R			From: Cul-de-Sac					NA			NA		08/10/2010
						To: 99-622 Seaford Rd										
(1141) Rusty Court	0.04	100	R			From: 99-1137 Britannia Dr					NA			NA		09/26/2007
						To: Cul-de-Sac										
(1142) Parchment Blvd	0.42	1900	R			From: SR 143 Merrimac Trail					NA			NA		08/10/2010
						To: 99-1147 Quill Place										
(1142) Parchment Blvd	0.05	460	R			From: 99-1147 Quill Place					NA			NA		08/10/2010
						To: 99-1148 Haymaker Place										
(1142) Parchment Blvd	0.11	290	R			From: 99-1148 Haymaker Place					NA			NA		09/26/2007
						To: Cul-de-Sac										
(1143) Lamplighter Place	0.05	90	R			From: 99-1142 Parchment Blvd					NA			NA		08/12/2010
						To: Cul-de-Sac										
(1144) Candlestick Place	0.05	100	R			From: 99-1142 Parchment Blvd					NA			NA		08/12/2010
						To: Cul-de-Sac										
(1145) Lantern Place	0.04	240	R			From: 99-1142 Parchment Blvd					NA			NA		08/12/2010
						To: 99-1146 Peacepipe Place										
(1145) Lantern Place	0.09	140	R			From: 99-1146 Peacepipe Place					NA			NA		08/12/2010
						To: Cul-de-Sac										
(1146) Peacepipe Place	0.06	100	R			From: 99-1145 Lantern Place					NA			NA		08/11/2010
						To: Cul-de-Sac										
(1147) Quill Place	0.06	90	R			From: 99-1142 Parchment Blvd					NA			NA		08/18/2010
						To: Cul-de-Sac										
(1148) Haymaker Place	0.14	180	R			From: 99-1142 Parchment Blvd					NA			NA		08/18/2010
						To: Cul-de-Sac										
(1149) Apothecary Place	0.03	70	R			From: 99-1148 Haymaker Place					NA			NA		08/18/2010
						To: Cul-de-Sac										
(1150)	0.06	80	R			From: Cul-de-Sac					NA			NA		09/18/2007
						To: 99-1142 Parchment Blvd										
(1151)	0.05	48	R			From: Cul-de-Sac					NA			NA		09/18/2007
						To: 99-1142 Parchment Blvd										
(1152)	0.09	90	R			From: 99-1142 Parchment Blvd					NA			NA		09/18/2007
						To: Cul-de-Sac										
(1165) Golden Dr	0.26	760	R			From: Dead End					NA			NA		08/24/2010
						To: 99-642 Queens Creek Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1166) Cabernet Rd	0.15	100	R			From: 99-1165					NA			NA		08/24/2010
						To: Cul-de-Sac										
(1167) Chardonnay Rd	0.13	160	R			From: 99-1165					NA			NA		08/24/2010
						To: Cul-de-Sac										
(1168) Burgundy Rd	0.11	300	R			From: 99-1165					NA			NA		08/24/2010
						To: Cul-de-Sac										
(1169) Silverado Trail	0.04	210	R			From: 99-1166					NA			NA		08/24/2010
						To: 99-642 Queens Creek Rd										
(1170)	0.12	520	R			From: 99-1171; 99-1172					NA			NA		09/18/2007
						To: 99-622 Seaford Rd										
(1171)	0.14	140	R			From: Cul-de-Sac					NA			NA		09/18/2007
						To: 99-1170										
(1172)	0.20	140	R			From: 99-1170					NA			NA		09/18/2007
						To: Cul-de-Sac										
(1173)	0.08	70	R			From: Cul-de-Sac					NA			NA		09/18/2007
						To: 99-1172										
(1174)	0.06	70	R			From: 99-1172					NA			NA		09/18/2007
						To: Cul-de-Sac										
(1175) Jennie Dr	0.07	110	R			From: Cul-de-Sac					NA			NA		08/24/2010
						To: 99-1249 Siege Lane										
(1175) Jennie Dr	0.19	240	R			From: 99-1249 Siege Lane					NA			NA		08/24/2010
						To: Cul-de-Sac										
(1176)	0.12	70	R			From: Cul-de-Sac					NA			NA		08/24/2010
						To: 99-1175 Jennie Dr										
(1177)	0.05	60	R			From: 99-1180 Water Fowl Dr					NA			NA		08/24/2010
						To: Cul-de-Sac										
(1178)	0.09	100	R			From: Cul-de-Sac					NA			NA		08/24/2010
						To: 99-1180 Water Fowl Dr										
(1179)	0.20	210	R			From: Cul-de-Sac					NA			NA		08/24/2010
						To: 99-1180 Water Fowl Dr										
(1180) Water Fowl Dr	0.43	1900	R			From: 99-621 Dare Rd					NA			NA		08/24/2010
						To: 99-1186										
(1180) Water Fowl Dr	0.62	1900	R			From: 99-1186					NA			NA		08/24/2010
						To: 99-620 Railway Rd										
(1181)	0.26	220	R			From: Dead End					NA			NA		08/24/2010
						To: 99-1180 Water Fowl Dr										
(1182) Flamingo Place	0.05	80	R			From: Cul-de-Sac					NA			NA		04/27/2010
						To: 99-1181										



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1183) Ibis Place	0.06	90	R									NA		NA		04/27/2010
(1184) Pelican Place	0.15	70	R									NA		NA		09/18/2007
(1185)	0.21	80	R									NA		NA		09/18/2007
(1186)	0.08	90	R									NA		NA		09/18/2007
(1189) Tue Marsh Lane	0.07	40	R									NA		NA		09/18/2007
(1190) Sommerville Way	0.07	100	R									NA		NA		04/27/2010
(1190) Sommerville Way	0.23	520	R									NA		NA		04/27/2010
(1190) Sommerville Way	0.11	1600	R									NA		NA		04/27/2010
(1191) McPherson Court	0.13	220	R									NA		NA		04/27/2010
(1191) Sir John Way	0.35	500	R									NA		NA		04/27/2010
(1192) Simmons Dr	0.06	210	R									NA		NA		04/27/2010
(1192)	0.13	120	R									NA		NA		04/27/2010
(1193) Ludlow Dr	0.09	450	R									NA		NA		04/27/2010
(1193)	0.11	40	R									NA		NA		04/27/2010
(1193)	0.07	190	R									NA		NA		04/27/2010
(1194) Brighton Circle	0.06	90	R									NA		NA		04/27/2010
(1197) Freedom Blvd	0.40	1200	R									NA		NA		04/27/2010
(1198) Redoubt Rd	0.38	560	R									NA		NA		04/29/2010
(1199) Sentry Circle	0.07	180	R									NA		NA		04/29/2010
(1200) Bradley Dr	0.40	400	R									NA		NA		04/29/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1201) Marl Ravine Rd	0.04	210	R			From: 99-1351 Marlbank Dr					NA			NA		04/29/2010
(1201) Marl Ravine Rd	0.05	800	R			To: 99-693 Wormley Creek Dr					NA			NA		04/29/2010
(1201) Marl Ravine Rd	0.09	390	R			From: 99-1343 Loblolly Dr; 99-1298 Loblolly Ct					NA			NA		05/04/2010
(1201) Marl Ravine Rd	0.14	360	R			To: 99-1202 Dogwood Ct					NA			NA		05/04/2010
(1201) Marl Ravine Rd	0.13	90	R			From: 99-1207 Redbud Lane					NA			NA		05/04/2010
						To: Cul-de-Sac										
(1202) Dogwood Ct	0.18	220	R			From: 99-1201 Marl Ravine Rd					NA			NA		05/04/2010
(1202) Dogwood Ct	0.16	90	R			To: 99-1207 Redbud Lane					NA			NA		05/04/2010
						To: Dead End										
(1203) York Warwick Dr	0.09	560	R			From: 99-1249 Siege Lane					NA			NA		05/04/2010
(1203) York Warwick Dr	0.06	580	R			To: 99-1212 Nelson District Rd					NA			NA		05/04/2010
(1203) York Warwick Dr	0.07	640	R			From: 99-1230 Old Dominion Rd					NA			NA		05/04/2010
(1203) York Warwick Dr	0.15	820	R			To: 99-1213 Edgehill Lane					NA			NA		08/30/2010
(1203) York Warwick Dr	0.09	2100	R			From: 99-1204 Cockletown Rd					NA			NA		08/30/2010
(1203) York Warwick Dr	0.17	1300	R			To: 99-1206 York Lane					NA			NA		08/30/2010
(1203) York Warwick Dr	0.09	1600	R			From: 99-1220 Azalea Dr					NA			NA		08/30/2010
(1203) York Warwick Dr	0.09	1600	R			To: 99-1209 Grafton District Rd					NA			NA		08/30/2010
(1203) York Warwick Dr	0.08	1900	R			From: 99-1204 Cockletown Rd					NA			NA		08/30/2010
(1203) York Warwick Dr	0.13	1000	R			To: 99-1205 Harris Grove Lane					NA			NA		08/30/2010
						To: US 17 George Washington Mem Hwy; 99-704 Cook Rd										
(1204) Cockletown Rd	0.10	270	R			From: 99-1230 Old Dominion Rd					NA			NA		08/30/2010
(1204) Cockletown Rd	0.09	440	R			To: 99-1228 Laurel Path Rd					NA			NA		08/30/2010
(1204) Cockletown Rd	0.03	300	R			To: Dead End; Gap					NA			NA		08/30/2010
(1204) Cockletown Rd	0.11	190	R			From: 99-1203 W, York Warwick Dr					NA			NA		08/30/2010
(1204) Cockletown Rd	0.10	220	R			To: 99-1212 Nelson District Rd					NA			NA		08/30/2010
(1204) Cockletown Rd	0.15	220	R			From: 99-1209 Grafton District Rd					NA			NA		08/30/2010
(1204) Cockletown Rd	0.21	230	R			To: 99-1206 York Lane					NA			NA		08/30/2010
						To: 99-1203 E, York Warwick Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1204) Cockletown Rd	0.12	710	R								NA			NA		08/30/2010
(1204) Cockletown Rd	0.04	1000	R								NA			NA		08/30/2010
(1205) Harris Grove Lane	0.12	330	R								NA			NA		08/30/2010
(1205) Harris Grove Lane	0.21	270	R								NA			NA		08/30/2010
(1205) Harris Grove Lane	0.20	330	R								NA			NA		08/30/2010
(1206) York Lane	0.17	310	R								NA			NA		08/30/2010
(1206) York Lane	0.09	270	R								NA			NA		08/30/2010
(1206) York Lane	0.07	520	R								NA			NA		08/30/2010
(1207) Redbud Lane	0.08	60	R								NA			NA		05/04/2010
(1208) Poplar Point Rd	0.27	200	R								NA			NA		05/04/2010
(1209) Grafton District Rd	0.08	140	R								NA			NA		05/04/2010
(1209) Grafton District Rd	0.20	250	R								NA			NA		05/04/2010
(1209) Grafton District Rd	0.08	220	R								NA			NA		05/04/2010
(1209) Grafton District Rd	0.09	340	R								NA			NA		05/04/2010
(1210) Bell Hill Dr	0.19	180	R								NA			NA		04/27/2010
(1211) Carver Place	0.08	120	R								NA			NA		04/29/2010
(1212) Nelson District Rd	0.17	110	R								NA			NA		05/03/2010
(1212) Nelson District Rd	0.16	120	R								NA			NA		05/03/2010
(1213) Edgehill Lane	0.09	150	R								NA			NA		05/03/2010
(1213) Edgehill Lane	0.20	110	R								NA			NA		05/03/2010
(1214) Harris Lane	0.08	130	G	98%	1%	1%	0%	0%	0%	C	NA		130	G	2011	

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1215) Copeland Lane	0.12	1100	G	99%	0%	1%	0%	0%	0%	C	NA			1100	G	2011
(1216) Whites Rd	0.07	90	R								NA			NA		05/05/2010
(1216) Whites Rd	0.10	190	R								NA			NA		05/05/2010
(1217) 1st St	0.05	80	R								NA			NA		05/05/2010
(1218) Brokenbridge Rd	0.07	150	R								NA			NA		05/03/2010
(1218) Brokenbridge Rd	0.09	750	R								NA			NA		05/03/2010
(1218) Brokenbridge Rd	0.10	820	R								NA			NA		05/03/2010
(1218) Brokenbridge Rd	0.08	820	R								NA			NA		05/03/2010
(1218) Brokenbridge Rd	0.08	980	R								NA			NA		05/03/2010
(1219) Meadowfield Rd	0.20	210	R								NA			NA		05/03/2010
(1219) Meadowfield Rd	0.10	230	R								NA			NA		05/03/2010
(1219) Meadowfield Rd	0.06	210	R								NA			NA		05/03/2010
(1220) Azalea Dr	0.14	40	R								NA			NA		05/03/2010
(1220) Azalea Dr	0.08	470	R								NA			NA		05/03/2010
(1221) Robs Rd	0.24	110	R								NA			NA		05/03/2010
(1222) Brook Rd	0.17	570	R								NA			NA		05/03/2010
(1222) Brook Rd	0.07	120	R								NA			NA		05/03/2010
(1223) Lotz Dr	0.08	90	R								NA			NA		04/27/2010
(1223) Lotz Dr	0.14	120	R								NA			NA		04/27/2010
(1223) Lotz Dr	0.22	410	R								NA			NA		04/27/2010
(1223) Lotz Dr	0.08	820	R								NA			NA		04/27/2010
(1223) Lotz Dr	0.07	1500	R								NA			NA		04/27/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1224) Carol Dr	0.23	110	R			From: 99-1223 S, Lotz Dr					NA			NA		04/27/2010
(1224) Carol Dr	0.09	340	R			To: 99-1225 Heatherwood Lane					NA			NA		04/27/2010
(1224) Carol Dr	0.07	90	R			From: 99-1223 N, Lotz Dr					NA			NA		04/27/2010
(1224) Carol Dr						To: 99-1223 Lotz Dr					NA			NA		04/27/2010
(1225) Heatherwood Lane	0.11	70	R			From: 99-1281 Rosewood Lane					NA			NA		04/27/2010
(1225) Heatherwood Lane						To: 99-1223 Lotz Dr					NA			NA		04/27/2010
(1226) Pinetree Lane	0.10	40	R			From: 99-1218 Brokenbridge Rd					NA			NA		05/03/2010
(1226) Pinetree Lane						To: 99-1219 Meadowfield Rd					NA			NA		05/03/2010
(1227) Cannon Rd	0.20	250	R			From: 99-704 Cook Rd					NA			NA		04/29/2010
(1227) Cannon Rd						To: 99-634 Old York Hampton Hwy					NA			NA		04/29/2010
(1228) Laurel Path Rd	0.12	80	R			From: 99-1230 Old Dominion Rd					NA			NA		04/29/2010
(1228) Laurel Path Rd	0.09	200	R			To: 99-1204 Cockletown Rd					NA			NA		04/29/2010
(1228) Laurel Path Rd	0.12	510	R			From: 99-1229 Brook Rd					NA			NA		04/29/2010
(1228) Laurel Path Rd						To: 99-1222 Brook Rd					NA			NA		04/29/2010
(1229) Brook Rd	0.09	100	R			From: 99-1230 Old Dominion Rd					NA			NA		04/29/2010
(1229) Brook Rd	0.09	520	R			To: 99-1263 Aspen Blvd					NA			NA		04/29/2010
(1229) Brook Rd						From: 99-1228 Laurel Path Rd					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.03	50	R			From: Dead End					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.29	300	R			To: 99-1336 Crate Ct					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.08	400	R			From: 99-1264 Byron Rd					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.11	460	R			To: 99-1229 Laurel Path Rd					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.11	460	R			From: 99-1229 Brook Rd					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.10	480	R			To: 99-1204 Cockletown Rd					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.10	480	R			From: 99-1228 Laurel Path Rd					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.12	400	R			To: 99-1219 Meadowfield Rd					NA			NA		04/29/2010
(1230) Old Dominion Rd	0.12	400	R			From: 99-1203 York Warwick Dr					NA			NA		04/29/2010
(1231) Faulkner Rd	0.03	30	R			From: Cul-de-Sac					NA			NA		04/29/2010
(1231) Faulkner Rd	0.38	310	R			To: 99-1232 Wheely Circle					NA			NA		05/05/2010
(1231) Faulkner Rd						From: US 17 George Washington Mem Hwy					NA			NA		05/05/2010
(1232) Wheely Circle	0.07	50	R			From: 99-1231 Faulkner Rd					NA			NA		05/05/2010
(1232) Wheely Circle						To: Cul-de-Sac					NA			NA		05/05/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1233) Terrebonne Rd	0.40	490	R									NA		NA		05/05/2010
(1234) Catherine Court	0.05	40	R									NA		NA		04/27/2010
(1235) Moss Ave	0.10	220	R									NA		NA		04/27/2010
(1235) Moss Ave	0.09	270	R									NA		NA		04/27/2010
(1235) Moss Ave	0.10	300	R									NA		NA		04/27/2010
(1236) Rebecca Dr	0.04	30	R									NA		NA		04/27/2010
(1236) Rebecca Dr	0.07	140	R									NA		NA		04/27/2010
(1237) Davis Circle	0.04	40	R									NA		NA		04/27/2010
(1238) Ellerson Court	0.06	60	R									NA		NA		04/27/2010
(1239) Earl St	0.16	130	R									NA		NA		04/27/2010
(1240) Heritage Place	0.10	70	R									NA		NA		04/27/2010
(1241) Carolyn Crescent	0.07	80	R									NA		NA		04/27/2010
(1242) Mastin Ave	0.14	130	R									NA		NA		04/27/2010
(1242) Mastin Ave	0.10	280	R									NA		NA		04/27/2010
(1242) Mastin Ave	0.10	420	R									NA		NA		04/27/2010
(1242) Mastin Ave	0.10	460	R									NA		NA		04/27/2010
(1243) Grace St	0.08	60	R									NA		NA		04/27/2010
(1243) Grace St	0.06	40	R									NA		NA		04/27/2010
(1244) Ira Dr	0.08	40	R									NA		NA		04/27/2010
(1245) Evergreen Circle	0.09	100	R									NA		NA		04/27/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1246) Charles Circle	0.08	180	R			From: 99-672 Crockett Rd					NA			NA		04/27/2010
						To: Cul-de-Sac										
(1247) Glenn Cove	0.12	60	R			From: 99-672 Crockett Rd					NA			NA		04/27/2010
						To: Cul-de-Sac										
(1248) Pamela Place	0.07	80	R			From: Cul-de-Sac					NA			NA		04/27/2010
						To: 99-757 Winsome Haven Dr										
(1249) Siege Lane	0.07	40	R			From: Dead End					NA			NA		05/03/2010
						To: 99-1203 York Warwick Dr										
(1249) Siege Lane	0.49	710	R			From: 99-1203 York Warwick Dr					NA			NA		05/03/2010
						To: US 17 George Washington Mem Hwy										
(1250)	0.20	80	R			From: Dead End					NA			NA		05/03/2010
						To: 99-703 Artillery Rd										
(1250)	0.13	90	R			From: 99-703 Artillery Rd					NA			NA		05/03/2010
						To: 99-693 Wormley Creek Dr										
(1250)	0.12	140	R			From: 99-693 Wormley Creek Dr					NA			NA		05/03/2010
						To: 99-1208 Poplar Point Rd										
(1250)	0.09	200	R			From: 99-1208 Poplar Point Rd					NA			NA		05/03/2010
						To: 99-717 Old Landing Rd										
(1250)	0.10	160	R			From: 99-717 Old Landing Rd					NA			NA		05/03/2010
						To: 99-1251; 99-1351										
(1251) Three Point Court	0.20	110	R			From: 99-1250 Marbank Dr					NA			NA		04/29/2010
						To: Dead End										
(1252) Bolivar Dr	0.05	460	R			From: 99-718 Hornsbyville Rd					NA			NA		04/29/2010
						To: 99-1253 W, Shield Lane										
(1252) Bolivar Dr	0.34	100	R			From: 99-1253 W, Shield Lane					NA			NA		04/29/2010
						To: 99-1253 E, Shield Lane										
(1252) Bolivar Dr	0.09	80	R			From: 99-1253 E, Shield Lane					NA			NA		04/29/2010
						To: 99-632 Old Wormley Creek Rd										
(1253) Shield Lane	0.21	120	R			From: 99-1252 W, Bolivar Dr					NA			NA		04/29/2010
						To: 99-1252 E, Bolivar Dr										
(1254) Falcon Rd	0.21	750	R			From: US 17 George Washington Mem Hwy					NA			NA		04/29/2010
						To: 99-704 Cook Rd										
(1254) Falcon Rd	0.18	500	R			From: 99-704 Cook Rd					NA			NA		04/29/2010
						To: 99-634 Old York Hampton Hwy										
(1255) Dawson Dr	0.15	470	R			From: 99-622 Seaford Rd					NA			NA		04/29/2010
						To: 99-1256 W, Dawson Crescent										
(1255) Dawson Dr	0.17	200	R			From: 99-1256 W, Dawson Crescent					NA			NA		04/27/2010
						To: 99-1256 E, Dawson Crescent										
(1255) Dawson Dr	0.05	45	R			From: 99-1256 E, Dawson Crescent					NA			NA		04/27/2010
						To: Cul-de-Sac										
(1256) Dawson Crescent	0.08	130	R			From: 99-1255 W, Dawson Dr					NA			NA		04/27/2010
						To: 99-1288 W, Park Lane										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1256) Dawson Crescent	0.22	130	R									NA		NA		04/27/2010
(1256) Dawson Crescent	0.07	190	R									NA		NA		04/27/2010
(1257) Sharon Dr	0.05	130	R									NA		NA		04/27/2010
(1257) Sharon Dr	0.05	46	R									NA		NA		04/27/2010
(1257) Sharon Dr	0.19	530	R									NA		NA		04/27/2010
(1258) Joanne Dr	0.04	45	R									NA		NA		04/27/2010
(1258) Joanne Dr	0.09	120	R									NA		NA		04/27/2010
(1258) Joanne Dr	0.08	160	R									NA		NA		04/27/2010
(1259) Sue Court	0.04	48	R									NA		NA		04/27/2010
(1260) Gregory Dr	0.11	90	R									NA		NA		04/27/2010
(1261) Marion Dr	0.07	70	R									NA		NA		04/27/2010
(1262) Joanne Circle	0.02	40	R									NA		NA		04/27/2010
(1263) Aspen Blvd	0.09	80	R									NA		NA		04/27/2010
(1263) Aspen Blvd	0.06	70	R									NA		NA		04/27/2010
(1263) Aspen Blvd	0.26	240	R									NA		NA		04/27/2010
(1263) Aspen Blvd	0.08	360	R									NA		NA		04/27/2010
(1264) Byron Rd	0.10	100	R									NA		NA		04/27/2010
(1264) Byron Rd	0.06	90	R									NA		NA		04/27/2010
(1265) Albacore Dr	0.15	660	R									NA		NA		04/27/2010
(1265) Albacore Dr	0.10	350	R									NA		NA		04/27/2010
(1265) Albacore Dr	0.04	330	R									NA		NA		04/27/2010
(1265) Albacore Dr	0.14	320	R									NA		NA		04/27/2010



Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1266) Bonito Dr	0.12	120	R									NA		NA		05/13/2010
(1267) Dolphin Dr	0.06	300	R									NA		NA		05/13/2010
(1268) Tarpon Dr	0.06	80	R									NA		NA		05/13/2010
(1269) Cobia Dr	0.05	70	R									NA		NA		05/13/2010
(1269) Cobia Dr	0.07	100	R									NA		NA		05/13/2010
(1270) Marlin Circle	0.05	46	R									NA		NA		05/13/2010
(1271) Barcroft Dr	0.23	310	R									NA		NA		05/13/2010
(1271) Barcroft Dr	0.22	190	R									NA		NA		05/04/2010
(1271) Barcroft Dr	0.08	90	R									NA		NA		05/04/2010
(1272) Somerset Circle	0.13	150	R									NA		NA		05/04/2010
(1273) Wynterset Circle	0.05	70	R									NA		NA		05/04/2010
(1274) Nobles Landing Rd	0.04	60	R									NA		NA		05/04/2010
(1275) Fishneck Landing Rd	0.13	100	R									NA		NA		05/04/2010
(1275) Fishneck Landing Rd	0.11	150	R									NA		NA		05/04/2010
(1276) Beatties Landing Rd	0.06	45	R									NA		NA		05/12/2010
(1277) Vreeland Dr	0.11	80	R									NA		NA		05/12/2010
(1278) Seven Hollys Dr	0.32	150	R									NA		NA		05/13/2010
(1278) Seven Hollys Dr	0.15	120	R									NA		NA		05/13/2010
(1278) Seven Hollys Dr	0.03	30	R									NA		NA		05/13/2010
(1279) Periwinkle Dr	0.08	60	R									NA		NA		05/13/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1280) Willow Leaf Dr	0.07	40	R									NA		NA		05/13/2010
(1281) Rosewood Lane	0.09	80	R									NA		NA		05/13/2010
(1281) Rosewood Lane	0.02	190	R									NA		NA		05/13/2010
(1281) Rosewood Lane	0.05	250	R									NA		NA		05/13/2010
(1281) Rosewood Lane	0.08	320	R									NA		NA		05/13/2010
(1281) Rosewood Lane	0.07	460	R									NA		NA		05/13/2010
(1282) Sleepy Hollow Lane	0.23	220	R									NA		NA		04/27/2010
(1283) Wills Circle	0.05	80	R									NA		NA		04/27/2010
(1284) Travis Circle	0.05	100	R									NA		NA		04/27/2010
(1285) Perrin Circle	0.04	80	R									NA		NA		04/27/2010
(1286) Putnam Dr	0.05	70	R									NA		NA		04/27/2010
(1287) Holt Circle	0.06	70	R									NA		NA		04/27/2010
(1288) Park Lane	0.14	120	R									NA		NA		04/27/2010
(1289) Leanne Ct	0.02	40	R									NA		NA		04/27/2010
(1290) Greene Dr	0.30	810	R									NA		NA		04/27/2010
(1291) Back Creek Park	0.39	20	R									NA		NA		04/27/2010
(1292) August Dr	0.27	140	R									NA		NA		04/27/2010
(1293) Terrywood Court	0.05	45	R									NA		NA		04/28/2010
(1294) 2nd St	0.10	110	R									NA		NA		04/28/2010
(1295) Berrys Landing	0.20	90	R									NA		NA		04/28/2010

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1296) Melody Lane	0.10	90	R								NA			NA		04/28/2010
(1297) Land Grant Rd	0.25	100	R								NA			NA		04/28/2010
(1298) Loblolly Ct	0.08	70	R								NA			NA		04/28/2010
(1299) Chisman Landing	0.24	210	R								NA			NA		04/28/2010
(1300) Charter Dr	0.21	110	R								NA			NA		04/28/2010
(1301) Holcomb Dr	0.09	710	R								NA			NA		07/15/2010
(1301) Holcomb Dr	0.09	140	R								NA			NA		07/15/2010
(1301) Holcomb Dr	0.38	100	R								NA			NA		07/15/2010
(1302) Dennis Dr	0.08	280	R								NA			NA		07/15/2010
(1302) Dennis Dr	0.10	190	R								NA			NA		07/15/2010
(1302) Dennis Dr	0.28	140	R								NA			NA		07/15/2010
(1303) Dennis Dr	0.06	70	R								NA			NA		07/15/2010
(1304) Willoughby Dr	0.20	190	R								NA			NA		07/08/2010
(1305) Will Scarlet Lane	0.16	110	R								NA			NA		07/08/2010
(1305) Will Scarlet Lane	0.16	200	R								NA			NA		07/20/2010
(1305) Will Scarlet Lane	0.08	160	R								NA			NA		07/08/2010
(1306) Nottingham Rd	0.09	1000	R								NA			NA		07/08/2010
(1306) Nottingham Rd	0.08	670	R								NA			NA		07/08/2010
(1306) Nottingham Rd	0.16	510	R								NA			NA		07/08/2010
(1306) Nottingham Rd	0.07	290	R								NA			NA		07/20/2010
(1306) Nottingham Rd	0.10	240	R								NA			NA		07/08/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1306) Nottingham Rd	0.10	170	R								NA			NA		07/08/2010
(1306) Nottingham Rd	0.10	70	R								NA			NA		07/08/2010
(1307) Kings Court	0.04	30	R								NA			NA		07/08/2010
(1308) Princess Place	0.05	30	R								NA			NA		07/08/2010
(1309) Prince Charles Rd	0.06	1	R								NA			NA		07/08/2010
(1310) National Lane	0.30	90	R								NA			NA		07/20/2010
(1311) North Will Scarlet Lane	0.15	80	R								NA			NA		07/20/2010
(1312) Copse Way	0.18	150	R								NA			NA		07/08/2010
(1312) Copse Way	0.07	80	R								NA			NA		07/08/2010
(1312) Copse Way	0.06	110	R								NA			NA		07/08/2010
(1312) Copse Way	0.06	100	R								NA			NA		07/08/2010
(1313) Crown Court	0.03	40	R								NA			NA		07/08/2010
(1314) Lakeshead Dr	0.15	2300	R								NA			NA		07/08/2010
(1314) Lakeshead Dr	0.74	1300	R								NA			NA		07/08/2010
(1314) Lakeshead Dr	0.07	1100	R								NA			NA		07/08/2010
(1314) Lakeshead Dr	0.07	700	R								NA			NA		07/08/2010
(1314) Lakeshead Dr	0.08	250	R								NA			NA		07/08/2010
(1314) Lakeshead Dr	0.07	120	R								NA			NA		07/08/2010
(1314) Lakeshead Dr	1.00	110	R								NA			NA		07/08/2010
(1315) Sherwood Dr	0.15	120	R								NA			NA		07/01/2010
(1315) Sherwood Dr	0.13	390	R								NA			NA		07/09/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1316) Friars Court	0.04	60	R			From: 99-1315 Sherwood Dr					NA		NA			07/01/2010
						To: Cul-de-Sac										
(1317) Old Glory Court	0.08	30	R			From: Dead End					NA		NA			07/15/2010
						To: 99-1302 Dennis Dr										
(1318) Little John Rd	0.50	80	R			From: Begin Loop					NA		NA			07/15/2010
						To: End Loop										
(1318) Little John Rd	0.20	310	R			From: 99-1306 Nottingham Rd					NA		NA			07/15/2010
						To: 99-1306 Nottingham Rd										
(1319) Sheriffs Place	0.16	50	R			From: Dead End					NA		NA			07/20/2010
						To: 99-1306 Nottingham Rd										
(1319) Sheriffs Place	0.08	90	R			From: 99-716 Hubbard Lane					NA		NA			07/20/2010
						To: 99-716 Hubbard Lane										
(1320) Sixpence Court	0.06	60	R			From: Cul-de-Sac					NA		NA			07/08/2010
						To: 99-1306 Nottingham Rd										
(1321) Point Laurel Place	0.03	20	R			From: 99-745 Horseshoe Dr					NA		NA			07/08/2010
						To: Cul-de-Sac										
(1322) Spur Court	0.03	30	R			From: 99-1312 Copse Way					NA		NA			07/08/2010
						To: Cul-de-Sac										
(1323) Bowstring Dr	0.10	70	R			From: Dead End					NA		NA			07/08/2010
						To: 99-1334 Holloway Dr										
(1323) Bowstring Dr	0.09	210	R			From: 99-1325 Cambridge Lane					NA		NA			07/08/2010
						To: 99-1325 Cambridge Lane										
(1323) Bowstring Dr	0.08	260	R			From: 99-1324 Shoreham Lane					NA		NA			07/08/2010
						To: 99-1324 Shoreham Lane										
(1323) Bowstring Dr	0.05	2100	R			From: 99-1314 Lakeshead Dr					NA		NA			07/08/2010
						To: 99-1314 Lakeshead Dr										
(1324) Shoreham Lane	0.15	100	R			From: Cul-de-Sac					NA		NA			07/08/2010
						To: 99-1323 Bowstring Dr										
(1325) Cambridge Lane	0.16	40	R			From: Cul-de-Sac					NA		NA			07/08/2010
						To: 99-1323 Bowstring Dr										
(1326) Charles River Landing Rd	0.06	240	R			From: 99-716 Hubbard Lane					NA		NA			07/08/2010
						To: 99-1327 Charles River Landing Rd										
(1327) Charles River Landing Rd	0.05	30	R			From: Dead End					NA		NA			07/08/2010
						To: 99-1326 Charles River Landing Rd										
(1327) Charles River Landing Rd	0.12	60	R			From: Dead End					NA		NA			07/08/2010
						To: Dead End										
(1328) Montague Circle	0.27	140	R			From: 99-716 Hubbard Lane					NA		NA			07/20/2010
						To: 99-716; 99-745										
(1329) Pioneer Lane	0.11	70	R			From: Cul-de-Sac					NA		NA			07/20/2010
						To: 99-716 Hubbard Lane										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1330) Allendale Place	0.06	40	R								NA		NA			07/01/2010
(1331) Ringfinger Court	0.06	40	R								NA		NA			07/08/2010
(1332) King Richard Court	0.08	30	R								NA		NA			07/08/2010
(1332) King Richard Court	0.04	48	R								NA		NA			07/08/2010
(1333) Maid Marion Place	0.05	120	R								NA		NA			07/08/2010
(1334) Holloway Dr	0.13	80	R								NA		NA			07/08/2010
(1335) Saxon Rd	0.20	170	R								NA		NA			07/15/2010
(1336) Crate Ct	0.03	30	R								NA		NA			07/15/2010
(1337) Larchwood Rd	0.05	100	R								NA		NA			07/15/2010
(1337) Larchwood Rd	0.18	110	R								NA		NA			07/15/2010
(1338) Rachel Lane	0.10	130	R								NA		NA			07/15/2010
(1339) Huntingdon Rd	0.08	60	R								NA		NA			07/01/2010
(1339) Huntingdon Rd	0.03	20	R								NA		NA			07/08/2010
(1340) Valor Court	0.08	70	R								NA		NA			07/08/2010
(1343) Loblolly Dr	0.42	200	R								NA		NA			05/04/2010
(1345) Royal Grant Dr	0.23	180	R								NA		NA			05/04/2010
(1345) Royal Grant Dr	0.11	240	R								NA		NA			07/08/2010
(1346) Saint Johns Court	0.03	70	R								NA		NA			07/08/2010
(1347) Queen Anne Dr	0.20	110	R								NA		NA			07/08/2010
(1349) Manor House Ct	0.12	140	R								NA		NA			07/08/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1350) Battle Rd	0.04	710	R									NA		NA		07/08/2010
(1351) Tides Run	0.19	110	R									NA		NA		07/08/2010
(1351) Tides Run	0.30	200	R									NA		NA		07/08/2010
(1351) Tides Run	0.09	330	R									NA		NA		07/08/2010
(1351) Tides Run	0.28	390	R									NA		NA		07/08/2010
(1351) Marlbank Dr	0.10	730	R									NA		NA		07/08/2010
(1351) Marlbank Dr	0.18	520	R									NA		NA		07/08/2010
(1351) Marlbank Dr	0.12	450	R									NA		NA		07/08/2010
(1351) Marlbank Dr	0.11	430	R									NA		NA		07/08/2010
(1351) Marlbank Dr	0.07	320	R									NA		NA		07/08/2010
(1351) Marlbank Dr	0.07	210	R									NA		NA		07/08/2010
(1352)	0.16	240	R									NA		NA		04/29/2010
(1352)	0.13	80	R									NA		NA		04/29/2010
(1353) Mallard Lane	0.12	70	R									NA		NA		04/29/2010
(1353) Mallard Lane	0.09	70	R									NA		NA		04/29/2010
(1354) McClellan Court	0.10	70	R									NA		NA		04/29/2010
(1355) Osprey Point	0.10	70	R									NA		NA		04/29/2010
(1356) Lookout Point	0.14	100	R									NA		NA		04/29/2010
(1357) Heron Court	0.09	70	R									NA		NA		04/29/2010
(1358) Jerdon Place	0.20	160	R									NA		NA		04/29/2010
(1360)	0.08	NA										NA		NA		

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1361)	0.17	NA					From: 99-706 Yorktown Rd					NA		NA		
							To: 99-1362									
(1362)	0.30	NA					From: 99-1364					NA		NA		
							To: Cul-de-Sac									
(1363)	0.10	NA					From: 99-1362					NA		NA		
							To: Cul-de-Sac									
(1364)	0.07	NA					From: Cul-de-Sac					NA		NA		
(1364)	0.26	NA					From: 99-1362					NA		NA		
							To: Cul-de-Sac									
(1365)	0.20	NA					From: 99-1364					NA		NA		
							To: Cul-de-Sac									
(1366)	0.09	NA					From: Cul-de-Sac					NA		NA		
							To: 99-1364									
(1370) Elmhurst Dr	0.08	400	R				From: 99-1371 Crepe Myrtle Dr					NA		NA		08/31/2010
							To: SR 105 Ft Eustis Blvd									
(1371) Crepe Myrtle Dr	0.13	520	R				From: SR 105 Ft Eustis Blvd					NA		NA		08/31/2010
							To: 99-1370 Elmhurst Dr									
(1372) Andrews Crossing	0.28	80	R				From: 99-1300 Charter Dr					NA		NA		08/31/2010
							To: Cul-de-Sac									
(1373) Elizabeths Quay	0.14	40	R				From: Cul-de-Sac					NA		NA		08/31/2010
							To: 99-1372 Andrews Crossing									
(1374) Colberts Trace	0.20	100	R				From: 99-632 Old Wormley Creek Rd					NA		NA		04/29/2010
							To: Cul-de-Sac									
(1379)	0.12	NA					From: Cul-de-Sac					NA		NA		
							To: US 17 George Washington Mem Hwy									
(1380) Randolph St	0.13	360	R				From: 99-1381 Allen Harris Dr; Blair Dr					NA		NA		04/29/2010
							To: 99-718 Old York Hampton Hwy									
(1381) Allen Harris Dr	0.05	510	R				From: 99-634 Old York Hampton Hwy					NA		NA		04/28/2010
							To: Begin Clockwise Loop									
(1381) Allen Harris Dr	0.20	160	R				From: Begin Clockwise Loop					NA		NA		04/28/2010
							To: 99-1383 W, Mason Ct									
(1381) Allen Harris Dr	0.06	120	R				From: 99-1383 W, Mason Ct					NA		NA		04/28/2010
							To: 99-1382 W, Madison Ct									
(1381) Allen Harris Dr	0.20	130	R				From: 99-1382 W, Madison Ct					NA		NA		04/28/2010
							To: 99-1380 Randolph St									
(1381) Blair Dr	0.05	190	R				From: 99-1380 Randolph St					NA		NA		04/28/2010
							To: 99-1382 E, Madison Ct									
(1381) Blair Dr	0.10	190	R				From: 99-1382 E, Madison Ct					NA		NA		04/28/2010
							To: 99-1383 E, Mason Ct									



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1381) Blair Dr	0.05	280	R			From: 99-1383 E, Mason Ct					NA			NA		04/28/2010
						To: End Loop										
(1382) Madison Ct	0.10	80	R			From: 99-1381 Allen Harris Dr					NA			NA		04/28/2010
						To: 99-1381 Blair Dr										
(1383) Mason Ct	0.11	90	R			From: 99-1381 Allen Harris Dr					NA			NA		04/28/2010
						To: 99-1381 Blair Dr										
(1385) Schooner Blvd	0.64	2000	R			From: Cul-de-Sac					NA			NA		09/18/2007
						To: 99-716 Queens Dr										
(1386) Spinaker Way	0.10	790	R			From: Cul-de-Sac					NA			NA		07/22/2010
(1386)	0.22	830	R			From: 99-1394					NA			NA		09/18/2007
						To: 99-1385										
(1387)	0.14	200	R			From: Cul-de-Sac					NA			NA		08/22/2007
						To: 99-1386										
(1388)	0.11	140	R			From: Cul-de-Sac					NA			NA		08/22/2007
						To: 99-1386										
(1389)	0.04	70	R			From: Cul-de-Sac					NA			NA		08/22/2007
						To: 99-1385										
(1390)	0.08	90	R			From: 99-1385					NA			NA		08/22/2007
						To: Cul-de-Sac										
(1391)	0.09	120	R			From: Cul-de-Sac					NA			NA		08/22/2007
						To: 99-1385										
(1392)	0.08	130	R			From: Cul-de-Sac					NA			NA		08/22/2007
						To: 99-1385										
(1393)	0.04	60	R			From: 99-1385					NA			NA		08/22/2007
						To: Cul-de-Sac										
(1394) Yardarm Court	0.12	240	R			From: Cul-de-Sac					NA			NA		07/22/2010
						To: 99-1386 Spinaker Way										
(1395) Corvette Dr	0.47	1000	R			From: Cul-de-Sac					NA			NA		07/25/2010
						To: 99-1385										
(1396)	0.14	240	R			From: Cul-de-Sac					NA			NA		07/15/2010
						To: 99-1395										
(1397)	0.05	120	R			From: 99-1395					NA			NA		07/15/2010
						To: Cul-de-Sac										
(1398)	0.09	90	R			From: Cul-de-Sac					NA			NA		07/15/2010
						To: 99-1395										
(1401) Schenck Dr	0.12	230	R			From: 99-1402 Wilkinson Dr					NA			NA		07/15/2010
						To: 99-1403 Hudson Dr										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1401) Schenck Dr	0.12	230	R			From: 99-1403 Hudson Dr					NA			NA		07/15/2010
						To: FR-137 Rochambeau Dr										
(1402) Wilkinson Dr	0.38	240	R			From: Dead End					NA			NA		07/15/2010
(1402) Wilkinson Dr	0.17	60	R			From: 99-1401 Schenck Dr					NA			NA		07/15/2010
						To: Dead End										
(1403) Hudson Dr	0.14	80	R			From: 99-1401 Schenck Dr					NA			NA		07/15/2010
						To: Dead End										
(1407)	0.12	NA				From: 99-00606(B)/					NA			NA		
						To: Cul-de-Sac/										
(1408)	0.10	NA				From: Cul-de-Sac					NA			NA		
(1408)	1.05	2100	R			From: James City County Line; 47-1431; 99-1409					NA			NA		02/10/2004
						To: 99-646 Lightfoot Rd										
(1409)	0.10	NA				From: 99-1408 James City County Line					NA			NA		
						To: 99-603 Mooretown Rd										
(1410)	0.33	130	R			From: 99-1613 Shady Bluff Pt					NA			NA		09/18/2007
						To: Cul-de-Sac										
(1411)	0.11	80	R			From: 99-1412					NA			NA		08/23/2007
						To: 99-1410										
(1412)	0.42	50	R			From: Cul-de-Sac					NA			NA		09/26/2007
						To: 99-1413										
(1413)	0.86	440	R			From: 99-797 Skimino Rd					NA			NA		10/02/2007
						To: 99-1412										
(1414)	0.07	30	R			From: 99-1413					NA			NA		10/02/2007
						To: Cul-de-Sac										
(1415)	0.10	30	R			From: Cul-de-Sac					NA			NA		10/02/2007
						To: 99-1413										
(1416)	0.19	80	R			From: 99-1413					NA			NA		07/15/2010
						To: Cul-de-Sac										
(1417)	0.32	100	R			From: Cul-de-Sac					NA			NA		07/15/2010
						To: 99-1416										
(1418)	0.27	140	R			From: 99-1413					NA			NA		07/15/2010
						To: 99-1417										
(1419)	0.09	NA				From: 99-1417					NA			NA		
						To: Cul-de-Sac										
(1420) Red Dirt Rd	0.24	100	R			From: Cul-de-Sac					NA			NA		05/05/2010
						To: 99-786 Oaktree Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1422)	0.20	100	R			From: 99-603 Mooretown Rd; James City County Line					NA			NA		05/05/2010
						To: Dead End										
(1428) Hillside Lane	0.06	80	R			From: 99-716 Hubbard Lane					NA			NA		07/27/2010
						To: Cul-de-Sac										
(1429) Erin Leigh Court	0.11	190	R			From: 99-716; 99-1430					NA			NA		07/08/2010
						To: Cul-de-Sac										
(1430) Cobble Stone	0.13	740	R			From: 99-716 Hubbard Lane					NA			NA		07/09/2010
						To: 99-1432 Marble Run										
(1430) Cobble Stone	0.11	600	R			From: 99-1434 Copperfield					NA			NA		07/27/2010
						To: Cul-de-Sac										
(1430) Cobble Stone	0.14	200	R			From: 99-1430 Cobble Stone					NA			NA		07/08/2010
						To: Cul-de-Sac										
(1431) Boulder Way	0.08	110	R			From: 99-1430 Cobble Stone					NA			NA		07/08/2010
						To: Cul-de-Sac										
(1432) Marble Run	0.11	270	R			From: 99-1430 Cobble Stone					NA			NA		07/27/2010
						To: Cul-de-Sac										
(1433) Granite Place	0.04	80	R			From: 99-1432 Marble Run					NA			NA		07/08/2010
						To: 99-1430 Cobble Stone										
(1434) Copperfield	0.09	110	R			From: 99-1430 Cobble Stone					NA			NA		07/08/2010
						To: Cul-de-Sac										
(1437)	0.64	NA				From: 99-602 Fenton Mill Rd					NA			NA		
						To: Cul-de-Sac										
(1438)	0.35	NA				From: 99-1437					NA			NA		
						To: Cul-de-Sac										
(1440) Percussion Rd	0.06	330	R			From: 99-1442 Colonial Ave					NA			NA		08/27/2010
						To: 99-1441 Cannonball Court										
(1440) Percussion Rd	0.05	180	R			From: 99-795					NA			NA		08/27/2010
						To: Cul-de-Sac										
(1441) Cannonball Court	0.05	100	R			From: 99-1440 Percussion Rd					NA			NA		08/27/2010
						To: 99-716; 99-728										
(1442) Colonial Ave	0.08	1100	R			From: 99-795; 99-795					NA			NA		08/27/2010
						To: 99-1443 Flintlock Rd										
(1442) Colonial Ave	0.22	790	R			From: 99-1440 Percussion Rd					NA			NA		08/27/2010
						To: Cul-de-Sac										
(1442) Colonial Ave	0.16	430	R			From: 99-1442 Colonial Ave					NA			NA		08/29/2010
						To: 99-795										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1444)	0.16	NA											NA	NA		
(1445) Quarter Track	0.54	610	R										NA	NA		08/29/2010
(1446)	0.13	710	N										NA	NA		08/29/2010
(1446)	0.77	710	R										NA	NA		08/29/2010
(1447) Flag Creek Rd	0.14	140	R										NA	NA		08/29/2010
(1448) Ryans Way	0.14	110	R										NA	NA		08/29/2010
(1449) Chris Court	0.05	40	R										NA	NA		08/29/2010
(1450) Willards Way	0.21	540	R										NA	NA		08/29/2010
(1450) Willards Way	0.11	240	R										NA	NA		08/29/2010
(1450) Willards Way	0.09	80	R										NA	NA		08/29/2010
(1451) Terrys Run	0.08	390	R										NA	NA		08/29/2010
(1451) Terrys Run	0.12	390	R										NA	NA		08/29/2010
(1451) Terrys Run	0.10	260	R										NA	NA		08/29/2010
(1452) Waltons Approach	0.10	160	R										NA	NA		08/29/2010
(1453) Kubesh Court	0.05	50	R										NA	NA		08/29/2010
(1454) Champions Path	0.09	320	R										NA	NA		08/29/2010
(1454) Champions Path	0.17	370	R										NA	NA		08/29/2010
(1454) Champions Path	0.12	280	R										NA	NA		08/29/2010
(1454) Champions Path	0.04	49	R										NA	NA		08/29/2010
(1455) Melvins End	0.13	140	R										NA	NA		08/29/2010
(1456) Coach Hovis Dr	0.09	580	R										NA	NA		08/29/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1456) Coach Hovis Dr	0.08	270	R								NA			NA		08/29/2010
(1456) Coach Hovis Dr	0.10	230	R								NA			NA		08/29/2010
(1456) Coach Hovis Dr	0.11	170	R								NA			NA		08/29/2010
(1457) Chris Slade Chase	0.17	80	R								NA			NA		08/29/2010
(1458) Mitchells Method	0.04	50	R								NA			NA		08/29/2010
(1459) McDonald Circle	0.14	110	R								NA			NA		09/25/2007
(1460)	0.08	100	R								NA			NA		05/13/2010
(1461) Treis Trail	0.11	290	R								NA			NA		05/13/2010
(1461) Treis Trail	0.16	290	N								NA			NA		05/13/2010
(1462)	0.15	NA									NA			NA		
(1464) Oleander Court	0.08	90	R								NA			NA		05/13/2010
(1465) Halles Run	0.15	230	R								NA			NA		05/13/2010
(1466) Kayla Court	0.04	60	R								NA			NA		05/13/2010
(1467) Bunting Point Rd	0.21	180	R								NA			NA		05/13/2010
(1468) Pickett Place	0.07	50	R								NA			NA		05/13/2010
(1470) Jessica Dr	0.14	160	R								NA			NA		05/13/2010
(1471) Zachary Place	0.11	170	R								NA			NA		05/13/2010
(1472) Seth Lane	0.14	210	R								NA			NA		05/13/2010
(1473) Cody Place	0.06	80	R								NA			NA		05/13/2010

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1474)	0.10	NA										NA		NA		
(1475)	0.05	NA										NA		NA		
(1478)	0.15	90		R								NA		NA		09/18/2007
(1479) Jeffrey Kenneth Place	0.09	160		R								NA		NA		05/13/2010
(1480) Foxwood Dr	0.07	46		R								NA		NA		05/13/2010
(1480) Foxwood Dr	0.07	1000		R								NA		NA		05/13/2010
(1481) Hounds Chase	0.13	130		R								NA		NA		05/13/2010
(1481) Hounds Chase	0.13	860		R								NA		NA		05/13/2010
(1481) Hounds Chase	0.07	80		R								NA		NA		05/13/2010
(1482) Silver Fox Trace	0.06	360		R								NA		NA		05/13/2010
(1482) Silver Fox Trace	0.21	580		R								NA		NA		05/13/2010
(1482) Silver Fox Trace	0.06	60		R								NA		NA		05/13/2010
(1483) Bugle Court	0.09	60		R								NA		NA		05/13/2010
(1484) Hedgerow Lane	0.28	170		R								NA		NA		05/13/2010
(1484) Hedgerow Lane	0.08	150		R								NA		NA		05/13/2010
(1485) Tallyho Dr	0.25	340		R								NA		NA		05/13/2010
(1486) Pinyon Pines	0.05	170		R								NA		NA		05/13/2010
(1487) Vixen Court	0.05	140		R								NA		NA		05/13/2010
(1487) Vixen Court	0.04	140		N								NA		NA		05/13/2010
(1488)	0.08	100		R								NA		NA		08/23/2007

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1489)	0.06	90	R											NA		08/23/2007
(1490) Van Curen Court	0.09	80	R											NA		08/23/2007
(1491) Richter Lane	0.57	570	R											NA		09/18/2007
(1492) Sheldon Court	0.13	180	R											NA		08/23/2007
(1493) Donovan Court	0.05	60	R											NA		08/23/2007
(1494) Brian Wesley Court	0.12	160	R											NA		09/18/2007
(1495) Alfred Court	0.08	70	R											NA		08/23/2007
(1496)	0.23	130	R											NA		09/18/2007
(1497)	0.12	600	R											NA		09/18/2007
(1498) Lance Way	0.18	760	R											NA		09/18/2007
(1499)	0.03	30	R											NA		08/23/2007
(1501) Beechwood Dr	0.08	60	R											NA		05/12/2010
(1501) Beechwood Dr	0.21	620	R											NA		05/12/2010
(1502)	0.12	110	R											NA		05/12/2010
(1502)	0.25	1200	R											NA		05/12/2010
(1502)	0.05	910	R											NA		05/12/2010
(1502)	0.06	720	R											NA		05/12/2010
(1502)	0.05	650	R											NA		05/12/2010
(1502)	0.04	340	R											NA		05/12/2010
(1503) Harwood Dr	0.13	120	R											NA		05/12/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1503) Harwood Dr	0.26	700	R				From: 99-751 Ella Taylor Rd				NA		NA		05/12/2010	
(1503) Harwood Dr	0.04	40	R				From: 99-1504 Mill Lane				NA		NA		05/12/2010	
							To: Dead End									
(1504) Mill Lane	0.07	340	R				From: 99-1501 Beechwood Dr				NA		NA		05/12/2010	
(1504) Mill Lane	0.08	1100	R				From: 99-1502				NA		NA		05/12/2010	
(1504) Mill Lane	0.08	780	R				From: 99-1503 Harwood Dr				NA		NA		05/12/2010	
(1504) Mill Lane	0.21	190	R				From: 99-1517 N, Daphne Dr				NA		NA		05/12/2010	
(1504) Mill Lane	0.07	90	R				From: 99-1518 Laura Lane				NA		NA		05/12/2010	
(1504) Mill Lane	0.03	47	R				From: 99-1517 S, Daphne Dr				NA		NA		05/12/2010	
							To: Cul-de-Sac									
(1505)	0.07	50	R				From: Cul-de-Sac				NA		NA		05/12/2010	
(1505)	0.07	230	R				From: 99-1670 Castellow Court				NA		NA		05/12/2010	
(1505)	0.18	110	R				From: 99-614 Showalter Rd				NA		NA		05/12/2010	
(1505)	0.04	330	R				From: 99-620 Lakeside Dr				NA		NA		05/12/2010	
(1505)	0.07	350	R				From: 99-1590				NA		NA		05/12/2010	
(1505)	0.24	280	R				From: 99-1589 Middlewood Lane				NA		NA		05/12/2010	
							To: Dead End									
(1506)	0.18	120	R				From: 99-620 Lakeside Dr				NA		NA		05/10/2010	
							To: Dead End									
(1507) Kitty Dr	0.04	110	R				From: 99-614 Showalter Rd				NA		NA		06/03/2010	
(1507) Kitty Dr	0.07	350	R				From: 99-1520 SOUTH				NA		NA		06/03/2010	
							From: 99-1520 NORTH				NA		NA		06/03/2010	
							To: 99-751 Ella Taylor Rd									
(1508) Rural Retreat Rd	0.22	390	R				From: 99-614 Showalter Rd				NA		NA		06/03/2010	
							To: 99-751 Ella Taylor Rd									
(1509) Vine Dr	0.22	60	R				From: 99-1510 Hollywood Blvd				NA		NA		06/03/2010	
							To: 99-679 Lindsay Landing Lane									
(1510) Hollywood Blvd	0.14	630	R				From: 99-614 Showalter Rd				NA		NA		06/03/2010	
(1510) Hollywood Blvd	0.08	510	R				From: 99-1509 Vine Dr				NA		NA		06/03/2010	
							To: 99-1581 Breezy Point Dr									
(1511) Brook Lane	0.20	590	R				From: 99-614 Showalter Rd				NA		NA		06/03/2010	
							To: 99-1512 Riverside Dr									



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1511) Brook Lane	0.16	440	R				From: 99-1512 Riverside Dr				NA		NA		06/03/2010	
(1511) Brook Lane	0.10	290	R				To: 99-1513 Riverside Dr				NA		NA		06/03/2010	
(1511) Brook Lane	0.07	40	R				From: 99-1514 Marine Circle				NA		NA		06/03/2010	
							To: Dead End									
(1512) Riverside Dr	0.27	320	R				From: 99-614 Showalter Rd				NA		NA		06/03/2010	
(1512) Riverside Dr	0.03	120	R				To: 99-1513 Riverside Dr				NA		NA		06/03/2010	
							To: 99-1511 Brook Lane									
(1513) Riverside Dr	0.27	90	R				From: 99-1512 Riverside Dr				NA		NA		06/03/2010	
							To: 99-1511 Brook Lane									
(1514) Marine Circle	0.16	180	R				From: 99-1511 Brook Lane				NA		NA		06/03/2010	
							To: Dead End									
(1515) Jonadab Rd	0.07	100	R				From: 99-1581 Breezy Point Dr				NA		NA		06/03/2010	
(1515) Jonadab Rd	0.30	210	R				To: 99-679 Lindsay Landing Lane				NA		NA		06/03/2010	
							To: Dead End									
(1516) Quatermarsh Dr	0.14	130	R				From: 99-679 Lindsay Landing Lane				NA		NA		06/03/2010	
							To: Dead End									
(1517) Daphne Dr	0.07	100	R				From: 99-1504 S, Mill Lane				NA		NA		06/03/2010	
(1517) Daphne Dr	0.15	210	R				To: 99-1519 Frances Dr				NA		NA		06/03/2010	
(1517) Daphne Dr	0.06	350	R				To: 99-1518 Laura Lane				NA		NA		06/03/2010	
							To: 99-1504 N, Mill Lane									
(1518) Laura Lane	0.15	130	R				From: 99-1504 Mill Lane				NA		NA		05/11/2010	
							To: 99-1517 Daphne Dr									
(1519) Frances Dr	0.08	200	R				From: 99-1517 Daphne Dr				NA		NA		05/11/2010	
							To: 99-614 Showalter Rd									
(1520)	0.21	190	R				From: 99-1507 S, Kitty Dr				NA		NA		05/11/2010	
							To: 99-1507 N, Kitty Dr									
(1521) Beecham Dr	0.12	100	R				From: Cul-de-Sac				NA		NA		05/11/2010	
(1521) Beecham Dr	0.10	190	R				To: 99-1527 Key Circle				NA		NA		05/11/2010	
							To: 99-614 Showalter Rd									
(1522) Lorna Doone Dr	0.50	360	R				From: 99-658 W, Yorkville Rd				NA		NA		05/13/2010	
							To: 99-658 E, Yorkville Rd									
(1523) Madeira Dr	0.20	40	R				From: Cul-de-Sac				NA		NA		05/13/2010	
							To: 99-682 Lambs Creek Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1524) River Point Dr	0.31	220	R								NA			NA		05/13/2010
(1525) Shackelford Rd	0.10	160	R								NA			NA		05/13/2010
(1526)	0.15	110	R								NA			NA		05/13/2010
(1526)	0.15	390	R								NA			NA		05/13/2010
(1526)	0.15	190	R								NA			NA		05/13/2010
(1526)	0.06	40	R								NA			NA		05/13/2010
(1527) Key Circle	0.04	50	R								NA			NA		05/13/2010
(1528) Myers Rd	0.08	270	R								NA			NA		05/27/2010
(1529) Myers Court	0.04	130	R								NA			NA		05/27/2010
(1530) East Woodland Dr	0.29	140	R								NA			NA		05/27/2010
(1531) Mount Vernon Dr	0.07	540	R								NA			NA		05/27/2010
(1531) Mount Vernon Dr	0.20	360	R								NA			NA		05/27/2010
(1531) Mount Vernon Dr	0.04	240	R								NA			NA		05/27/2010
(1532) Lawson Dr	0.37	150	R								NA			NA		05/27/2010
(1533) Tabb Lane	0.16	47	R								NA			NA		05/27/2010
(1533) Tabb Lane	0.29	500	R								NA			NA		05/27/2010
(1534) Anne Circle	0.02	40	R								NA			NA		05/27/2010
(1534) Anne Circle	0.05	160	R								NA			NA		05/27/2010
(1535) Fay Circle	0.04	60	R								NA			NA		05/26/2010
(1536) Denise Dr	0.07	450	R								NA			NA		06/22/2010
(1536) Denise Dr	0.21	190	R								NA			NA		09/18/2007

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1537) Pageland Dr	0.10	300	R								NA			NA		06/22/2010
(1537) Pageland Dr	0.24	170	R								NA			NA		06/22/2010
(1538) Kay Circle	0.03	70	R								NA			NA		06/22/2010
(1539) Jean Place	0.04	70	R								NA			NA		06/22/2010
(1540) Barclay Rd	0.10	40	R								NA			NA		06/22/2010
(1541) Sinclair Lane	0.14	90	R								NA			NA		06/22/2010
(1542)	0.06	40	R								NA			NA		06/22/2010
(1542)	0.06	30	R								NA			NA		06/22/2010
(1543) Kings Grant Dr	0.56	140	R								NA			NA		06/22/2010
(1544) Uppershire Way	0.17	130	R								NA			NA		06/22/2010
(1545) Villa Way	0.06	1800	R								NA			NA		05/27/2010
(1545) Villa Way	0.04	1500	R								NA			NA		05/27/2010
(1545) Villa Way	0.09	1200	R								NA			NA		05/27/2010
(1545) Villa Way	0.07	1200	R								NA			NA		05/27/2010
(1545) Villa Way	0.06	750	R								NA			NA		08/21/2007
(1545) Villa Way	0.07	500	R								NA			NA		08/21/2007
(1545) Villa Way	0.12	310	R								NA			NA		08/21/2007
(1546) Chowning Place	0.04	80	R								NA			NA		05/27/2010
(1547) Camelot Crescent	0.31	160	R								NA			NA		05/27/2010
(1548) Winder Rd	0.06	70	R								NA			NA		08/21/2007
(1548) Winder Rd	0.05	90	R								NA			NA		08/21/2007

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1548) Winder Rd	0.22	200	R			From: 0.05 ME 99-1568						NA		NA		08/21/2007
						To: 99-1545 Villa Way										
(1549) Idlewood Circle	0.03	50	R			From: Cul-de-Sac						NA		NA		05/27/2010
						To: 99-1548 Winder Rd										
(1550) Brandywine Dr	0.18	300	R			From: Cul-de-Sac						NA		NA		05/27/2010
						To: 99-1553 Brigade Dr										
(1550) Brandywine Dr	0.14	340	R			From: 99-1551 Fielding Lewis Dr						NA		NA		05/27/2010
						To: 99-621 Dare Rd										
(1550) Brandywine Dr	0.18	780	R			From: 99-1550 Brandywine Dr						NA		NA		05/27/2010
						To: 99-1552 Clements Lane										
(1551) Fielding Lewis Dr	0.15	370	R			From: 99-1553 Brigade Dr						NA		NA		05/27/2010
						To: 99-1554 Whispering Pine Dr										
(1551) Fielding Lewis Dr	0.06	1200	R			From: 99-1555						NA		NA		05/27/2010
						To: 99-1556										
(1551) Fielding Lewis Dr	0.07	720	R			From: 99-1557						NA		NA		05/12/2010
						To: 99-1558										
(1551) Fielding Lewis Dr	0.08	210	R			From: Cul-de-Sac						NA		NA		05/10/2010
						To: Dead End										
(1552) Clements Lane	0.06	40	R			From: 99-1551 Fielding Lewis Dr						NA		NA		05/10/2010
						To: Dead End										
(1553) Brigade Dr	0.09	210	R			From: 99-1570 Henry Lee Lane						NA		NA		05/10/2010
						To: 99-1551 Fielding Lewis Dr										
(1553) Brigade Dr	0.19	220	R			From: 99-792 Old Lakeside Dr						NA		NA		05/10/2010
						To: 99-1551 Fielding Lewis Dr										
(1554) Whispering Pine Dr	0.23	110	R			From: 99-1558						NA		NA		06/02/2010
						To: Cul-de-Sac										
(1555)	0.06	50	R			From: 99-1551 Fielding Lewis Dr						NA		NA		06/02/2010
						To: 99-1551 Fielding Lewis Dr										
(1556)	0.16	410	R			From: 99-1561 Foxfield Place						NA		NA		06/02/2010
						To: 99-1558										
(1556)	0.06	250	R			From: 99-1558						NA		NA		06/02/2010
						To: 99-1558										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1556)	0.06	160	R				From: 99-1558					NA		NA		06/02/2010
							To: 99-1560									
(1557)	0.05	60	R				From: Cul-de-Sac					NA		NA		05/10/2010
							To: 99-1551 Fielding Lewis Dr									
(1558)	0.06	180	R				From: 99-1554 Whispering Pine Dr					NA		NA		05/10/2010
(1558)	0.12	70	R				From: 99-1559 Hailsham Place					NA		NA		05/10/2010
(1558)	0.10	70	R				From: 99-1551 Fielding Lewis Dr					NA		NA		05/10/2010
							To: 99-1556									
(1559) Hailsham Place	0.09	100	R				From: Cul-de-Sac					NA		NA		05/10/2010
							To: 99-1558									
(1560)	0.06	70	R				From: Cul-de-Sac					NA		NA		05/10/2010
(1560)	0.06	130	R				From: 99-1556					NA		NA		05/10/2010
							To: Dead End									
(1561) Foxfield Place	0.03	40	R				From: Cul-de-Sac					NA		NA		05/10/2010
							To: 99-1556									
(1562) Penrith Crossing	0.10	740	R				From: 99-630 Wolf Trap Rd					NA		NA		05/10/2010
(1562) Penrith Crossing	0.07	570	R				From: 99-1563 Wharf Row					NA		NA		05/10/2010
(1562) Penrith Crossing	0.07	460	R				From: 99-1564 Warehouse Course					NA		NA		05/10/2010
(1562) Penrith Crossing	0.05	150	R				From: 99-1565 Swan Tavern Rise					NA		NA		05/10/2010
							To: 99-1566 Scotch Tom Way									
(1563) Wharf Row	0.09	90	R				From: Dead End					NA		NA		05/03/2010
(1563) Wharf Row	0.11	80	R				From: 99-1562 Penrith Crossing					NA		NA		05/03/2010
							To: Dead End									
(1564) Warehouse Course	0.07	110	R				From: Dead End					NA		NA		05/03/2010
(1564) Warehouse Course	0.05	40	R				From: 99-1562 Penrith Crossing					NA		NA		05/03/2010
							To: Dead End									
(1565) Swan Tavern Rise	0.12	210	R				From: 99-1562 Penrith Crossing					NA		NA		05/03/2010
							To: 99-655 Allens Mill Rd									
(1566) Scotch Tom Way	0.07	60	R				From: Dead End					NA		NA		05/03/2010
(1566) Scotch Tom Way	0.13	70	R				From: 99-1562 Penrith Crossing					NA		NA		05/03/2010
							To: Dead End									
(1567) Moores Creek Dr	0.10	60	R				From: 99-600 Tide Mill Rd					NA		NA		05/03/2010
							To: Cul-de-Sac									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1568) Coachman Dr	0.19	140	R			From: 99-1548 Winder Rd					NA		NA			08/21/2007
(1568) Coachman Dr	0.04	240	R			To: 99-1545 Villa Way					NA		NA			05/03/2010
						From: 99-9440										
(1569) Buffie Rd	0.19	120	R			To: 99-1548 Winder Rd					NA		NA			08/21/2007
						From: 99-1545 Villa Way										
(1570) Henry Lee Lane	0.16	100	R			To: 99-1790 Gaines Way					NA		NA			05/10/2010
(1570) Henry Lee Lane	0.04	60	R			From: 99-1553 Brigade Dr					NA		NA			05/13/2010
						To: Cul-de-Sac										
(1571) Millside Way	0.05	220	R			From: 99-621 Dare Rd					NA		NA			05/13/2010
(1571) Millside Way	0.03	240	R			To: 99-1572 Chatham Court					NA		NA			05/13/2010
(1571) Millside Way	0.08	220	R			From: 99-1573 Salem Court					NA		NA			05/13/2010
(1571) Millside Way	0.12	160	R			To: 99-1574 Castlewood Court					NA		NA			05/13/2010
						From: 99-655 Allens Mill Rd										
(1572) Chatham Court	0.04	45	R			To: Cul-de-Sac					NA		NA			05/13/2010
						From: 99-1571 Millside Way										
(1573) Salem Court	0.04	48	R			To: Cul-de-Sac					NA		NA			05/13/2010
						From: 99-1571 Millside Way										
(1574) Castlewood Court	0.06	90	R			To: Cul-de-Sac					NA		NA			05/13/2010
						From: 99-1571 Millside Way										
(1575) Beechwood Lane	0.16	240	R			From: SR 134 Hampton Hwy					NA		NA			05/13/2010
(1575) Beechwood Lane	0.09	150	R			To: 99-1577 Dogwood Dr					NA		NA			05/13/2010
						From: 99-1576										
(1576)	0.25	70	R			To: Cul-de-Sac					NA		NA			05/13/2010
(1576)	0.16	80	R			From: 99-1578 Oak Lane					NA		NA			05/13/2010
						To: 99-1575 Beechwood Lane										
(1577) Dogwood Dr	0.14	170	R			From: 99-1575 Beechwood Lane					NA		NA			05/13/2010
						To: Cul-de-Sac										
(1578) Oak Lane	0.19	170	R			From: SR 134 Hampton Hwy					NA		NA			05/13/2010
						To: 99-1576										
(1579) Galaxy Way	0.16	130	R			From: Cul-de-Sac					NA		NA			05/13/2010
						To: 99-706										
(1580) Industry Dr	0.12	270	R			From: Cul-de-Sac					NA		NA			05/13/2010
						To: SR 134 Hampton Hwy										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1581) Breezy Point Dr	0.19	200	R			From: 99-679 Lindsay Landing Lane					NA		NA			05/13/2010
(1581) Breezy Point Dr	0.09	540	R			To: 99-1510 Hollywood Blvd					NA		NA			05/13/2010
(1581) Breezy Point Dr	0.12	310	R			From: 99-1526					NA		NA			05/13/2010
(1581) Breezy Point Dr	0.13	300	R			To: 99-1515 Jonadab Rd					NA		NA			05/13/2010
(1581) Breezy Point Dr	0.05	70	R			From: 99-1583 Carlton Dr 73 1583					NA		NA			05/13/2010
(1582) Leroy Dr	0.08	180	R			To: Cul-de-Sac					NA		NA			05/13/2010
(1583) Carlton Dr	0.05	210	R			From: 99-1583 Carlton Dr					NA		NA			05/13/2010
(1583) Carlton Dr	0.04	240	R			To: 99-679 Lindsay Landing Lane					NA		NA			05/13/2010
(1583) Carlton Dr	0.15	330	R			From: 99-1581 Breezy Point Dr					NA		NA			05/13/2010
(1584) Granger Circle	0.04	50	R			To: 99-1582 Leroy Dr					NA		NA			05/13/2010
(1585) Lakewood Circle	0.08	90	R			From: 99-1584 Granger Circle					NA		NA			05/13/2010
(1585) Lakewood Circle	0.07	80	R			To: 99-679 Lindsay Landing Lane					NA		NA			05/13/2010
(1586) Edgewood Court	0.07	90	R			From: Cul-de-Sac					NA		NA			05/13/2010
(1587) Yorkwood Lane	0.05	380	R			To: 99-1583 Carlton Dr					NA		NA			05/13/2010
(1587) Yorkwood Lane	0.05	420	R			From: Dead End					NA		NA			05/12/2010
(1587) Yorkwood Lane	0.05	70	R			To: 99-1502					NA		NA			05/12/2010
(1588) Longwood Circle	0.04	60	R			From: 99-1502					NA		NA			05/12/2010
(1589) Middlewood Lane	0.10	210	R			To: Cul-de-Sac					NA		NA			05/12/2010
(1590)	0.07	110	R			From: 99-1587 Yorkwood Lane					NA		NA			05/12/2010
(1591) Hillburne Lane	0.06	50	R			To: 99-1505					NA		NA			05/12/2010
(1591) Hillburne Lane	0.06	250	R			From: Cul-de-Sac					NA		NA			05/12/2010
(1591) Hillburne Lane	0.06	250	R			To: Dead End					NA		NA			05/12/2010
(1591) Hillburne Lane	0.06	250	R			From: 99-1592 Clarden Court					NA		NA			05/12/2010
(1591) Hillburne Lane	0.06	250	R			To: 99-1502					NA		NA			05/12/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1591) Hillburne Lane	0.05	60	R			From: 99-1502					NA			NA		05/12/2010
						To: Dead End										
(1592) Clarden Court	0.05	48	R			From: Cul-de-Sac					NA			NA		05/12/2010
						To: 99-1591 Hillburne Lane										
(1593) Sanctuary Cove	0.22	510	R			From: 99-706					NA			NA		05/12/2010
						To: Cul-de-Sac										
(1594)	0.07	110	R			From: Cul-de-Sac					NA			NA		05/12/2010
(1594)	0.13	180	R			From: 99-1595					NA			NA		05/12/2010
						To: 99-621 Dare Rd										
(1595)	0.05	90	R			From: 99-1594					NA			NA		05/12/2010
						To: Cul-de-Sac										
(1596) Winders Lane	0.19	480	R			From: 99-620 Lakeside Dr					NA			NA		05/13/2010
(1596) Winders Lane	0.04	370	R			From: 99-1597					NA			NA		05/13/2010
(1596) Winders Lane	0.18	70	R			From: 99-1599 Waterside Place					NA			NA		05/13/2010
						To: Cul-de-Sac										
(1597) Woodlake Run	0.08	190	R			From: 99-1596 Winders Lane					NA			NA		05/13/2010
(1597) Woodlake Run	0.05	130	R			From: 99-1598 Lakepoint Place					NA			NA		05/12/2010
						To: Cul-de-Sac										
(1598) Lakepoint Place	0.08	90	R			From: 99-1597					NA			NA		05/12/2010
						To: Cul-de-Sac										
(1599) Waterside Place	0.04	60	R			From: 99-1596 Winders Lane					NA			NA		05/12/2010
						To: Cul-de-Sac										
(1600) Battery Circle	0.06	100	R			From: Cul-de-Sac					NA			NA		05/12/2010
						To: 99-614 Showalter Rd										
(1601) Quaker Meeting House Rd	0.23	620	R			From: 99-602 Fenton Mill Rd					NA			NA		05/12/2010
(1601) Quaker Meeting House Rd	0.68	480	R			From: 99-1602 S, Penn Dr					NA			NA		05/12/2010
(1601) Quaker Meeting House Rd	0.11	240	R			From: 99-1602 N, Penn Dr					NA			NA		05/12/2010
						To: Cul-de-Sac										
(1602) Penn Dr	0.59	260	R			From: 99-1601 S, Quaker Meeting House Rd					NA			NA		05/12/2010
						To: 99-1601 N, Quaker Meeting House Rd										
(1603) Princess Lane	0.15	60	R			From: Cul-de-Sac					NA			NA		05/12/2010
						To: 99-602 Fenton Mill Rd										
(1604) Robin Hood Dr	0.23	1200	R			From: SR 134 Hampton Hwy					NA			NA		05/12/2010
						To: 99-1577 Dogwood Dr										



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1604) Robin Hood Dr	0.37	520	R								NA		NA			05/12/2010
(1605) Old Pond Rd	0.05	300	R								NA		NA			05/12/2010
(1606) Wind Forest Lane	0.10	80	R								NA		NA			05/12/2010
(1606) Wind Forest Lane	0.09	80	R								NA		NA			05/12/2010
(1607) Virginia Lane	0.16	210	R								NA		NA			05/12/2010
(1608) Cavalier Dr	0.09	320	R								NA		NA			05/12/2010
(1608) Cavalier Dr	0.04	30	R								NA		NA			05/12/2010
(1609) Quail Rd	0.13	200	R								NA		NA			05/12/2010
(1610) Wilson Dr	0.32	160	R								NA		NA			05/05/2010
(1611) Deer Path Rd	0.26	170	R								NA		NA			05/05/2010
(1612) Forest Lane	0.25	110	R								NA		NA			05/05/2010
(1613) Shady Bluff Point	0.65	510	R								NA		NA			05/05/2010
(1614)	0.06	70	R								NA		NA			08/23/2007
(1615) Phoenix Circle	0.08	120	R								NA		NA			06/29/2010
(1616) Indiana Lane	0.15	560	R								NA		NA			06/29/2010
(1616) Indiana Lane	0.05	1200	R								NA		NA			06/29/2010
(1616) Indiana Lane	0.08	820	R								NA		NA			06/29/2010
(1616) Kingsgate Rd	0.25	510	R								NA		NA			06/29/2010
(1617) Alabama Lane	0.15	540	R								NA		NA			06/29/2010
(1617) Alabama Lane	0.11	180	R								NA		NA			06/29/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1617) Alabama Lane	0.04	70	R									NA		NA		06/29/2010
(1618) Wichita Lane	0.08	490	R									NA		NA		06/29/2010
(1618) Wichita Lane	0.08	560	R									NA		NA		06/29/2010
(1618) Wichita Lane	0.05	320	R									NA		NA		06/29/2010
(1618) Wichita Lane	0.18	260	R									NA		NA		06/29/2010
(1618) Wichita Lane	0.16	120	R									NA		NA		06/29/2010
(1619) Nevada Circle	0.10	130	R									NA		NA		05/05/2010
(1620) Chapel Hill Lane	0.06	290	R									NA		NA		05/05/2010
(1620) Chapel Hill Lane	0.05	280	R									NA		NA		05/05/2010
(1620) Chapel Hill Lane	0.16	190	R									NA		NA		05/05/2010
(1621) Tampa Circle	0.05	47	R									NA		NA		05/05/2010
(1622) Idaho Circle	0.05	80	R									NA		NA		05/05/2010
(1623) Macon Circle	0.05	90	R									NA		NA		06/29/2010
(1624) Ohio Lane	0.04	47	R									NA		NA		06/29/2010
(1625) Nina Circle	0.17	130	R									NA		NA		05/05/2010
(1626) Auburn Lane	0.09	90	R									NA		NA		06/29/2010
(1627) Londonderry Lane	0.41	270	R									NA		NA		06/29/2010
(1627) Londonderry Lane	0.12	150	R									NA		NA		06/29/2010
(1627) Londonderry Lane	0.38	330	R									NA		NA		06/29/2010
(1628) Devonshire Dr	0.12	190	R									NA		NA		06/29/2010
(1628) Devonshire Dr	0.14	370	R									NA		NA		06/29/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1628) Devonshire Dr	0.18	160	R				From: 99-1627 Londonderry Lane To: 99-646 Newman Rd					NA		NA		06/29/2010
(1629) Cherwell Court	0.30	180	R				From: 99-1627 Londonderry Lane To: 99-1616					NA		NA		06/29/2010
(1629) Cherwell Court	0.11	650	R				From: 99-1628 Devonshire Dr To: 99-1636 Westminster Place					NA		NA		06/29/2010
(1629) Cherwell Court	0.21	230	R				From: 99-1636 Westminster Place To: Cul-de-Sac					NA		NA		06/29/2010
(1630) Tuckahoe Trace	0.04	640	R				From: 99-606 Running Man Trail To: 99-1633 Occoquan Turning					NA		NA		06/29/2010
(1630) Tuckahoe Trace	0.08	560	R				From: 99-1632 Onancock Turning To: 99-1631 Accomac Turning					NA		NA		06/29/2010
(1630) Tuckahoe Trace	0.08	440	R				From: 99-1631 Accomac Turning To: SR 171 Victory Blvd					NA		NA		06/29/2010
(1631) Accomac Turning	0.18	350	R				From: 99-1630 Tuckahoe Trace To: Cul-de-Sac					NA		NA		06/29/2010
(1632) Onancock Turning	0.07	150	R				From: 99-1630 Tuckahoe Trace To: Cul-de-Sac					NA		NA		06/09/2010
(1633) Occoquan Turning	0.07	120	R				From: 99-1630 Tuckahoe Trace To: Cul-de-Sac					NA		NA		06/09/2010
(1634)	0.10	180	R				From: 99-1591 Hillburne Lane To: 99-1635					NA		NA		09/18/2007
(1635)	0.07	170	R				From: Cul-de-Sac To: 99-1634					NA		NA		09/18/2007
(1635)	0.05	170	N				From: 99-1634 To: Cul-de-Sac					NA		NA		09/18/2007
(1636) Westminster Place	0.11	300	R				From: 99-1629 Cherwell Court To: 99-1637 Olivers Way					NA		NA		06/29/2010
(1636) Westminster Place	0.31	310	R				From: 99-1637 Olivers Way To: 99-1628 Devonshire Dr					NA		NA		06/29/2010
(1637) Olivers Way	0.09	70	R				From: 99-1636 Westminster Place To: Cul-de-Sac					NA		NA		06/29/2010
(1638) Tudor Dr	0.08	70	R				From: 99-1636 Westminster Place To: Cul-de-Sac					NA		NA		06/29/2010
(1639) Arrow Court	0.06	110	R				From: Cul-de-Sac To: 99-1604 Robin Hood Dr					NA		NA		06/29/2010
(1640) Valentine Circle	0.06	220	R				From: 99-614 Showalter Rd To: 99-1641 Gray Lane					NA		NA		06/29/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1640) Valentine Circle	0.04	50	R											NA		06/29/2010
(1641) Gray Lane	0.19	260	R											NA		06/29/2010
(1642) Brandon Way	0.04	330	R											NA		06/29/2010
(1642) Brandon Way	0.14	90	R											NA		06/29/2010
(1643) Kimberly Court	0.07	90	R											NA		06/29/2010
(1644) Ponsonby Dr	0.11	350	R											NA		06/29/2010
(1644) Ponsonby Dr	0.12	250	R											NA		06/29/2010
(1645) Saint George Dr	0.06	90	R											NA		06/29/2010
(1645) Saint George Dr	0.08	420	R											NA		06/29/2010
(1645) Saint George Dr	0.06	430	R											NA		06/29/2010
(1646) Lord Pelham Way	0.11	420	R											NA		06/29/2010
(1647) Prince Henry Court	0.05	130	R											NA		06/29/2010
(1647) Prince Henry Court	0.05	90	R											NA		06/29/2010
(1648) Salisbury Way	0.03	140	R											NA		06/29/2010
(1648) Salisbury Way	0.05	50	R											NA		06/29/2010
(1649) Melbourne Court	0.06	100	R											NA		06/29/2010
(1650) Meadowlake Rd	0.28	1000	R											NA		05/11/2010
(1650) Meadowlake Rd	0.11	1000	R											NA		05/11/2010
(1650) Meadowlake Rd	0.08	90	R											NA		05/11/2010
(1651) Susan Newton Lane	0.16	720	R											NA		05/11/2010
(1651) Susan Newton Lane	0.06	740	R											NA		05/11/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1651) Susan Newton Lane	0.07	330	R									NA		NA		05/11/2010
(1651) Susan Newton Lane	0.10	840	R									NA		NA		05/11/2010
(1651) Susan Newton Lane	0.11	790	R									NA		NA		05/11/2010
(1651) Susan Newton Lane	0.03	140	R									NA		NA		05/11/2010
(1651) Susan Newton Lane	0.12	410	R									NA		NA		05/11/2010
(1652) Kyle Circle	0.09	80	R									NA		NA		05/11/2010
(1653) Wallace Court	0.11	140	R									NA		NA		05/11/2010
(1654) Lakeland Crescent	0.17	60	R									NA		NA		05/11/2010
(1654)	0.07	640	R									NA		NA		05/11/2010
(1654)	0.11	660	R									NA		NA		05/11/2010
(1654)	0.23	810	R									NA		NA		05/11/2010
(1654)	0.08	820	R									NA		NA		05/11/2010
(1654) Lake Herrin Court	0.13	720	R									NA		NA		05/11/2010
(1654) N Lakeland Crescent	0.04	80	R									NA		NA		05/11/2010
(1655) Sherman Crescent	0.04	50	R									NA		NA		05/11/2010
(1656) S Bowman Terrace	0.04	920	R									NA		NA		05/11/2010
(1656)	0.10	210	R									NA		NA		05/11/2010
(1656)	0.06	70	R									NA		NA		05/11/2010
(1657) Jackson Circle	0.06	80	R									NA		NA		05/11/2010
(1658) South Shannon Dr	0.07	50	R									NA		NA		05/11/2010
(1659) Long Green Blvd	0.18	2900	R									NA		NA		05/11/2010
(1660) Woods Edge Lane	0.04	450	R									NA		NA		05/11/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1660) Woods Edge Lane	0.07	430	R			From: 99-1661 Freemans Trace					NA		NA			05/11/2010
(1660) Woods Edge Lane	0.06	250	R			To: 99-1662 Carys Trace					NA		NA			05/11/2010
						From: 99-1663 Autumn Way										
(1661) Freemans Trace	0.08	130	R			To: Dead End					NA		NA			05/11/2010
(1661) Freemans Trace	0.12	120	R			From: 99-1660 Woods Edge Lane					NA		NA			05/11/2010
						To: Dead End										
(1662) Carys Trace	0.10	130	R			From: SR 134 Hampton Hwy					NA		NA			05/11/2010
						To: Cul-de-Sac										
(1663) Autumn Way	0.44	390	R			From: SR 134 Hampton Hwy					NA		NA			05/11/2010
						To: Cul-de-Sac										
(1664) Winter Court	0.05	45	R			From: Cul-de-Sac					NA		NA			05/11/2010
						To: 99-1663 Autumn Way										
(1665) Tristen Dr	0.35	2600	R			From: 99-1659 Long Green Blvd					NA		NA			05/11/2010
						To: Cul-de-Sac										
(1666) Malcolm Court	0.08	250	R			From: 99-1695; 99-1665					NA		NA			05/11/2010
						To: Cul-de-Sac										
(1667) Quincy Court	0.04	50	R			From: 99-1665 Tristen Dr					NA		NA			05/11/2010
						To: Cul-de-Sac										
(1668)	0.31	960	R			From: Cul-de-Sac					NA		NA			09/18/2007
						To: 99-1659 Long Green Blvd										
(1669) Larkin Run	0.15	190	R			From: Cul-de-Sac					NA		NA			05/11/2010
						To: 99-614; 99-1512										
(1670) Castellow Court	0.16	120	R			From: Cul-de-Sac					NA		NA			05/11/2010
						To: 99-1505										
(1670) Castellow Court	0.13	160	R			From: 99-1505					NA		NA			05/11/2010
						To: Cul-de-Sac										
(1671) Meredith Lane	0.08	190	R			From: 99-1673 Joel Lane					NA		NA			05/11/2010
						To: 99-1672 Michael Place										
(1671) Meredith Lane	0.09	190	R			From: 99-1672 Michael Place					NA		NA			05/11/2010
						To: 99-614 Showalter Rd										
(1672) Michael Place	0.04	60	R			From: Cul-de-Sac					NA		NA			05/11/2010
						To: 99-1671 Meredith Lane										
(1673) Joel Lane	0.12	70	R			From: Cul-de-Sac					NA		NA			05/11/2010
						To: 99-1671 Meredith Lane										
(1673) Joel Lane	0.06	60	R			From: 99-1671 Meredith Lane					NA		NA			05/11/2010
						To: Cul-de-Sac										
(1674) Bentley Court	0.04	80	R			From: Cul-de-Sac					NA		NA			05/11/2010
						To: 99-1675 Prince Arthur Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1675) Prince Arthur Dr	0.05	1000	R			From: 99-1676					NA			NA		05/11/2010
(1675) Prince Arthur Dr	0.12	260	R			From: 99-1674 Bentley Court					NA			NA		05/11/2010
						To: Cul-de-Sac										
(1676)	0.04	1100	R			From: SR 134 Hampton Hwy					NA			NA		05/11/2010
(1676)	0.09	940	R			From: 99-1648 Salisbury Way					NA			NA		05/11/2010
(1676)	0.06	850	R			From: 99-1644 Ponsonby Dr					NA			NA		05/11/2010
(1676)	0.16	830	R			From: 99-1675 Prince Arthur Dr					NA			NA		05/11/2010
(1676)	0.09	330	R			From: 99-1677 York Downs Dr					NA			NA		05/11/2010
						To: Cul-de-Sac										
(1677) York Downs Dr	0.24	2800	R			From: SR 134 Hampton Hwy					NA			NA		05/11/2010
(1677) York Downs Dr	0.03	1100	R			From: 99-1676					NA			NA		05/11/2010
(1677) York Downs Dr	0.12	410	R			From: 99-1688 Hatcher Court					NA			NA		05/11/2010
						To: 99-1689 Edwards Court										
(1678) Sheffield Lane	0.13	370	R			From: SR 134 Hampton Hwy					NA			NA		05/11/2010
(1678) Sheffield Lane	0.10	320	R			From: 99-1679					NA			NA		05/11/2010
						To: Cul-de-Sac										
(1679)	0.05	50	R			From: Dead End					NA			NA		05/11/2010
(1679)	0.17	1300	R			From: 99-1678 Sheffield Lane					NA			NA		05/11/2010
						To: 99-1677 York Downs Dr										
(1680) Windy Shore Dr	0.05	440	R			From: 99-1682 S, Cattail Lane					NA			NA		05/11/2010
(1680) Windy Shore Dr	0.05	430	R			From: 99-1685 S, Spruce Dr					NA			NA		05/11/2010
(1680) Windy Shore Dr	0.05	530	R			From: 99-1685 N, Spruce Dr					NA			NA		05/11/2010
(1680) Windy Shore Dr	0.03	660	R			From: 99-1684 Tall Pine Circle					NA			NA		05/11/2010
(1680) Windy Shore Dr	0.02	820	R			From: 99-1683 Timber Court					NA			NA		05/11/2010
(1680) Windy Shore Dr	0.04	1000	R			From: 99-1682 N, Cattail Lane					NA			NA		05/11/2010
(1680) Windy Shore Dr	0.10	1200	R			From: 99-1681 Blackwood Court					NA			NA		05/11/2010
						To: SR 134 Hampton Hwy										
(1681) Blackwood Court	0.05	110	R			From: Cul-de-Sac					NA			NA		05/11/2010
						To: 99-1680 Windy Shore Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1682) Cattail Lane	0.06	110	R									NA		NA		05/11/2010
(1682) Cattail Lane	0.39	730	R									NA		NA		05/11/2010
(1683) Timber Court	0.04	50	R									NA		NA		05/11/2010
(1684) Tall Pine Circle	0.06	110	R									NA		NA		05/11/2010
(1685) Spruce Dr	0.17	180	R									NA		NA		05/11/2010
(1686)	0.13	670	R									NA		NA		09/18/2007
(1687)	0.16	540	R									NA		NA		09/18/2007
(1688) Hatcher Court	0.08	150	R									NA		NA		05/11/2010
(1689) Edwards Court	0.05	70	R									NA		NA		05/11/2010
(1689) Edwards Court	0.04	80	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.31	490	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.04	1700	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.06	2100	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.06	2100	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.06	2500	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.06	1600	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.06	1700	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.09	2700	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.08	2500	R									NA		NA		05/11/2010
(1690) Tabb Lakes Dr	0.04	1100	R									NA		NA		05/11/2010
(1691) Tiger Run	0.06	290	R									NA		NA		05/11/2010
(1691) Tiger Run	0.16	540	R									NA		NA		05/11/2010



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1692) Cub Court	0.05	100	R			From: 99-1691 Tiger Run To: Cul-de-Sac					NA			NA		09/10/2010
(1693) Shallow Lagoon	0.04	870	R			From: Cul-de-Sac To: 99-1690 Tabb Lakes Dr					NA			NA		09/10/2010
(1694) Heath Place	0.13	190	R			From: 99-1690 Tabb Lakes Dr To: Cul-de-Sac					NA			NA		09/01/2010
(1695) Jonathan Junction	0.13	1500	R			From: 99-1690 Tabb Lakes Dr To: 99-1697					NA			NA		05/25/2010
(1695) Jonathan Junction	0.03	810	R			From: 99-1697 To: 99-1665; 99-1666					NA			NA		05/25/2010
(1696) Naurene Court	0.06	1600	R			From: 99-1690 Tabb Lakes Dr To: Cul-de-Sac					NA			NA		05/25/2010
(1697)	0.22	1500	R			From: 99-1690 Tabb Lakes Dr To: 99-1695 Jonathan Junction					NA			NA		05/25/2010
(1698) Gardenville Dr	0.03	550	R			From: 99-1763 Coverty Blvd To: 99-1699					NA			NA		05/25/2010
(1698) Gardenville Dr	0.14	1200	R			From: 99-1699 To: 99-1844 Monty Manor					NA			NA		05/25/2010
(1698) Gardenville Dr	0.39	790	R			From: 99-1844 Monty Manor To: 99-1690 Tabb Lakes Dr					NA			NA		05/25/2010
(1699)	0.32	790	R			From: 99-1840 Bridge Wood Dr To: Cul-de-Sac					NA			NA		05/25/2010
(1700) Whispering Way	0.05	47	R			From: Cul-de-Sac To: 99-1701 Beach Rd					NA			NA		05/25/2010
(1700) Whispering Way	0.24	260	R			From: 99-1701 Beach Rd To: 99-615 Charles Rd					NA			NA		05/25/2010
(1701) Beach Rd	0.11	70	R			From: 99-1700 Whispering Way To: Cul-de-Sac					NA			NA		05/25/2010
(1702) Holmes Blvd	0.44	840	R			From: 99-630 Wolf Trap Rd To: Cul-de-Sac					NA			NA		09/18/2007
(1703) Dorothy Dr	0.36	220	R			From: 99-1702 Holmes Blvd To: 99-1702 Holmes Blvd					NA			NA		09/18/2007
(1704)	0.20	220	R			From: Cul-de-Sac To: 99-1702 Holmes Blvd					NA			NA		09/18/2007
(1705) Alice Court	0.06	90	R			From: 99-1703 Dorothy Dr To: Cul-de-Sac					NA			NA		09/18/2007
(1706) Lynns Way	0.24	230	R			From: Cul-de-Sac To: 99-630 Wolf Trap Rd					NA			NA		04/29/2010
(1707)	0.05	70	R			From: Dead End To: 99-1706 Lynns Way					NA			NA		04/29/2010

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1708)		0.03	240	R								NA		NA		04/29/2010
(1709)	Meherrin Run	0.32	310	R								NA		NA		09/18/2007
(1710)		0.15	1900	R								NA		NA		04/29/2010
(1710)		0.22	1900	R								NA		NA		04/29/2010
(1710)		0.08	3000	R								NA		NA		04/29/2010
(1710)		0.19	870	R								NA		NA		04/29/2010
(1711)	Grafton Station Lane	0.13	5700	R								NA		NA		04/29/2010
(1712)	Washington Square Dr	0.14	9700	R								NA		NA		04/29/2010
(1713)	York Crossing Rd	0.20	2800	R								NA		NA		04/29/2010
(1713)	York Crossing Rd	0.15	2000	R								NA		NA		04/29/2010
(1714)	Combs Loop	0.12	30	R								NA		NA		04/29/2010
(1715)	Rosetta Dr	0.05	280	R								NA		NA		06/16/2010
(1715)	Rosetta Dr	0.04	280	N								NA		NA		06/16/2010
(1716)	Rockmor Lane	0.23	310	R								NA		NA		06/16/2010
(1717)	Brentmeade Dr	0.63	770	R								NA		NA		06/16/2010
(1717)	Brentmeade Dr	0.38	2100	R								NA		NA		06/16/2010
(1718)		0.14	660	R								NA		NA		06/16/2010
(1718)		0.11	250	R								NA		NA		06/16/2010
(1719)	Pasture Lane	0.62	90	R								NA		NA		06/16/2010
(1720)	Harlan Dr	0.04	540	R								NA		NA		06/16/2010
(1720)	Harlan Dr	0.09	510	R								NA		NA		06/16/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1720) Harlan Dr	0.07	400	R				From: 99-1722 Todd Court				NA			NA		06/16/2010
(1720) Harlan Dr	0.06	80	R				From: 99-1723 Davids Way				NA			NA		06/16/2010
							To: Cul-de-Sac									
(1721) Corbett Place	0.05	60	R				From: 99-1720 Harlan Dr				NA			NA		05/04/2010
							To: Cul-de-Sac									
(1722) Todd Court	0.04	60	R				From: 99-1720 Harlan Dr				NA			NA		05/04/2010
							To: Cul-de-Sac									
(1723) Davids Way	0.13	290	R				From: 99-1720 Harlan Dr				NA			NA		05/04/2010
(1723) Davids Way	0.04	490	R				From: 99-1724 Shanna Court				NA			NA		05/04/2010
							To: 99-630 Wolf Trap Rd									
(1724) Shanna Court	0.08	80	R				From: Cul-de-Sac				NA			NA		05/04/2010
							To: 99-1723 Davids Way									
(1725) Pamlico Run	0.19	500	R				From: 99-1727 Paspheghe Run				NA			NA		05/04/2010
							To: 99-606 Running Man Trail									
(1726) Chowan Turn	0.11	410	R				From: Cul-de-Sac				NA			NA		05/04/2010
							To: 99-1725 Pamlico Run									
(1727) Paspheghe Run	0.15	210	R				From: 99-606 Running Man Trail; 99-1728 Chuckatuck Turn				NA			NA		06/16/2010
							To: Cul-de-Sac									
(1728) Chuckatuck Turn	0.08	80	R				From: Cul-de-Sac				NA			NA		06/16/2010
							To: 99-606 Running Man Trail; 99-1727 Paspheghe Run									
(1729) Kiskiack Turn	0.15	270	R				From: 99-606 Running Man Trail				NA			NA		06/16/2010
							To: Cul-de-Sac									
(1730) Quantico Loop	0.23	220	R				From: 99-606 Running Man Trail				NA			NA		06/16/2010
							To: 99-606 N, Running Man Trail									
(1731) Kicotan Turn	0.10	150	R				From: 99-606 Running Man Trail				NA			NA		06/16/2010
							To: Cul-de-Sac									
(1732)	0.12	170	R				From: Cul-de-Sac				NA			NA		06/16/2010
							To: 99-606 S, Running Man Trail									
(1732)	0.20	150	R				From: 99-606 S, Running Man Trail				NA			NA		06/16/2010
							To: 99-606; 99-173									
(1733)	0.08	150	R				From: Cul-de-Sac				NA			NA		06/16/2010
							To: 99-606 Running Man Trail									
(1733)	0.07	180	R				From: 99-606 Running Man Trail				NA			NA		06/16/2010
							To: 99-1734 Patuxent Turn									
(1734) Patuxent Turn	0.07	180	R				From: 99-1735 Anacostia Turn				NA			NA		06/16/2010
							To: 99-1733									
(1734) Patuxent Turn	0.06	110	R				From: 99-1733				NA			NA		06/16/2010
							To: Cul-de-Sac									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1735) Anacostia Turn	0.08	120	R								NA			NA		06/16/2010
(1735) Anacostia Turn	0.07	230	R								NA			NA		06/16/2010
(1736) Chaptico Run	0.18	260	R								NA			NA		06/16/2010
(1737) Atoka Turn	0.12	170	R								NA			NA		06/16/2010
(1738) Kanaway Run	0.77	430	R								NA			NA		06/16/2010
(1738) Kanaway Run	0.03	830	R								NA			NA		06/16/2010
(1739) Nottoway Turn	0.05	50	R								NA			NA		06/16/2010
(1740) Heavens Way	0.05	45	R								NA			NA		06/16/2010
(1740) Heavens Way	0.10	180	R								NA			NA		06/16/2010
(1740) Heavens Way	0.04	330	R								NA			NA		05/12/2010
(1741) Stellar Circle	0.09	120	R								NA			NA		05/11/2010
(1742) Polaris Dr	0.16	720	R								NA			NA		05/11/2010
(1742) Polaris Dr	0.07	390	R								NA			NA		05/11/2010
(1743) Orion Court	0.10	140	R								NA			NA		05/11/2010
(1744) Taurus Court	0.07	110	R								NA			NA		05/11/2010
(1745) Honeysuckle Lane	0.30	1000	R								NA			NA		05/11/2010
(1745) Honeysuckle Lane	0.04	1500	R								NA			NA		05/11/2010
(1746) Judith Circle	0.02	380	R								NA			NA		05/11/2010
(1746) Judith Circle	0.20	100	R								NA			NA		05/11/2010
(1746) Judith Circle	0.07	340	R								NA			NA		05/11/2010
(1747) Camille Court	0.06	130	R								NA			NA		05/11/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1748) Kathleen Place	0.08	210	R			From: 99-1746 Judith Circle					NA			NA		05/11/2010
						To: Cul-de-Sac										
(1749) Harvest Way	0.07	120	R			From: Cul-de-Sac					NA			NA		05/11/2010
						To: 99-1745 Honeysuckle Lane										
(1750)	0.11	4100	R			From: 99-1763 Coventry Blvd					NA			NA		05/11/2010
						To: 99-1772 Ferrier Place										
(1750) Owen Davis Blvd	0.15	3600	G			From: 99-1770 Blacksmith Arch					NA		3600	G	2011	
						To: SR 134 Hampton Hwy										
(1750)	0.33	900	R			From: SR 134 Hampton Hwy					NA			NA		05/11/2010
						To: 99-1751 Kent Taylor Dr										
(1750)	0.12	820	R			From: 99-1751 Kent Taylor Dr					NA			NA		05/11/2010
						To: 99-1753 Lake Dale Way										
(1750)	0.10	190	R			From: 99-1753 Lake Dale Way					NA			NA		05/10/2010
						To: Cul-de-Sac										
(1751) Kent Taylor Dr	0.06	1000	R			From: 99-1750					NA			NA		05/10/2010
						To: 99-1752 Emerald Court										
(1751) Kent Taylor Dr	0.13	520	R			From: 99-1752 Emerald Court					NA			NA		06/22/2010
						To: 99-1654										
(1752) Emerald Court	0.04	70	R			From: 99-1751 Kent Taylor Dr					NA			NA		05/10/2010
						To: Cul-de-Sac										
(1753) Lake Dale Way	0.07	840	R			From: SR 134 Hampton Hwy					NA			NA		06/22/2010
						To: 99-1755 WEST										
(1753) Lake Dale Way	0.06	680	R			From: 99-1755 WEST					NA			NA		06/22/2010
						To: 99-1754										
(1753) Lake Dale Way	0.07	720	R			From: 99-1754					NA			NA		06/22/2010
						To: 99-1750										
(1753) Lake Dale Way	0.08	570	R			From: 99-1750					NA			NA		06/22/2010
						To: 99-1755 EAST										
(1753) Lake Dale Way	0.08	570	R			From: 99-1755 EAST					NA			NA		06/22/2010
						To: 99-1756										
(1753) Lake Dale Way	0.08	530	R			From: 99-1756					NA			NA		06/22/2010
						To: 99-1757 Jonquil Court										
(1753) Lake Dale Way	0.06	530	R			From: 99-1757 Jonquil Court					NA			NA		06/22/2010
						To: 99-1654										
(1754) Lakeland Crescent	0.08	70	R			From: Cul-de-Sac					NA			NA		06/22/2010
						To: 99-1753 Lake Dale Way										
(1754) Cranwood Court	0.08	80	R			From: 99-1753 Lake Dale Way					NA			NA		06/21/2010
						To: Cul-de-Sac										
(1755) Stone Lake Court	0.53	840	R			From: 99-1753 W, Lake Dale Way					NA			NA		06/21/2010
						To: 99-1753 E, Lake Dale Way										
(1755)	0.08	70	R			From: 99-1753 E, Lake Dale Way					NA			NA		06/21/2010
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1756)	0.09	90	R								NA			NA		05/10/2010
(1756)	0.08	90	R								NA			NA		05/10/2010
(1757)	Jonquil Court	0.07	80	R							NA			NA		05/10/2010
(1759)	Dawn Place	0.10	140	R							NA			NA		05/10/2010
(1760)	Lake Herrin Court	0.09	140	R							NA			NA		05/10/2010
(1760)	Stevens Court	0.17	150	R							NA			NA		05/10/2010
(1761)	Elm Lake Way	0.26	2000	R							NA			NA		06/22/2010
(1762)	Homestead Place	0.07	100	R							NA			NA		06/22/2010
(1763)	Coventry Blvd	0.17	6000	R							NA			NA		06/22/2010
(1763)	Covertv Blvd	0.45	5600	G							NA			5600	G	2011
(1763)	Coventry Blvd	0.14	4700	R							NA			NA		06/22/2010
(1763)	Coventry Blvd	0.07	4600	R							NA			NA		06/22/2010
(1763)	Coventry Blvd	0.29	3000	R							NA			NA		06/22/2010
(1764)	Blackberry Bend	0.15	410	R							NA			NA		05/25/2010
(1764)	Blackberry Bend	0.08	910	R							NA			NA		05/25/2010
(1765)	Hemlock Court	0.05	90	R							NA			NA		05/24/2010
(1766)	Peachtree Lane	0.11	220	R							NA			NA		05/24/2010
(1766)	Peachtree Court	0.04	310	R							NA			NA		05/24/2010
(1766)	Peachtree Court	0.03	410	R							NA			NA		05/24/2010
(1766)	Peachtree Court	0.04	820	R							NA			NA		05/25/2010
(1766)	Peachtree Court	0.39	230	R							NA			NA		05/25/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1767)	0.27	150	R			From: 99-1766 SOUTH					NA			NA		05/25/2010
						To: 99-1766 NORTH										
(1768) Amelia Court	0.09	210	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1766										
(1769) Crimson Court	0.07	170	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1766										
(1770) Blacksmith Arch	0.41	580	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1750 Owen Davis Blvd										
(1771) Bellows Place	0.08	110	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1770 Blacksmith Arch										
(1772) Ferrier Place	0.11	2000	R			From: 99-1750 Owen Davis Blvd					NA			NA		05/25/2010
						To: 99-1770 Blacksmith Arch										
(1773) Patriot Way	0.07	1600	R			From: 99-1770 Blacksmith Arch					NA			NA		05/25/2010
						To: 99-1774 Lord North Court										
(1773) Patriot Way	0.08	1300	G			From: 99-1775 Militia Court					NA		1300	G		2011
						To: Cul-de-Sac										
(1773) Patriot Way	0.19	170	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1773 Patriot Way										
(1774) Lord North Court	0.09	100	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1773 Patriot Way										
(1775) Militia Court	0.15	1100	R			From: 99-1776 Liberty Dr					NA			NA		05/25/2010
						To: Cul-de-Sac										
(1775) Militia Court	0.08	90	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1775 Militia Court										
(1776) Liberty Dr	0.23	1400	G			From: 99-600 Big Bethel Rd					NA		1400	G		2011
						To: 99-1745 Honeysuckle Lane										
(1777) Leyland Court	0.09	120	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1777 Leyland Court										
(1778) Brantley Court	0.09	60	R			From: Cul-de-Sac					NA			NA		05/25/2010
						To: 99-1709 Meherrin Run										
(1779) Nanticoke Turn	0.05	45	R			From: Cul-de-Sac					NA			NA		08/22/2007
						To: Dead End										
(1780) Holden Lane	0.19	170	R			From: Dead End					NA			NA		05/13/2010
						To: 99-621 Dare Rd										
(1781) Coinjock Run	0.39	830	R			From: Cul-de-Sac					NA			NA		06/16/2010
						To: 99-606 Running Man Trail										
(1782) Jotank Turn	0.07	70	R			From: 99-1781 Coinjock Run					NA			NA		06/16/2010
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1783) Jacobs Run	0.22	560	R									NA		NA		06/16/2010
(1784) Jericho Crossing	0.11	310	R									NA		NA		06/16/2010
(1785)	0.08	130	R									NA		NA		06/16/2010
(1785)	0.10	130	N									NA		NA		06/16/2010
(1786) Calumet Turn	0.13	150	R									NA		NA		06/16/2010
(1787) Pamunkey Turn	0.20	170	R									NA		NA		06/16/2010
(1788) Choptank Turn	0.12	240	R									NA		NA		06/10/2010
(1789) Nansemond Turn	0.13	130	R									NA		NA		06/16/2010
(1790) Gaines Way	0.04	50	R									NA		NA		05/10/2010
(1790) Gaines Way	0.07	60	R									NA		NA		05/10/2010
(1791) Piankatank Turn	0.08	110	R									NA		NA		05/16/2010
(1792) Chippokes Turn	0.08	120	R									NA		NA		06/16/2010
(1793) Matoaka Turn	0.07	210	R									NA		NA		06/16/2010
(1794) Manassas Loop	0.21	190	R									NA		NA		06/16/2010
(1795) Hudgins Farm Dr	0.29	340	R									NA		NA		05/04/2010
(1796) James Dr	0.06	170	R									NA		NA		05/04/2010
(1797) Maragret Court	0.10	170	R									NA		NA		05/04/2010
(1797)	0.08	170	N									NA		NA		05/04/2010
(1798) Tutelo Turn	0.03	70	R									NA		NA		08/23/2007



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1799) Nandua Run	0.03	80	R									NA		NA		08/23/2007
(1800) Kiln Creek Pkwy	1.43	4200	R									NA		NA		05/04/2010
(1801) Lexington Court	0.19	420	R									NA		NA		04/08/2010
(1802) Gorham Court	0.04	50	R									NA		NA		04/08/2010
(1803)	0.53	330	R									NA		NA		04/08/2010
(1804) Lenox Court	0.03	50	R									NA		NA		09/08/2010
(1805) Sussex Court	0.03	60	R									NA		NA		09/08/2010
(1806) Hollingsworth Court	0.14	330	R									NA		NA		09/08/2010
(1807) Bennington Court	0.03	70	R									NA		NA		09/08/2010
(1808)	0.10	110	R									NA		NA		08/22/2007
(1809)	0.10	140	R									NA		NA		09/18/2007
(1810) Royal Colven Dr	0.09	500	R									NA		NA		09/09/2010
(1811) Carnoustie Court	0.04	50	R									NA		NA		09/09/2010
(1812) Birkdale Court	0.20	500	R									NA		NA		09/09/2010
(1812) Birkdale Court	0.13	500	N									NA		NA		09/09/2010
(1813) Killarnock Court	0.03	50	R									NA		NA		09/09/2010
(1814) Brookstone Ct	0.03	110	R									NA		NA		09/09/2010
(1814) Prestwick Ct	0.04	NA										NA		NA		
(1815) Muirfield Court	0.03	50	R									NA		NA		09/09/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1816) Rock Creek Court	0.31	630	R								NA		NA			09/09/2010
(1817) Clayton Dr	0.22	130	R								NA		NA			09/09/2010
(1818) Fieldstone Court	0.03	50	R								NA		NA			09/09/2010
(1819) Driftwood Court	0.03	70	R								NA		NA			09/09/2010
(1820) Millstone Court	0.03	70	R								NA		NA			09/09/2010
(1823)	0.11	NA									NA		NA			
(1824)	0.03	NA									NA		NA			
(1825) Cybernetics Way	0.12	1600	R								NA		NA			09/09/2010
(1826) Schembri Dr	0.11	650	R								NA		NA			09/09/2010
(1827) Barrington Lane	0.06	NA									NA		NA			
(1827) Barrington Lane	0.10	220	R								NA		NA			09/09/2010
(1828) Chase Oak Court	0.12	150	R								NA		NA			09/09/2010
(1829) Fairway Lane	0.18	150	N								NA		NA			09/09/2010
(1829) Fairway Lane	0.09	150	R								NA		NA			09/09/2010
(1830)	0.05	100	R								NA		NA			09/08/2010
(1830)	0.04	330	R								NA		NA			09/08/2010
(1830)	0.08	210	R								NA		NA			09/08/2010
(1830)	0.06	140	R								NA		NA			09/08/2010
(1830)	0.04	60	R								NA		NA			09/08/2010
(1831) Tradewinds Dr	0.25	280	R								NA		NA			09/08/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1832) Crosspointe Court	0.26	300	R									NA		NA		09/08/2010
(1833) Compass Court	0.05	100	R									NA		NA		09/09/2010
(1834) Glenkinchey Court	0.04	90	R									NA		NA		09/08/2010
(1835)	0.04	80	R									NA		NA		09/08/2010
(1835)	0.04	40	R									NA		NA		09/08/2010
(1836) Jenkins Court	0.09	130	R									NA		NA		09/08/2010
(1837) Seagrams Court	0.05	80	R									NA		NA		09/08/2010
(1838) Village Avenue	0.45	5500	R									NA		NA		09/08/2010
(1839) Commonwealth Dr	0.47	8700	R									NA		NA		09/08/2010
(1840) Bridge Wood Dr	0.54	1900	R									NA		NA		09/08/2010
(1841) Leslie Lane	0.27	340	R									NA		NA		05/25/2010
(1842) Adele Court	0.04	110	R									NA		NA		05/25/2010
(1843) Hundley Dr	0.08	2300	R									NA		NA		05/25/2010
(1844) Monty Manor	0.22	840	R									NA		NA		05/25/2010
(1845) Elise Place	0.08	160	R									NA		NA		05/25/2010
(1847) Russell Lane	0.20	90	R									NA		NA		09/18/2007
(1848)	0.17	580	R									NA		NA		05/25/2010
(1849) Kay Lane	0.10	190	R									NA		NA		05/25/2010
(1850)	0.23	830	R									NA		NA		05/25/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(1851) Kinnakeet Run	0.23	710	R									NA		NA		09/20/2007
(1851) Kinnakeet Run	0.06	560	R									NA		NA		05/25/2010
(1852)	0.16	820	R									NA		NA		05/25/2010
(1853) Pohick Run	0.17	760	R									NA		NA		09/20/2007
(1854)	0.06	110	R									NA		NA		05/25/2010
(1855) Potapsco Turn	0.13	70	R									NA		NA		05/25/2010
(1856) Messongo Run	0.08	100	R									NA		NA		05/25/2010
(1857)	0.09	80	R									NA		NA		05/25/2010
(1858)	0.20	NA										NA		NA		
(1870)	0.06	90	R									NA		NA		08/22/2007
(1871)	0.07	90	R									NA		NA		08/22/2007
(1872)	0.10	200	R									NA		NA		08/22/2007
(1873)	0.12	210	R									NA		NA		08/22/2007
(1874)	0.05	40	R									NA		NA		08/22/2007
(1878) Silkwood Turn	0.06	60	R									NA		NA		05/25/2010
(1879) Tulipwood Turn	0.07	60	R									NA		NA		05/25/2010
(1880) Kings Pointe Crossing	0.22	770	R									NA		NA		05/25/2010
(1881)	0.58	600	R									NA		NA		05/25/2010
(1882) Marcy Dr	0.17	220	R									NA		NA		05/25/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
1883 Kaitlyn Court	0.09	130	R									NA		NA		05/25/2010
1884 Paula Court	0.06	90	R									NA		NA		05/25/2010
1885 Terrance Circle	0.07	110	R									NA		NA		05/25/2010
1886 Dalzell Court	0.06	90	R									NA		NA		05/25/2010
1893 Winstead Dr	0.09	120	R									NA		NA		05/25/2010
1894 Doyle Court	0.08	100	R									NA		NA		09/25/2010
1894	0.11	40	R									NA		NA		09/25/2010
1895	0.04	40	R									NA		NA		05/25/2010
1897	0.11	NA										NA		NA		
1898	0.19	NA										NA		NA		
1899	0.04	NA										NA		NA		
9426	0.16	850	R									NA		NA		05/25/2010
9427 Tabb Int School	0.13	1000	R									NA		NA		05/25/2010
9428 Yorktown Elementary School	0.13	520	R									NA		NA		05/25/2010
9429	0.15	1100	R									NA		NA		05/25/2010
9436	0.11	1100	R									NA		NA		05/25/2010
9439	0.07	820	R									NA		NA		09/18/2007
9440	0.22	1800	R									NA		NA		05/25/2010
9456	0.15	1100	R									NA		NA		05/25/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>York County</b>																
(9499)	0.13	210	R			From: 99-600 Big Bethel Rd To: Tabb Elem School					NA			NA		05/25/2010
(9500)	0.37	1800	R			From: FR-137 Rochambeau Dr To: Bruton High School					NA			NA		05/25/2010
(9665)	0.07	980	R			From: 99-641 Penniman Rd To: Magruder Elem School					NA			NA		05/25/2010
(9666)	0.12	560	R			From: SR 238 Goosley Rd To: Yorktown Int School					NA			NA		05/25/2010
(9667)	0.48	790	R			From: US 17 George Washington Mem Hwy To: York County High Sch					NA			NA		05/25/2010
(9733)	0.09	510	R			From: 99-1502 To: Graffon Bethel Sch					NA			NA		05/25/2010
North (99025) Ramp	0.09	NA				From: I-64- 243A BUSCH GARDENS ENTRANCE To: TO RT 60 EAST					NA			NA		
North (99025) Ramp	0.09	NA				From: TO RT 60 EAST To: FROM RT 60					NA			NA		
North (99025) Ramp	0.16	NA				From: 99-99025-N000C TO RT 64 WEST To: I-64-E FROM RT 60 & BUSCH GARDENS					NA			NA		
North (99025) Ramp	0.18	NA				From: 99-99025-N000B TO RT 64 WEST To: I-64-W FRO RT 60 & BUSCH GARDENS					NA			NA		
<b>City of Hampton</b>																
(7025 114) Ramp	0.14	NA				From: 114-7025 I-664-W003A FROM & TO ROUT To: I-664-W FROM ABERDEEN ROAD					NA			NA		
(7025 114) Ramp	0.17	NA				From: 114-7025 I-664-E003A FROM & TO ROUT To: I-664-E FROM ABERDEEN ROAD					NA			NA		
East (7026 114) Ramp	0.42	7200	G			From: 114-7026 Hampton Rds Ctr Pkwy To: I-64 East				0.089	F		7200	G	2011	
East (7026 114) Ramp	0.18	NA				From: 114-7026 TO I-64 WEST To: I-64-W FROM HAMPTON ROADS CENTER PARKW					NA			NA		
West (7026 114) Ramp	0.38	NA				From: 114-7026 TO I-64 WEST To: I-64-W FROM HAMPTON ROADS CENTER PARKW					NA			NA		
East (7035 114) Ramp	0.12	NA				From: 114-7035 TO I-64 EAST To: I-64-E FROM LASALLE AVENUE					NA			NA		
West (7035 114) Ramp	0.19	NA				From: 114-7035 TO I-64 EAST To: I-64-E FROM LASALLE AVENUE					NA			NA		
(7057 114) Ramp	0.04	NA				From: 114-7057 I-64-E268A MALLORY STREET To: 114-7057- T TO INSPECTION BOOTH					NA			NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Hampton</b>																
(7057/114) Ramp	0.08	NA					From: 114-7057- T TO INSPECTION BOOTH					NA		NA		
(7057/114) Ramp	0.04	NA					To: I-64-E268M TO RT 64 EAST					NA		NA		
(7057/114) Ramp	0.21	6400	G				From: 114-7057 Mallery St				0.119	F		6400	G	2011
(7057/114) Ramp	0.04	NA					To: I-64 West									
(7057/114) Ramp	0.04	NA					From: 114-7057- A TO INSPECTION BOOTH					NA		NA		
(7059/114) Ramp	0.16	NA					To: I-64-E268M INSPECTION BOOTH AREA									
(7059/114) Ramp	0.16	NA					From: 114-7059 I-664-W002A FR RT 664 TO R					NA		NA		
(7059/114) Ramp	0.13	NA					To: I-664-W FROM POWHATAN PARKWAY									
(7059/114) Ramp	0.13	NA					From: 114-7059 I-664-E002A TO RT 664 FR R					NA		NA		
(7059/114) Ramp	0.13	NA					To: I-664-E FROM POWHATAN PKWY									
<b>City of Newport News</b>																
(7006/121) East Ramp to I-664 at Exit 5	0.18	2600	G	96%	1%	3%	0%	0%	0%	F	0.171	F		2800	G	2011
(7006/121) East Ramp to I-664 EB (NB) at Exit 5	0.15	NA					From: US 60 WB; 34th St									
(7006/121) East Ramp to I-664 EB (NB) at Exit 5	0.15	NA					To: Ramp to I-664 EB SB					NA		NA		
(7006/121) East Ramp to I-664 EB (NB) at Exit 5	0.15	NA					From: Ramp to Jefferson Ave; 35th St									
(7006/121) East Ramp to I-664 EB (NB) at Exit 5	0.15	NA					To: I-664 WB NB					NA		NA		
(7006/121) East Ramp	0.15	NA					From: 121-7006-E000A TO ROUTE 664 EAST					NA		NA		
(7006/121) East Ramp	0.05	NA					To: SR 143- 9A FROM 34TH STREET									
(7006/121) East Ramp	0.05	NA					From: 121-7006-E000A TO JEFFERSON AVENUE					NA		NA		
(7006/121) East Ramp	0.05	NA					To: SR 143									
(7017/121) East Ramp	0.12	1200	G				From: 121-7017 Roanoke Ave				0.169	F		1200	G	2011
(7017/121) East Ramp	0.12	1200	G				To: I-664 East									
(7019/121) East Ramp	0.12	NA					From: 121-7019 TO I-664					NA		NA		
(7019/121) East Ramp	0.12	NA					To: I-664-W FROM CHESTNUT AVENUE									
(99020/121) North Ramp From Terminal Ave to I-664 WB (NB) at Exit 5	0.23	980	G	98%	0%	0%	0%	0%	0%	F	0.107	F		980	G	2011
(99020/121) North Ramp From Terminal Ave to I-664 WB (NB) at Exit 5	0.23	980	G	98%	0%	0%	0%	0%	0%	F	0.107	F		980	G	2011
(99020/121) North Ramp From Terminal Ave to I-664 WB (NB) at Exit 5	0.23	980	G	98%	0%	0%	0%	0%	0%	F	0.107	F		980	G	2011
(99020/121) South Ramp	0.22	NA					From: TERMINAL AVENUE TO ROUTE 664 EASTSOUTH					NA		NA		
(99020/121) South Ramp	0.22	NA					To: I-664-E FROM TERMINAL AVENUE									
<b>City of Poquoson</b>																
(7043/147) Yorktown Rd	0.18	7400	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.606	7900	G	2011
(7043/147) Yorktown Rd	0.14	6600	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.619	7000	G	2011
(7043/147) Yorktown Rd	0.14	6600	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.619	7000	G	2011
(7043/147) Yorktown Rd	0.39	4200	G	99%	0%	0%	0%	0%	0%	F	0.089	F	0.562	4400	G	2011
(7043/147) Yorktown Rd	0.39	4200	G	99%	0%	0%	0%	0%	0%	F	0.089	F	0.562	4400	G	2011
(7043/147) Yorktown Rd	0.74	2500	G	99%	0%	0%	0%	0%	0%	C	0.096	F	0.612	2600	G	2011
(7043/147) Yorktown Rd	0.74	2500	G	99%	0%	0%	0%	0%	0%	C	0.096	F	0.612	2600	G	2011
(7043/147) Yorktown Rd	0.74	2500	G	99%	0%	0%	0%	0%	0%	C	0.096	F	0.612	2600	G	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
York Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Poquoson</b>																
(7046/147) Poquoson Ave	0.66	2700	G	98%	1%	1%	0%	0%	0%	C	0.098	F	0.605	2800	G	2011
From: Wythe Creek Rd																
To: Rens Rd																
(7046/147) Poquoson Ave	0.89	3300	G	98%	1%	1%	0%	0%	0%	F	0.115	F	0.674	3500	G	2011
From: Little Fla Rd																
To: Poquoson Ave																
(7050/147) Ridge Rd	1.08	720	G	98%	1%	1%	0%	0%	0%	C	0.092	F	0.571	770	G	2011
From: Messick Rd																
To: Poquoson Ave																
(7052/147) Cary Chapel Rd	0.16	4100	G	100%	0%	0%	0%	0%	0%	C	0.121	F	0.828	4300	G	2011
From: Wythe Creek Rd																
To: York County Line																
(7052/147) E Yorktown Rd	1.19	3900	G	99%	0%	0%	0%	0%	0%	C	0.091	F	0.634	4100	G	2011
From: 99-782 JB-99-147 Gap Terminus WCL POQUOS																
To: Hunts Neck Rd																
<b>York County</b>																
Alexander Lee Pkwy		1000	F	84%	1%	3%	2%	10%	0%	C	0.094	F		1000	F	2011
From: Stafford Ct																
To: Penniman Rd																
George Washington Mem Hwy		NA									NA			NA		
From: SR 134 Hampton Hwy																
To: 99-621 Dare Rd; Grafton Dr																
Penniman Rd		1000	F	95%	2%	2%	1%	1%	0%	C	0.103	F		1000	F	2011
From: Winchester Rd																
To: SR 199																
<b>City of Poquoson</b>																
Browns Neck Rd		2000	G								NA			2000	G	2011
From: Hunts Neck Rd																
To: Norman Dr																
Forest Rd		790	G								0.112	F	0.603	840	G	2011
From: Poquoson Ave																
To: Holloway Rd																
Hudgins Rd		2300	G								0.081	F	0.602	2400	G	2011
From: Poquoson Ave																
To: Old Pond Rd																
Odd St		2100	G								0.134	F	0.509	2200	G	2011
From: Poquoson Ave																
To: Terrace Dr S																
Poquoson Rd		820	G								0.105	F	0.544	870	G	2011
From: Messick Rd																
To: Back Landing																
Poquoson Rd		350	G								0.111	F	0.571	370	G	2011
From: W Cemetery Lane																
To: Amorys Wharf																
Rens Rd		1500	G								0.096	F	0.558	1600	G	2011
From: Poquoson Ave																
To: Whitehouse Dr																
River Rd		770	G								0.091	F	0.633	820	G	2011
From: E Yorktown Rd																
To: Rivergate Dr																
Valmore		700	G								NA			700	G	2011
From: Jefferson Ct																
To: Hunts Neck Rd																