

**2011**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**

where available

**Special Locality Report**

**221**

Town of Gate City

Information in this report is included in Report

**84**

(Scott County)

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SCL Gate City															
23 58 421	Town of Gate City (Maint: 84)	0.61	27000	N	93%	0%	1%	1%	6%	0%	N	0.083	N	0.544	27000	N
	To: Bus US 23 East of Gate City															
23 58 421	Town of Gate City (Maint: 84)	0.16	12000	A	93%	0%	1%	1%	6%	0%	C	0.099	A		12000	A
	From: NCL Gate City															
	To: SCL Gate City															
23 58 421	Town of Gate City (Maint: 84)	0.36	12000	N	93%	0%	1%	1%	6%	0%	N	0.099	N		12000	N
	From: NCL Gate City															
	To: US 23 South of Gate City															
23 58 421	Town of Gate City (Maint: 84)	0.23	19000	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.562	20000	G
	From: 84-836 Jones St															
23 58 421	Town of Gate City (Maint: 84)	0.47	9700	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.547	10000	G
	From: SR 71															
23 58 421	Town of Gate City (Maint: 84)	0.12	7300	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.565	7800	G
	From: 84-665 Manville Rd; Muncipal Rd															
23 58 421	Town of Gate City (Maint: 84)	0.15	5200	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.596	5500	G
	From: 84-763 Fir St															
23 58 421	Town of Gate City (Maint: 84)	0.84	3600	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.56	3900	G
	From: 84-762 Starnes St															
23 58 421	Town of Gate City (Maint: 84)	0.80	2900	G	98%	0%	1%	1%	1%	0%	C	0.09	F	0.548	3100	G
	From: WCL Gate City															
58 23 421	Town of Gate City (Maint: 84)	0.36	12000	N	93%	0%	1%	1%	6%	0%	N	0.099	N		12000	N
	From: SCL Gate City															
58 23 421	Town of Gate City (Maint: 84)	0.16	12000	A	93%	0%	1%	1%	6%	0%	C	0.099	A		12000	A
	From: Bus US 23 East of Gate City															
58 23 421	Town of Gate City (Maint: 84)	0.61	27000	N	93%	0%	1%	1%	6%	0%	N	0.083	N	0.544	27000	N
	From: SCL Gate City															
58 23 421	Town of Gate City (Maint: 84)	0.80	2900	G	98%	0%	1%	1%	1%	0%	C	0.09	F	0.548	3100	G
	From: 84-762															
58 23 421	Town of Gate City (Maint: 84)	0.84	3600	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.56	3900	G
	From: 84-763															
58 23 421	Town of Gate City (Maint: 84)	0.15	5200	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.596	5500	G
	From: 84-665															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
From: 84-665 Bus 58 Bus 23 Bus 421 W Jackson St	Town of Gate City (Maint: 84)	0.12	7300	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.565	7800	G	
To: SR 71																	
From: 84-836 Bus 58 Bus 23 Bus 421	Town of Gate City (Maint: 84)	0.47	9700	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.547	10000	G	
To: 84-836																	
From: US 23 South of Gate City Bus 58 Bus 23 Bus 421	Town of Gate City (Maint: 84)	0.23	19000	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.562	20000	G	
To: US 23 South of Gate City																	
From: Bus 23 Bus 71 E Jackson St	Town of Gate City (Maint: 84)	0.55	4300	G	97%	0%	1%	1%	2%	0%	F	0.109	F	0.517	4600	G	
To: 84-904 Jones St																	
From: 84-904 Jones St 71 E Jackson St	Town of Gate City (Maint: 84)	0.85	7900	G	97%	0%	1%	1%	2%	0%	F	0.091	F	0.568	8500	G	
To: ECL Gate City																	
From: NCL Gate City 421 23 58	Town of Gate City (Maint: 84)	0.36	12000	N	93%	0%	1%	1%	6%	0%	N	0.099	N		12000	N	
To: SCL Gate City																	
From: NCL Gate City 421 23 58	Town of Gate City (Maint: 84)	0.16	12000	A	93%	0%	1%	1%	6%	0%	C	0.099	A		12000	A	
To: Bus US 23 East of Gate City																	
From: Bus US 23 East of Gate City 421 23 58	Town of Gate City (Maint: 84)	0.61	27000	N	93%	0%	1%	1%	6%	0%	N	0.083	N	0.544	27000	N	
To: SCL Gate City																	
From: US 23 South of Gate City Bus 421 Bus 23 Bus 58	Town of Gate City (Maint: 84)	0.23	19000	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.562	20000	G	
To: 84-836																	
From: 84-836 Bus 421 Bus 23 Bus 58	Town of Gate City (Maint: 84)	0.47	9700	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.547	10000	G	
To: SR 71																	
From: SR 71 Bus 421 Bus 23 Bus 58 W Jackson St	Town of Gate City (Maint: 84)	0.12	7300	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.565	7800	G	
To: 84-665																	
From: 84-665 Bus 421 Bus 23 Bus 58 W Jackson St	Town of Gate City (Maint: 84)	0.15	5200	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.596	5500	G	
To: 84-763																	
From: 84-763 Bus 421 Bus 23 Bus 58 Daniel Boone Rd	Town of Gate City (Maint: 84)	0.84	3600	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.56	3900	G	
To: 84-762																	
From: 84-762 Bus 421 Bus 23 Bus 58 Daniel Boone Rd	Town of Gate City (Maint: 84)	0.80	2900	G	98%	0%	1%	1%	1%	0%	C	0.09	F	0.548	3100	G	
To: CL Gate City																	



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Town of Gate City</b>																	
(619) 84							From: US 23										
	0.21	510	R														01/08/2004
(619) 84							From: ECL Gate City										
Old Nickelsville Rd	0.01	160	R														08/27/2007
(619) 84							From: 84-793 Old Nickelsville Rd										
	0.33	1200	R														01/08/2004
(619) 84							From: SR 71, E Jackson St										
	0.37	2100	R														01/08/2004
(619) 84							From: NCL Gate City										
							From: Dead End										
(665) 84							From: US 23										
Moccasin Ave	0.04	920	R														01/08/2004
(665) 84							From: US 23										
Manville Rd	0.15	1700	G	98%	0%	1%	1%	0%	0%	C	0.100	F	0.626	1800	G		2011
(665) 84							From: 84-813 Cherry St										
Manville Rd	0.25	1800	G	98%	0%	1%	1%	0%	0%	F	0.1	F	0.644	1900	G		2011
(665) 84							From: 84-819 Chestnut St										
Manville Rd	0.26	1200	G	99%	0%	0%	0%	0%	0%	C	0.1	F	0.632	1300	G		2011
(665) 84							From: NCL Gate City										
							From: NCL Gate City										
(666) 84							From: NCL Gate City										
Red Hill Rd	0.29	710	R														01/08/2004
(666) 84							From: SR 71, E Jackson St										
							From: US 23										
(762) 84							From: US 23										
	0.14	240	R														01/08/2004
(762) 84							From: Dead End										
							From: 84-1422 Vanzant Dr										
(763) 84							From: 84-1422 Vanzant Dr										
	0.40	220	R														01/08/2004
(763) 84							From: Bus US 23										
	0.11	310	R														01/08/2004
(763) 84							From: 84-783 Fir St										
							From: 84-765 Cypress St										
(764) 84							From: 84-765 Cypress St										
	0.18	140	R														01/08/2004
(764) 84							From: 84-763										
							From: 84-763										
(765) 84							From: 84-763										
	0.03	90	R														01/08/2004
(765) 84							From: US 23										
Cypress St	0.02	30	R														08/15/2007
(765) 84							From: 84-764										
							From: 84-763										
(766) 84							From: 84-763										
Rollins St	0.03	30	R														08/15/2007
(766) 84							From: US 23										
Elm St	0.07	710	R														08/15/2007
(766) 84							From: 84-831 Elm St										
							From: 84-1415 Hillcrest Dr										
(767) 84							From: 84-1415 Hillcrest Dr										
Woodland St	0.39	660	R														08/15/2007
(767) 84							From: SR 71, E Jackson St										
Tucker St	0.10	1000	R														08/27/2007
(767) 84							From: 84-768 Solon St										
							From: US 23										
(768) 84							From: US 23										
Solon St	0.13	1500	R														08/27/2007
(768) 84							From: SR 71, E Jackson St										
Solon St	0.62	1500	R														08/27/2007
(768) 84							From: 84-768 Begin Loop										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Gate City</b>																
769 84 Bishop St	0.21	1300	R			From: Bus US 23					NA			NA		08/27/2007
						To: SR 71, E Jackson St										
781 84 Poplar St	0.19	190	R			From: 84-665 Moccasin St					NA			NA		08/15/2007
						To: 84-767 Woodland St										
782 84 Walnut St	0.24	250	R			From: Dead End					NA			NA		08/15/2007
						To: 84-767 Woodland St										
783 84 Fir St	0.10	130	R			From: Dead End					NA			NA		08/15/2007
						To: 84-763										
784 84 Virginia Ave	0.06	140	R			From: SR 23					NA			NA		08/13/2007
						To: 84-798 Highland St										
785 84 Cleveland Ave	0.07	390	R			From: Bus US 23					NA			NA		08/15/2007
						To: 84-782 Walnut St										
785 84 Cleveland Ave	0.16	140	R			From: 84-781 Poplar St					NA			NA		08/15/2007
						To: 84-819 Chestnut St										
785 84 Cleveland Ave	0.17	90	R			From: 84-619 Old Nickelsville Rd					NA			NA		08/15/2007
						To: SR 71, E Jackson St										
793 84 Old Nickelsville Rd	0.19	390	R			From: SR 71 W, E Jackson St					NA			NA		08/27/2007
						To: ECL Gate City										
796 84 Gillenwater Loop	0.11	20	R			From: Dead End					NA			NA		08/13/2007
						To: 84-799 Lombard St										
798 84 Highland St	0.48	110	R			From: 84-798 Highland St					NA			NA		08/13/2007
						To: US 23										
799 84 Lombard St	0.07	360	R			From: 84-814 Sherman St					NA			NA		08/13/2007
						To: 84-665 Moccasin St										
813 84 Cherry St	0.07	90	R			From: 84-819 Chestnut St					NA			NA		08/15/2007
						To: Dead End										
814 84 Sherman St	0.28	40	R			From: 84-814 Sherman St					NA			NA		08/15/2007
						To: 84-819 Chestnut St										
819 84 Chestnut St	0.12	140	R			From: Dead End					NA			NA		08/13/2007
						To: 84-814 Sherman St										
820 84 Promise St	0.07	40	R			From: Dead End					NA			NA		08/13/2007
						To: 84-819 Chestnut St										
823 84 Beech St	0.12	1000	R			From: 84-769 Bishop St					NA			NA		08/27/2007
						To: 84-836 Jones St										
824 84 Wolfe St	0.37	170	R			From: 84-835 Anderson St					NA			NA		08/15/2007
						To: 84-1419 Oak St										
831 84 Elm St	0.04	310	R			From: 84-832 Elm St					NA			NA		08/15/2007
						To: 84-766 Elm St										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Gate City</b>																
832 84 Elm St	0.39	160	R			From: Dead End					NA			NA		08/15/2007
						To: 84-831 Elm St										
835 84 Anderson St	0.22	270	R			From: 84-824 Wolfe St					NA			NA		08/15/2007
						To: Dead End										
836 84 Harry Fry Dr	0.40	2400	R			From: 84-904 Jones St					NA			NA		08/27/2007
						To: 84-889 Broadwater Ave										
838 84 Hill St	0.07	40	R			From: 84-839 Hill St					NA			NA		08/15/2007
						To: Dead End										
839 84 Hill St	0.05	70	R			From: 84-838 Hill St					NA			NA		08/15/2007
						To: 84-832 Elm St										
842 84 Sargeant St	0.23	290	R			From: 84-824 Wolfe St					NA			NA		08/29/2007
						To: 84-768 Solon St										
843 84 Campbell St	0.06	80	R			From: 84-798 Highland St					NA			NA		08/13/2007
						To: 84-853 Campbell St										
844 84 Bradford St	0.09	440	R			From: 84-768 Solon St					NA			NA		08/27/2007
						To: Bus US 23										
844 84 Kane St	0.15	170	R			From: Dead End					NA			NA		08/27/2007
						To: 84-798 Highland St										
849 84 Richmond St	0.07	46	R			From: 84-798 Highland St					NA			NA		08/13/2007
						To: Dead End										
850 84 Franklin St	0.06	70	R			From: 84-851 Darter St					NA			NA		08/13/2007
						To: Dead End										
851 84 Darter St	0.19	120	R			From: 84-762					NA			NA		08/13/2007
						To: 84-850 Franklin St										
853 84 Campbell St	0.11	80	R			From: 84-850 Franklin St					NA			NA		08/13/2007
						To: 84-843 Campbell St										
889 84 Broadwater Ave	0.19	830	R			From: 84-836 Beech St					NA			NA		08/27/2007
						To: 84-619										
898 84 Sharon Dr	0.15	370	R			From: 84-1425 Beverly Circle					NA			NA		08/29/2007
						To: 84-768 Solon St										
904 84 Jones St	0.06	11000	G	98%	0%	1%	1%	0%	0%	F	0.104	F	0.524	12000	G	2011
904 84 Jones St	0.24	8800	G	98%	0%	1%	0%	1%	0%	C	0.092	F	0.589	9400	G	2011
905 84 Barker Sub Ave	0.04	420	R			From: 84-836 Harry Fry Dr					NA			NA		08/29/2007
						To: SR 71, E Jackson St										
906 84 Lynn Dr	0.07	110	R			From: SR 71, E Jackson St					NA			NA		08/29/2007
						To: SR 906										
906 84 Lynn Dr	0.07	110	R			From: Dead End					NA			NA		08/29/2007
						To: 84-905 Barker Sub Ave										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Gate City</b>																
906 84 Lynn Dr	0.10	60	R			From: 84-905 Barker Sub Ave					NA			NA		08/29/2007
						To: 84-619										
930 84 Short Dr	0.08	70	R			From: 84-836 Harry Fry Dr					NA			NA		08/27/2007
						To: 84-931 Cedar Ave										
931 84 Cedar Ave	0.10	50	R			From: 84-836 Harry Fry Dr					NA			NA		08/27/2007
						To: 84-930 Short Dr										
931 84 Cedar Ave	0.03	40	R			From: Dead End					NA			NA		08/27/2007
						To: Dead End										
932 84 Ruth St	0.04	40	R			From: Dead End					NA			NA		08/29/2007
						To: 84-842 Sargeant St										
1401 84 Ellen Dr	0.07	560	R			From: SR 71, E Jackson St					NA			NA		08/29/2007
						To: 84-1403 Valley View St										
1402 84 Davidson St	0.07	90	R			From: SR 71, E Jackson St					NA			NA		08/29/2007
						To: 84-1403 Valley View St										
1403 84 Valley View St	0.12	200	R			From: 84-1401 Ellen Dr					NA			NA		08/29/2007
						To: 84-1402 Davidson St										
1404 84 Arora St	0.06	80	R			From: SR 71, E Jackson St					NA			NA		08/29/2007
						To: Dead End										
1405 84 Dillon Dr	0.16	480	R			From: Bus US 23					NA			NA		08/13/2007
						To: Dead End										
1406 84 Jay St	0.15	150	R			From: Dead End					NA			NA		08/13/2007
						To: 84-1405 Dillon Dr										
1407 84 Linda St	0.10	80	R			From: Bus US 23					NA			NA		08/13/2007
						To: 84-1406 Jay St										
1408 84 Frances St	0.10	70	R			From: 84-1409 Bowen Dr					NA			NA		08/13/2007
						To: 84-1406 Jay St										
1409 84 Bowen Dr	0.06	130	R			From: 84-1408 Frances St					NA			NA		08/13/2007
						To: 84-1407 Linda St										
1410 84 Barbara Rd	0.12	350	R			From: 84-906 Lynn Dr					NA			NA		08/29/2007
						To: Dead End										
1411 84 Water St	0.15	2600	R			From: 84-665 Moccasin Ave					NA			NA		08/27/2007
						To: Bus US 23										
1412 84 Una St	0.11	70	R			From: 84-1413 Eva St					NA			NA		07/11/2007
						To: 0.11 MN 84-1413										
1412 84 Una St	0.15	90	R			From: Bus US 23					NA			NA		07/11/2007
						To: Bus US 23										
1413 84 Eva St	0.03	80	R			From: Dead End					NA			NA		07/11/2007
						To: 84-1412 Una St										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Gate City</b>																
1413 84 Eva St	0.04	130	R			From: 84-1412 Una St					NA			NA		07/11/2007
						To: Dead End										
1414 84	0.10	50	R			From: 84-1413 Eva St					NA			NA		07/11/2007
						To: Dead End										
1415 84 Hillcrest Dr	0.34	150	R			From: 84-767 Woodland St					NA			NA		08/15/2007
						To: Dead End										
1416 84 DHU St	0.05	30	R			From: 84-785 Cleveland Ave					NA			NA		08/15/2007
						To: Dead End										
1417 84 Monte Vista Dr	0.04	100	R			From: 84-781 Poplar St					NA			NA		08/15/2007
						To: Dead End										
1419 84 Oak St	0.04	450	R			From: SR 71, E Jackson St					NA			NA		08/29/2007
						To: 84-824 Wolfe St										
1420 84 Massey Dr	0.07	120	R			From: 84-1401 Ellen Dr					NA			NA		08/29/2007
						To: 84-1421 Cross St										
1420 84 Massey Dr	0.06	20	R			From: 84-1402 Davidson St					NA			NA		08/29/2007
						To: 84-1420 Massey Dr										
1421 84 Cross St	0.05	90	R			From: 84-1403 Valley View St					NA			NA		08/29/2007
						To: Dead End										
1422 84 Vanzant Dr	0.02	760	R			From: 84-763					NA			NA		08/15/2007
						To: Dead End										
1423 84 Anita Ave	0.08	90	R			From: 84-1410 Barbara Rd					NA			NA		08/29/2007
						To: Dead End										
1424 84 Embar St	0.12	90	R			From: 84-1410 Barbara Rd					NA			NA		08/29/2007
						To: 84-898 Sharon Dr										
1425 84 Beverly Circle	0.19	220	R			From: Dead End					NA			NA		08/29/2007
						To: SR 71, E Jackson St										
1427 84 Ravine St	0.24	210	R			From: Dead End					NA			NA		08/15/2007
						To: Dead End										
1428 84 Cedar Ave	0.13	50	R			From: 84-836; 84-931					NA			NA		08/27/2007
						To: 84-836 Harry Fry Dr										
9380 84 Broadwater Ave	0.15	1000	R			From: Scott Co Voc School					NA			NA		08/27/2007
						To: Dead End										
9380 84 Broadwater Ave	0.11	1000	R			From: 84-904 Jones St					NA			NA		08/27/2007
						To: Gate City High Sch										
9763 84 Bishop St	0.15	1600	R			From: Shoemaker Elem Sch					NA			NA		08/29/2007
						To: 84-769 Bishop St										