

2012

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

00

Arlington County
City of Alexandria

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Patrick St	City of Alexandria (Maint: 00)	0.51	78000	G	98%	1%	1%	0%	0%	0%	F	0.08	F	0.688	83000	G
1 Patrick St	City of Alexandria	0.15	78000	N	98%	1%	1%	0%	0%	0%	N	0.08	N	0.688	83000	N
1 Patrick St	City of Alexandria	0.36	28000	F	98%	1%	1%	0%	0%	0%	F	0.081	F		30000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		51000		F	98%	1%	1%	0%	0%	0%	F	0.067	F	0.807	54000	F
1 Patrick St	City of Alexandria	0.72	24000	F	98%	1%	1%	0%	0%	0%	F	0.093	F		25000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000		F	98%	1%	1%	0%	0%	0%	F	NA			48000	F
1 Patrick St	City of Alexandria	0.42	49000	F	98%	1%	1%	0%	0%	0%	F	0.085	F	0.630	52000	F
1 Jefferson Davis Hwy	City of Alexandria	1.27	37000	F	98%	1%	1%	0%	0%	0%	F	0.076	F	0.556	39000	F
1 Jefferson Davis Hwy	Arlington County	0.15	49000	G	98%	1%	1%	0%	0%	0%	F	0.071	F	0.595	52000	G
1 Jefferson Davis Hwy	Arlington County	0.65	44000	G	98%	1%	1%	0%	0%	0%	F	0.070	F	0.656	47000	G
1 Jefferson Davis Hwy	Arlington County	1.03	52000	G	98%	1%	1%	0%	0%	0%	F	0.078	F	0.506	55000	G
1 395	Arlington County	0.55			See I-395 for directional traffic volume estimates for this segment.											
Combined Traffic Estimates for 4 Parallel Roadways on this Route:		174000		G	98%	1%	1%	1%	1%	0%	F	NA			196000	G
1 395	Arlington County	0.02			See I-395 for directional traffic volume estimates for this segment.											
Combined Traffic Estimates for 4 Parallel Roadways on this Route:		174000		N	98%	1%	1%	1%	1%	0%	N	NA			196000	N
1 Ramp From US N,S to I-95 3 at Exit 177	City of Alexandria (Maint: 29)	0.18	9600	F							0.080	F			9600	F
1	City of Alexandria (Maint: 29)	0.19	9300	F							0.086	F	0.699		9300	F
North 1 Ramp	City of Alexandria (Maint: 29)	0.17	NA								NA				NA	
North 1 Ramp	City of Alexandria (Maint: 29)	0.16	16000	F							0.114	F			16000	F
					I-95-N FROM RT 1 NORTH											

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
North 1 Ramp	City of Alexandria (Maint: 29)	From: 0.39	US 1 Richmond Hwy NB	NA								NA		NA			
North 1 Ramp	City of Alexandria (Maint: 29)	To: 0.10	US 01-N191C TO RT 241; 95 SOUTH	NA								NA		NA			
North 1	City of Alexandria (Maint: 29)	From: 0.14	US 01-N191B TO RT 241; 95 SOUTH	NA								NA		NA			
North 1	City of Alexandria (Maint: 29)	To: 0.14	US 01-S191C TO RT 241	NA								NA		NA			
South 1 Ramp	City of Alexandria (Maint: 29)	From: 0.11	US 1 Patrick St SB	NA								NA		NA			
South 1 Ramp	City of Alexandria (Maint: 29)	To: 0.09	US 01-S191C TO 241; 95 SOUTH	NA								NA		NA			
South 1 Ramp	City of Alexandria (Maint: 29)	From: 0.22	US 01-S191B TO 95 SOUTH	NA								NA		NA			
South 1 Ramp	City of Alexandria (Maint: 29)	To: 0.22	US 01-S191D TO 95 NORTH EXPRESS	NA								NA		NA			
South 1 Ramp	City of Alexandria (Maint: 29)	From: 0.28	US 01-S191D TO 95 NORTH EXPRESS	14000	F							0.126	F	14000	F		
South 1 Ramp	City of Alexandria (Maint: 29)	To: 0.28	I-95-N FROM RT 1 SOUTH	NA													
South 1 Ramp	City of Alexandria (Maint: 29)	From: 0.09	US 1 Patrick St SB	NA								NA		NA			
South 1	City of Alexandria (Maint: 29)	To: 0.09	Toward I-95 SB	NA													
South 1	City of Alexandria (Maint: 29)	From: 0.21	US 01-S191A TO 241; 95 SOUTH	NA								NA		NA			
South 1	City of Alexandria (Maint: 29)	To: 0.21	US 01-N191C US 01-191C TO RT 241	NA													
South 1	City of Alexandria (Maint: 29)	From: 0.34	US 01-S191A TO 95 NORTH EXPRESS	8400	F							0.132	F	8400	F		
South 1	City of Alexandria (Maint: 29)	To: 0.34	I-95-1 FROM MILL ROAD & RT 1	NA													
1 Henry St	City of Alexandria	From: 0.36	Wilkes St	23000	F	98%	1%	1%	0%	0%	0%	F	0.076	F	0.653	24000	F
1 Henry St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	51000	SR 7 King St	F	98%	1%	1%	0%	0%	0%	F	0.067	F	0.807	54000	F	
1 Henry St	City of Alexandria	From: 0.72	SR 7 King St	22000	F	98%	1%	1%	0%	0%	0%	F	0.074	F	23000	F	
1 Henry St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	46000	1st Street	F	98%	1%	1%	0%	0%	0%	F	NA			48000	F	
1 395 Ramp	Arlington County	From: 0.29	SR 110, US 1	20000	G	98%	1%	1%	0%	0%	0%	F	0.07	F	22000	G	
1 395 Ramp	Arlington County	To: 0.29	I-395 South	NA													
7 King St	City of Alexandria	From: 1.09	WCL Alexandria	47000	F	95%	0%	1%	3%	1%	0%	C	NA		50000	F	
7 King St	City of Alexandria	To: 1.09	I-395	NA													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
7 King St	City of Alexandria	0.65	24000	F	98%	1%	1%	0%	1%	0%	F	0.083	F	0.6	25000	F
7 King St	City of Alexandria	1.91	14000	F	98%	1%	1%	0%	1%	0%	F	0.088	F	0.595	15000	F
7 King St	City of Alexandria	0.38	16000	F	98%	1%	1%	0%	1%	0%	F	0.082	F	0.619	16000	F
7 King St	City of Alexandria	0.48	7500	F	98%	1%	1%	0%	1%	0%	F	0.075	F	0.517	7900	F
East 7 Ramp	City of Alexandria (Maint: 00)	0.11	16000	F							NA				16000	F
East 7 Ramp	City of Alexandria (Maint: 00)	0.13	NA								NA				NA	
East 7 Ramp	City of Alexandria (Maint: 00)	0.23	NA								NA				NA	
West 7 Ramp	Arlington County	0.25	NA								NA				NA	
West 7 Ramp	Arlington County	0.19	NA								NA				NA	
27 Ramp	Arlington County	0.13	NA								NA				NA	
27 Ramp	Arlington County	0.22	NA								NA				NA	
East 27 Washington Blvd	Arlington County	0.82	36000	G	98%	1%	0%	0%	0%	0%	F	0.087	F		38000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 73000 G																77000 G
East 27 Washington Blvd	Arlington County	0.35	49000	G	98%	1%	0%	0%	0%	0%	F	0.091	F		52000	G
Combined Traffic Estimates for 3 Parallel Roadways on this Route: 105000 G																114000 G
East 27 Washington Blvd	Arlington County	0.52	23000	G	98%	1%	0%	0%	0%	0%	C	0.112	F		24000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 48000 G																51000 G

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
East 27 Washington Blvd	Arlington County	0.33	32000	G	98%	1%	0%	0%	0%	0%	F	0.126	F	34000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		67000	G	98%	1%	1%	0%	0%	0%	F	0.086	F	675	G
East 27 Washington Blvd	Arlington County	0.52	23000	G	98%	1%	0%	0%	0%	0%	F	0.114	F	24000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		45000	G	98%	1%	1%	0%	0%	0%	F	NA		48000	G
East 27 Ramp	Arlington County	0.09	NA									NA		NA	
	To:	SR 27-E TO RT 395 SOUTH & ARLINGTON RID													
East 27 Ramp	Arlington County	0.19	NA									NA		NA	
	To:	SR 27-W001A SR 27- 1A FROM RT 2													
East 27 Ramp	Arlington County	0.19	NA									NA		NA	
	To:	SR 27-E TO RT 395 NORTH & ARMY NAVY DRI													
East 27 Ramp	Arlington County	0.19	NA									NA		NA	
	To:	I-395-N008D FROM RT 395 NORTH & ARLINGT													
East 27 Ramp	Arlington County	0.22	NA									NA		NA	
	To:	SR 27-E001C TO ARMY NAVY DRIVE													
East 27 Ramp	Arlington County	0.22	NA									NA		NA	
	To:	I-395-N FROM RT 27 EAST & ARLINGTON RID													
East 27 Ramp	Arlington County	0.14	NA									NA		NA	
	To:	SR 27-E001B TO ARMY NAVY DRIVE													
Rev 27 Washington Blvd	Arlington County	0.36	10000	G	99%	0%	0%	0%	0%	0%	C	0.112	F	0.992	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		105000	G	98%	1%	1%	0%	0%	0%	F	NA		114000	G
	To:	I-395 Reversible Lanes													
West 27 Washington Blvd	Arlington County	0.80	37000	G	98%	0%	1%	1%	0%	0%	F	0.084	F	39000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		73000	G	98%	1%	1%	0%	0%	0%	F	NA		77000	G
West 27 Washington Blvd	Arlington County	0.60	46000	G	98%	0%	1%	1%	0%	0%	C	0.08	F	49000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		105000	G	98%	1%	1%	0%	0%	0%	F	NA		114000	G
West 27 Washington Blvd	Arlington County	0.13	25000	G	98%	0%	1%	1%	0%	0%	F	0.101	F	27000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	98%	1%	1%	0%	0%	0%	F	0.086	F	613	G
West 27 Washington Blvd	Arlington County	0.62	35000	G	98%	0%	1%	1%	0%	0%	F	0.113	F	38000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		67000	G	98%	1%	1%	0%	0%	0%	F	0.086	F	675	G
	To:	SR 244 Columbia Pike													
	To:	SR 110													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 27 Washington Blvd	Arlington County	0.33	22000	G	98%	0%	1%	1%	0%	0%	F	0.115	F	24000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		45000		G	98%	1%	1%	0%	0%	0%	F	NA		48000	G	
West 27 Ramp	Arlington County	0.08		NA								NA		NA		
West 27 Ramp	Arlington County	0.05		NA								NA		NA		
West 27 Ramp	Arlington County	0.11		NA								NA		NA		
From: 29 237 Lee Highway	Arlington County	0.11	25000	G	98%	1%	1%	0%	0%	0%	F	0.084	F	0.569	28000	G
To: SR 237 Washington Blvd	Arlington County	0.07	22000	N	98%	1%	1%	0%	0%	0%	N	0.101	N	0.529	25000	N
From: 29 237 Lee Highway	Arlington County	2.16	22000	A	98%	1%	1%	0%	0%	0%	C	0.101	A	0.529	25000	A
To: SR 120 Glebe Rd	Arlington County	0.15	20000	G	98%	1%	1%	0%	0%	0%	F	0.085	F	0.591	22000	G
From: 29 Lee Highway	Arlington County	0.05	32000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.705	36000	G
To: S SR 309 Old Dominion Dr	Arlington County	0.67	20000	G	98%	1%	1%	0%	0%	0%	F	0.096	F	0.741	22000	G
From: 29 Old Dominion Dr	Arlington County	0.67	25000	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.779	28000	G
To: N SR 309 Lee Hwy; Quincy St	Arlington County	0.57	22000	G	98%	1%	1%	0%	0%	0%	F	0.11	F	0.792	24000	G
From: 29 Lee Highway	Arlington County	1.00	17000	G	98%	1%	1%	0%	0%	0%	F	0.112	F		18000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		23000		G	98%	1%	1%	0%	0%	0%	F	0.092	F	0.884	25000	G
To: District of Columbia Line																
From: 29 Ramp	Arlington County	0.12	6200	G								NA		6200	G	
To: I-66-W FROM RT 29-LEE HIGHWAYSOUTH &																
From: North 29 Ramp	Arlington County	0.12		NA								NA		NA		
To: US 29; 00-6747 RO RT 66 EAST																

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
29P Lee Highway SB	Arlington County	0.90	6200	G	98%	1%	1%	0%	0%	0%	F	0.150	F	6900	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	23000		G	98%	1%	1%	0%	0%	0%	F	0.092	F	0.884	25000	G
29 Ramp	Arlington County	0.15	7500	G									NA		7500	G
50 Arlington Blvd	Arlington County	2.03	59000	G	99%	0%	1%	0%	0%	0%	F	0.085	F	0.722	64000	G
50 Arlington Blvd	Arlington County	1.06	62000	G	99%	0%	1%	0%	0%	0%	F	0.089	F	0.608	67000	G
50 Arlington Blvd	Arlington County	1.93	60000	G	99%	0%	1%	0%	0%	0%	F	0.098	F	0.625	64000	G
East 66	Arlington County	0.24	65000	G	99%	1%	0%	0%	0%	0%	F	NA			70000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	130000		G	99%	1%	0%	0%	0%	0%	F	NA			139000	G
East 66	Arlington County	0.94	63000	G	99%	1%	0%	0%	0%	0%	F	0.07	F		69000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	117000		G	99%	1%	0%	0%	0%	0%	F	NA			126000	G
East 66	Arlington County	1.74	58000	G	99%	1%	0%	0%	0%	0%	F	0.064	F		63000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	114000		G	99%	1%	0%	0%	0%	0%	F	0.064	F	0.505	122000	G
East 66	Arlington County	0.56	44000	G	99%	1%	0%	0%	0%	0%	F	0.071	F		47000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	85000		G	99%	1%	0%	0%	0%	0%	F	0.068	F	0.55	91000	G
East 66	Arlington County	0.97	51000	A	99%	1%	0%	0%	0%	0%	C	0.074	A		54000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	98000		A	99%	1%	0%	0%	0%	0%	C	0.072	A	0.523	103000	A
East 66	Arlington County	1.05	45000	G	99%	1%	0%	0%	0%	0%	F	0.072	F		48000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	87000		G	99%	1%	0%	0%	0%	0%	F	0.066	F	0.561	93000	G
East 66	Arlington County	0.85	37000	G	99%	1%	0%	0%	0%	0%	F	0.074	F		40000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	71000		G	99%	1%	0%	0%	0%	0%	F	0.067	F	0.567	76000	G
	To Lynn St Rosslyn															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 66	Arlington County	0.50	51000	G	99%	1%	0%	0%	0%	0%	F	0.072	F	56000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	90000		G	99%	1%	0%	0%	0%	0%	F	0.071	F	0.536	97000 G	
East 66 Ramp	Arlington County	0.10	4100	G	99%	0%	0%	0%	0%	0%	C	0.080	F	4100	G	
East 66 Ramp	Arlington County	0.09	12000	G								0.079	F	12000	G	
East 66 Ramp	Arlington County	0.25	17000	G	99%	0%	0%	0%	0%	0%	C	0.076	F	17000	G	
East 66 Ramp	Arlington County	0.19	NA										NA		NA	
East 66 Ramp	Arlington County	0.12	NA										NA		NA	
East 66 26th St	Arlington County	0.13	NA										NA		NA	
West 66	Arlington County	0.37	65000	G	99%	1%	0%	0%	0%	0%	F	NA		70000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	130000		G	99%	1%	0%	0%	0%	0%	F	NA		139000	G	
West 66	Arlington County	0.81	53000	G	99%	1%	0%	0%	0%	0%	F	NA		57000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	117000		G	99%	1%	0%	0%	0%	0%	F	NA		126000	G	
West 66	Arlington County	1.70	56000	G	99%	1%	0%	0%	0%	0%	F	0.067	F	59000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	114000		G	99%	1%	0%	0%	0%	0%	F	0.064	F	0.505	122000 G	
West 66	Arlington County	0.61	41000	G	99%	1%	0%	0%	0%	0%	F	0.072	F	43000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	85000		G	99%	1%	0%	0%	0%	0%	F	0.068	F	0.55	91000 G	
West 66	Arlington County	1.02	47000	A	99%	1%	0%	0%	0%	0%	C	0.077	A	49000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	98000		A	99%	1%	0%	0%	0%	0%	C	0.072	A	0.523	103000 A	
	To:															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 66	Arlington County	0.98	42000	G	99%	1%	0%	0%	0%	0%	F	0.068	F	45000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	G	99%	1%	0%	0%	0%	0%	F	0.066	F	0.561	93000	G
West 66	Arlington County	0.87	34000	G	99%	1%	0%	0%	0%	0%	F	0.076	F	36000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		71000	G	99%	1%	0%	0%	0%	0%	F	0.067	F	0.567	76000	G
West 66	Arlington County	0.49	38000	G	99%	1%	0%	0%	0%	0%	F	0.077	F	41000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		90000	G	99%	1%	0%	0%	0%	0%	F	0.071	F	0.536	97000	G
West 66 Ramp	Arlington County	0.23	NA										NA		NA	
West 66 Ramp	Arlington County	0.12	NA										NA		NA	
West 66 15th Street N	Arlington County	0.14	NA										NA		NA	
West 66 Ramp	Arlington County	0.21	NA										NA		NA	
Expo 95 NB Express Lanes	City of Alexandria (Maint: 29)	0.95	NA										NA		NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA										NA		NA	
Expo 95 NB Express Lanes	City of Alexandria (Maint: 29)	0.87	NA										NA		NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA										NA		NA	
Exps 95 SB Express Lanes	City of Alexandria (Maint: 29)	0.80	NA										NA		NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA										NA		NA	
Exps 95 SB Express Lanes	City of Alexandria (Maint: 29)	0.95	NA										NA		NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA										NA		NA	
Exps 95 Ramp	City of Alexandria (Maint: 29)	0.65	NA										NA		NA	
	To:	Mill Rd														

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North  Capital Beltway	City of Alexandria (Maint: 29)	0.25	64000	G	95%	1%	1%	1%	2%	0%	F	NA	NA	NA	63000	G
	Combined Traffic Estimates for 4 Parallel Roadways on this Route:	136000	G	<i>Capital Beltway is also signed as I-495</i>												NA
<hr/>																
North  Capital Beltway	City of Alexandria (Maint: 29)	1.07	72000	G	92%	1%	1%	0%	6%	0%	F	NA	NA	NA	72000	G
	Combined Traffic Estimates for 4 Parallel Roadways on this Route:	150000	G	<i>Capital Beltway is also signed as I-495</i>												NA
<hr/>																
North  Exit 177 A B	City of Alexandria (Maint: 29)	0.11	NA													NA
North  Exit 177 A	City of Alexandria (Maint: 29)	0.09	NA													NA
North  Ramp	City of Alexandria (Maint: 29)	0.37	NA													NA
South  Capital Beltway	City of Alexandria (Maint: 29)	0.15	71000	G	92%	1%	1%	0%	7%	0%	F	NA	NA	NA	70000	G
	Combined Traffic Estimates for 4 Parallel Roadways on this Route:	136000	G	<i>Capital Beltway is also signed as I-495</i>												NA
<hr/>																
South  Capital Beltway	City of Alexandria (Maint: 29)	1.17	78000	G	92%	1%	1%	0%	7%	0%	F	NA	NA	NA	77000	G
	Combined Traffic Estimates for 4 Parallel Roadways on this Route:	150000	G	<i>Capital Beltway is also signed as I-495</i>												NA
<hr/>																
South  I-95 S Exit 177 A	City of Alexandria (Maint: 29)	0.17	NA													NA
South  I-95 S Exit 177 B C	City of Alexandria (Maint: 29)	0.08	NA													NA
South  I-95 S Exit 177 B	City of Alexandria (Maint: 29)	0.09	NA													NA
South  I-95 S Exit 177 C	City of Alexandria (Maint: 29)	0.10	NA													NA
	To:	Church St														NA

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
110 Jefferson Davis Hwy	Arlington County	1.29	79000	G	98%	1%	1%	0%	0%	0%	F	0.081	F	0.58	83000	G
110 Jefferson Davis Hwy	Arlington County	1.12	66000	G	98%	1%	1%	0%	0%	0%	C	0.075	F	0.631	70000	G
110 Ramp	Arlington County	0.05	NA											NA		NA
110 Ramp	Arlington County	0.05	NA											NA		NA
110 Ramp	Arlington County	0.15	22000	G	97%	1%	1%	1%	0%	0%	F	0.087	F		23000	G
120 Glebe Rd	Arlington County	2.49	15000	G	97%	1%	1%	1%	0%	0%	F	0.103	F	0.599	15000	G
120 Glebe Rd	Arlington County	0.55	21000	G	97%	1%	1%	1%	0%	0%	F	0.085	F	0.528	22000	G
120 Glebe Rd	Arlington County	0.93	24000	G	97%	1%	1%	1%	0%	0%	F	0.084	F	0.531	25000	G
120/237 Glebe Rd	Arlington County	0.25	33000	G	97%	1%	1%	1%	0%	0%	F	0.079	F	0.603	34000	G
120 Glebe Rd	Arlington County	1.13	30000	A	97%	1%	1%	1%	0%	0%	C	0.082	A	0.611	31000	A
120 Glebe Rd	Arlington County	0.86	40000	G	97%	1%	1%	1%	0%	0%	F	0.078	F	0.588	42000	G
120 Glebe Rd	Arlington County	1.24	29000	G	97%	1%	1%	1%	0%	0%	F	0.073	F	0.522	30000	G
120 Glebe Rd	Arlington County	0.92	33000	G	97%	1%	1%	1%	0%	0%	F	0.078	F	0.578	34000	G
120 Glebe Rd	Arlington County	0.73	28000	G	97%	1%	1%	1%	0%	0%	F	0.075	F	0.769	29000	G
120 Ramp	Arlington County	0.12	NA											NA		NA
120 Ramp	Arlington County	0.13	NA											NA		NA

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW							
							2Axle	3+Axle	1Trail	2Trail													
East 120 Ramp	Arlington County	From:	SR 120 TO RT 395 NORTH									NA	NA	NA	NA	NA							
		To:	0.15 NA																				
West 120 Ramp	Arlington County	From:	I-395-N FROM RT 120 EAST00- GLEBE ROAD									NA	NA	NA	NA	NA							
		To:	SR 120 TO RT 395 NORTH & SOUTH																				
West 120 Ramp	Arlington County	From:	SR 120-W007B TO RT 395 NORTH									NA	NA	NA	NA	NA							
		To:	I-395-S007X FROM RT 120 WEST00- GLEBE RO																				
West 120 Ramp	Arlington County	From:	SR 120-W007A TO RT 395 NORTH									NA	NA	NA	NA	NA							
		To:	I-395-N FROM RT 120 WEST00- GLEBE ROAD																				
123 Chain Bridge Rd	Arlington County	From:	Fairfax County Line									0%	0%	0%	F	0.098	F	0.587	14000	G			
		To:	DC Line, Chain Bridge																				
124 Spout Run Pkwy	Arlington County	From:	US 29 Lee Hwy									0%	0%	0%	C	0.09	F	0.611	15000	G			
		To:	Spout Run Parkway																				
233	Arlington County	From:	US 1 Jefferson Davis Hwy									0%	0%	0%	C	0.073	F	0.603	25000	G			
		To:	Reagan National Airport																				
236 Duke St	City of Alexandria (Maint: 29)	From:	Fairfax County Line									0%	0%	0%	N	0.083	N	0.527	39000	N			
		To:	WCL Alexandria																				
236 Duke St	City of Alexandria (Maint: 29)	From:	I-395									0%	0%	0%	F	NA			58000	G			
		To:	City of Alexandria																				
236 Duke St	City of Alexandria	From:	0.32 61000 F					98%	1%	1%		0%	0%	0%	F	0.074	F	0.551	65000	F			
		To:	SR 401 Van Dorn St																				
236 Duke St	City of Alexandria	From:	0.36 39000 F					98%	1%	1%		0%	0%	0%	F	0.075	F	0.538	41000	F			
		To:	N Pickett St																				
236 Duke St	City of Alexandria	From:	2.66 32000 F					98%	1%	1%		0%	0%	0%	C	0.076	F	0.534	35000	F			
		To:	SR 241 Telegraph Rd																				
236 Duke St	City of Alexandria	From:	1.26 22000 F					98%	1%	1%		0%	1%	0%	C	0.078	F	0.694	24000	F			
		To:	US 1 SB Henry St																				
236 Duke St	City of Alexandria	From:	0.24 9900 F					97%	1%	1%		0%	0%	0%	C	0.076	F	0.522	11000	F			
		To:	SR 400 Washington St																				
236 Ramp from Ramps from SR 236 EB and WB to I-395 N	Alexandria (Maint: 29)	From:	SR 236-E010B; SR 236-W010B									0.077	F	8700	F								
		To:	I-395 North																				

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 236 Ramp From SR 236 EB to I-395 NB and SB	City of Alexandria (Maint: 29)	0.05	19000	F	99%	1%	0%	0%	0%	0%	F	0.067	F	21000	F	
East 236 Ramp From SR 236 to I-395 SB	City of Alexandria (Maint: 29)	0.23	7100	F	99%	1%	0%	0%	0%	0%	F	0.073	F	7600	F	
East 236 Ramp	City of Alexandria (Maint: 29)	0.28	NA										NA		NA	
West 236 Ramp	City of Alexandria (Maint: 29)	0.13	7800	F								0.071	F	7800	F	
West 236 Ramp	City of Alexandria (Maint: 29)	0.14	11000	F								0.068	F	11000	F	
237 29 Lee Highway	Arlington County	0.11	25000	G	98%	1%	1%	0%	0%	0%	F	0.084	F	0.569	28000	G
237 Washington Blvd	Arlington County	0.23	13000	G	99%	1%	0%	0%	0%	0%	C	0.09	F		14000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000		G	99%	1%	0%	0%	0%	0%	C	0.085	F	0.512	29000	G
237 Washington Blvd	Arlington County	2.31	14000	G	98%	1%	1%	0%	0%	0%	C	0.11	F	0.574	15000	G
237 120 Glebe Rd	Arlington County	0.25	33000	G	97%	1%	1%	1%	0%	0%	F	0.079	F	0.603	34000	G
237 Fairfax Dr	Arlington County	0.91	19000	G	99%	1%	1%	0%	0%	0%	F	0.081	F	0.554	21000	G
237 10th St	Arlington County	0.83	14000	G	99%	1%	1%	0%	0%	0%	C	0.097	F	0.543	14000	G
237 29 Lee Highway	Arlington County	0.07	22000	N	98%	1%	1%	0%	0%	0%	N	0.101	N	0.529	25000	N
237 Washington Blvd	Arlington County	0.17	14000	G	99%	1%	0%	0%	0%	0%	C	0.093	F		15000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000		G	99%	1%	0%	0%	0%	0%	C	0.085	F	0.512	29000	G
241 Telegraph Rd	City of Alexandria (Maint: 29)	0.39	53000	N	98%	1%	1%	0%	0%	0%	N	NA			57000	N
241 Telegraph Rd	City of Alexandria	0.21	51000	G	98%	1%	1%	0%	0%	0%	F	NA			54000	G

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
244 Columbia Pike	Arlington County	From: 0.37 To: SR 27; Pentagon Rd	State Maintenance Boundary	11000	N	97%	1%	1%	0%	0%	0%	N	0.095	N	0.609	12000	N
309 Old Dominion Dr	Arlington County	From: 1.18 To: SR 120 Glebe Rd	Fairfax County Line	17000	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.506	18000	G
309 Old Dominion Dr	Arlington County	From: 0.59 To: US 29 Lee Hwy	SR 120 Glebe Rd	13000	G	98%	1%	1%	0%	0%	0%	C	0.118	F	0.673	14000	G
309 29 Old Dominion Dr	Arlington County	From: 0.05 To: US 29 Old Dominion Dr, Wakefield St	US 29 Lee Hwy	32000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.705	36000	G
309 Lee Highway	Arlington County	From: 0.70 To: US 29 Lee Hwy, Quincy St	US 29 Old Dominion Dr, Wakefield St	6800	G	98%	1%	1%	0%	0%	0%	F	0.115	F	0.718	7200	G
ExPN 395 Northbound Express Lane	Arlington County	From: 1.21 To: District of Columbia Line	Reversible Lane Split	22000	G	98%	1%	0%	0%	0%	0%	F	0.127	F		29000	G
Combined Traffic Estimates for 4 Parallel Roadways on this Route: 153000 G																174000	G
ExPN 395 Ramp	Arlington County	From: 0.10 To: 00-6723; 00-6723- 1A FROM & TO RT 39	I-395-1 TO PENTAGON & EADS ST-BUSES ONL	NA								NA		NA		NA	NA
ExpS 395 Southbound Express Lane	Arlington County	From: 1.21 To: District of Columbia Line	Reversible Lane Split	30000	G	98%	1%	0%	0%	0%	0%	F	0.100	F		39000	G
Combined Traffic Estimates for 4 Parallel Roadways on this Route: 153000 G																174000	G
ExpS 395 Ramp	Arlington County	From: 0.03 To: I-395-S FROM RT 395 SO EXPRESS	I-395-3 TO RT 395 SOUTH	NA								NA		NA		NA	NA
ExpS 395 Ramp	Arlington County	From: 0.12 To: 00-6723 PENTAGON ROTARY ROADWAY FROM R	I-395-3 TO PENTAGON & EADS ST-BUSES ONL	NA								NA		NA		NA	NA
North 395	City of Alexandria (Maint: 29)	From: 0.21 To: SR 236 Duke St	Fairfax County Line	76000	B	97%	1%	1%	1%	1%	0%	C	0.078	A		79000	B
Combined Traffic Estimates for 3 Parallel Roadways on this Route: 181000 B																195000	B
North 395	City of Alexandria (Maint: 29)	From: 1.64 To: Seminary Rd	SR 236 Duke St	80000	G	97%	1%	1%	1%	1%	0%	F	NA			82000	G
Combined Traffic Estimates for 3 Parallel Roadways on this Route: 190000 G																205000	G
North 395	City of Alexandria (Maint: 29)	From: 1.11 To: SR 7 King St, Arlington County Line	Seminary Rd	80000	G	97%	1%	1%	1%	1%	0%	F	NA			83000	G
Combined Traffic Estimates for 3 Parallel Roadways on this Route: 189000 G																204000	G

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
 North 395	Arlington County	0.77	92000	G	97%	1%	1%	1%	1%	0%	F	0.078	F	96000	G	
Combined Traffic Estimates for 3 Parallel Roadways on this Route: 210000 G 97% 1% 1% 1% 1% 1% 0% F 0.071 F 0.555 228000 G																
 North 395	City of Alexandria (Maint: 00)	0.26	92000	G	97%	1%	1%	1%	1%	1%	F	0.078	F	96000	G	
Combined Traffic Estimates for 3 Parallel Roadways on this Route: 213000 G 97% 1% 1% 1% 1% 1% 0% F NA 232000 G																
 North 395	Arlington County	0.15	92000	G	97%	1%	1%	1%	1%	1%	F	0.078	F	96000	G	
Combined Traffic Estimates for 3 Parallel Roadways on this Route: 213000 G 97% 1% 1% 1% 1% 1% 0% F NA 232000 G																
 North 395	Arlington County	1.20	86000	G	97%	1%	1%	1%	1%	1%	F	0.088	F	90000	G	
Combined Traffic Estimates for 3 Parallel Roadways on this Route: 202000 G 97% 1% 1% 1% 1% 1% 0% F 0.072 F 0.733 220000 G																
 North 395	Arlington County	1.42	49000	G	97%	1%	1%	1%	1%	1%	F	0.082	F	51000	G	
Combined Traffic Estimates for 4 Parallel Roadways on this Route: 153000 G 98% 1% 0% 1% 1% 1% 0% F NA 174000 G																
 North 395	Arlington County	0.55	55000	G	97%	1%	1%	1%	1%	1%	F	0.071	F	57000	G	
Combined Traffic Estimates for 4 Parallel Roadways on this Route: 174000 G 98% 1% 1% 1% 1% 1% 0% F NA 196000 G																
 North 395	Arlington County	0.02	55000	N	97%	1%	1%	1%	1%	1%	N	0.071	N	57000	N	
Combined Traffic Estimates for 4 Parallel Roadways on this Route: 174000 N 98% 1% 1% 1% 1% 1% 0% N NA 196000 N																
 North 395	George Washington Parkway	District of Columbia Line														
 North 395	City of Alexandria (Maint: 29)	0.20	NA													
 North 395	City of Alexandria (Maint: 29)	0.13	NA													
 North 395	City of Alexandria (Maint: 29)	0.18	NA													
 North 395	SR 420-E000X RT 395 N & RT 420 EAST COLL															
 North 395	City of Alexandria (Maint: 29)	0.06	NA													
 North 395	I-395-N FROM RT 42000- SEMINARY ROAD															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 395 Ramp	City of Alexandria (Maint: 00)	From: I-395-N TO RT 7 EAST & WEST00- KING ST To: I-395-N005B TO RT EAST & WEST00- KING ST	0.30	NA								NA		NA		
North 395 Ramp	City of Alexandria (Maint: 00)	From: I-395-N005A TO RT EAST & WEST00- KING ST To: I-395-N005A TO RT EAST & WEST00- KING ST	0.27	NA								NA		NA		
North 395 Ramp	City of Alexandria (Maint: 00)	From: I-395-N TO RT 402 NORTH & SOUTH00- QUAKE To: SR 402; 1SR 402-P FROM RT 395 NORTH	0.07	NA								NA		NA		
North 395 Ramp	City of Alexandria (Maint: 00)	From: I-395-N006B TO RT 402 NORTH00- QUAKER LA To: SR 402; 1SR 402-P FROM RT 395 NORTH	0.14	NA								NA		NA		
North 395 Ramp	City of Alexandria (Maint: 00)	From: I-395-N006A TO RT 402 NORTH00- QUAKER Lane To: SR 402 JB--100 BUS RAMP TO&FROM REV. L	0.30	NA								NA		NA		
North 395 Ramp	Arlington County	From: I-395-N TO RT 12000- GLEBE ROAD To: SR 120; 27TH STREET FROM RT 395 NORTH	0.12	NA								NA		NA		
North 395 Ramp	Arlington County	From: I-395-N TO RT 120 WEST00- GLEBE ROAD To: SR 120 FROM RT 395 NORTH	0.11	NA								NA		NA		
North 395 Ramp	Arlington County	From: I-395-N TO RT 27 WEST & ARMY NAVY DRIVE To: 00-6624-N000A FROM ARLINGTON RIDGE ROAD	0.17	NA								NA		NA		
North 395 Ramp	Arlington County	From: I-395-N008D TO ARMY NAVY DRIVE To: SR 27-W FROM RT 395 NORTH & ARLINGTON R	0.12	NA								NA		NA		
North 395 Ramp	Arlington County	From: N ROLFE STREET To: SR 27-E FROM RT 395 NORTH	0.17	NA								NA		NA		
North 395 Ramp	Arlington County	From: I-395 North To: SR 27-E001C FROM RT 27 EAST	0.25	NA								NA		NA		
North 395 Ramp	Arlington County	From: I-395 North To: SR 27-E001C FROM RT 27 EAST	0.14	9300	G							0.098	F	9300	G	
North 395 Ramp	Arlington County	From: SR 27-E001C FROM RT 27 EAST To: 00-6605; 00-6606; 00-6605- 2A FRO	0.18	NA								NA		NA		
North 395 Ramp	Arlington County	From: I-395-N008A TO ARMY NAVY DRIVE To: SR 27-E001B FROM RT 395 NORTH & ARLINGT	0.08	NA								NA		NA		

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 395 Ramp	Arlington County	From: 0.11 To: I-395-N TO RT 395 NO EXPRESS	NA								NA		NA			
North 395 Ramp	Arlington County	From: 0.01 To: I-395-N TO BNDY CHAN & GW MEM PKWY & BU	NA								NA		NA			
North 395 Ramp	Arlington County	From: 0.01 To: I-395-N010D BUS RAMPBARRICADED	NA								NA		NA			
North 395 Ramp	Arlington County	From: 0.09 To: I-395-N010B TO GEORGE WASHNGTN MEM PKWY	NA								NA		NA			
North 395 Ramp	Arlington County	From: 0.11 To: BOUNDARY CHANNEL DRIVE BOUNDARY CHANNEL CR	NA								NA		NA			
North 395 Ramp	Arlington County	From: 0.07 To: I-395-N TO GEO WASH MEM PKWY NORTH	NA								NA		NA			
North 395 Ramp	Arlington County	From: 0.06 To: GEO WASH MEM PKWY FROM RT 395 NORTH	NA								NA		NA			
Rev 395	City of Alexandria (Maint: 29)	From: 2.19 To: Fairfax County Line	28000	A	98%	1%	0%	0%	0%	0%	C	0.123	A	36000	A	
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	181000	B	97%	1%	1%	1%	1%	0%	C	NA		195000	B	
Rev 395	City of Alexandria (Maint: 29)	From: 0.71 To: Seminary Rd	29000	G	98%	1%	0%	0%	0%	0%	F	NA		38000	G	
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	189000	G	97%	1%	1%	1%	1%	0%	F	NA		204000	G	
Rev 395	Arlington County	From: 0.77 To: SR 7; Arlington County Line	29000	G	98%	1%	0%	0%	0%	0%	F	NA		38000	G	
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	210000	G	97%	1%	1%	1%	1%	0%	F	NA		228000	G	
Rev 395	City of Alexandria (Maint: 00)	From: 0.26 To: Quaker Lane; WCL Alexandria	33000	G	98%	1%	0%	0%	0%	0%	F	0.088	F	43000	G	
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	213000	G	97%	1%	1%	1%	1%	0%	F	NA		232000	G	
Rev 395	Arlington County	From: 2.13 To: Arlington County Line	33000	G	98%	1%	0%	0%	0%	0%	F	0.088	F	43000	G	
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	213000	G	97%	1%	1%	1%	1%	0%	F	NA		232000	G	
		To: Reversible Lane Split North of Washington Blvd														

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
 South 395	City of Alexandria (Maint: 29)	0.71	77000	A	97%	1%	1%	1%	1%	0%	C	0.083	A	80000	A	
																195000 B
 South 395	City of Alexandria (Maint: 29)	1.44	82000	G	97%	1%	1%	1%	1%	0%	F	NA		86000	G	
																205000 G
 South 395	City of Alexandria (Maint: 29)	0.75	79000	G	97%	1%	1%	1%	1%	0%	F	NA		83000	G	
																204000 G
 South 395	Arlington County	0.77	89000	G	97%	1%	1%	1%	1%	0%	F	0.077	F	93000	G	
																228000 G
 South 395	City of Alexandria (Maint: 00)	0.26	89000	G	97%	1%	1%	1%	1%	0%	F	0.077	F	93000	G	
																232000 G
 South 395	Arlington County	0.52	89000	G	97%	1%	1%	1%	1%	0%	F	0.077	F	93000	G	
																232000 G
 South 395	Arlington County	0.74	83000	G	97%	1%	1%	1%	1%	0%	F	0.079	F	87000	G	
																220000 G
 South 395	Arlington County	1.56	52000	G	97%	1%	1%	1%	1%	0%	F	0.077	F	55000	G	
																174000 G
 South 395	Arlington County	0.52	67000	G	97%	1%	1%	1%	1%	0%	F	0.065	F	70000	G	
																196000 G
 South 395 Ramp	City of Alexandria (Maint: 29)	0.11	NA											NA	NA	
 South 395 Ramp	City of Alexandria (Maint: 29)	0.44	NA											NA	NA	
 South 395 Ramp	City of Alexandria (Maint: 29)	0.42	NA											NA	NA	

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 395 Ramp	Arlington County	From: To:	I-395-S TO RT 7 EAST & WEST-KING ST											NA	NA	
			0.12	NA												
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	CL Alexandria											NA	NA	
			0.29	NA												
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	Arlington County Line											NA	NA	
			I-395-S005B JB-100 TO RT 07-WEST&EAST-KI													
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	I-395-S005A JB-100 TO RT 07-WEST&EAST-KI											NA	NA	
			0.13	NA												
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	I-395-S007X TO SHIRLINGTON CIRCLE00- SOU											NA	NA	
			I-395-S005A JB-100 TO RT 07-WEST&EAST-KI													
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	ISR 402-P; 00-1250 JB-100 FROM RT											NA	NA	
			I-395-S007X TO SHIRLINGTON CIRCLE00- NOR													
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	00-6714; 00-6718 FROM RT 395 SOUTH											NA	NA	
			I-395-S007X TO RT 120 NORTH00- GLEBE ROA													
South 395 Ramp	Arlington County	From: To:	I-395-S BEGIN COLLECTOR ROAD											NA	NA	
			0.10	NA												
South 395 Ramp	Arlington County	From: To:	I-395-S007A TO RT 120 NORTH00- GLEBE ROA											NA	NA	
			0.10	NA												
South 395 Ramp	Arlington County	From: To:	SR 120-W007A FROM RT 120 WEST00- GLEBE RO											NA	NA	
			0.06	NA												
South 395 Ramp	Arlington County	From: To:	SR 120-W007A FROM RT 120 WEST00- GLEBE RO											NA	NA	
			I-395-S007A TO RT 120 NORTH00- GLEBE ROA													
South 395 Ramp	Arlington County	From: To:	SR 120-E007A FROM RT 120 EAST00- GLEBE RO											NA	NA	
			0.13	NA												
South 395 Ramp	Arlington County	From: To:	SR 120-E007A FROM RT 120 EAST00- GLEBE RO											NA	NA	
			0.23	NA												
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	JB--100 WCL ALEXANDRIA											NA	NA	
			0.01	NA												
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	I-395-S006B TO SHIRLINGTON CIRCLE00- NOR											NA	NA	
			0.09	NA												
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	I-395-S006A TO SHIRLINGTON CIRCLE00- SOU											NA	NA	
			0.01	NA												
South 395 Ramp	City of Alexandria (Maint: 00)	From: To:	I-395-S END COLL ROAD FROM RT 120 SHIRL											NA	NA	
			I-395-S END COLL ROAD FROM RT 120 SHIRL													
South 395 Ramp	Arlington County	From: To:	I-395 South											0.091	F	
			0.13	21000	G											
South 395 Ramp	Arlington County	From: To:	I-395-S008D TO PENTAGON ROTARY ROAD											NA	NA	
			0.18	NA												
South 395 Ramp	Arlington County	From: To:	00-6605- 2B FROM ARMY NAVY DRIVE & HAYE											NA	NA	

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
South 395 Ramp	Arlington County	From: 00-6605- 2B FROM ARMY NAVY DRIVE & HAYE To: SR 27-W FROM RT 395 SOUTH	0.30	NA								NA		NA			
South 395 Ramp	Arlington County	From: I-395-S TO RT 110 NORTH To: SR 110 FROM RT 395 SOUTH	0.09	NA								NA		NA			
395 1 Ramp	Arlington County	From: I-395-SB To: SR 110, US 1	0.29	20000	G	98%	1%	1%	0%	0%	0%	F	0.07	F	22000	G	
South 395 Ramp	Arlington County	From: I-395-S008A TO PENTAGON ROTARY ROAD To: PENTAGON ROTARY ROAD FROM RT 395 SOUTH	0.11	NA								NA		NA			
South 395 Ramp	Arlington County	From: I-395-S TO CLARK ST VIA BNDY CHAN DR To: BOUNDARY CHANNEL DRIVE FROM RT 395 SOUTH	0.08	NA								NA		NA			
South 395 Ramp	Arlington County	From: I-395-S I-395-S010D TO BNDY CHAN To: BOUNDARY CHANNEL DRIVE FROM RT 395 SOUTH	0.08	NA								NA		NA			
South 395 Ramp	Arlington County	From: I-395-S TO GEO WASH MEM PKWY SOUTH To: GEO WASH MEM PKWY FROM RT 395 SOUTH	0.08	NA								NA		NA			
South 395 Ramp	Arlington County	From: I-395-S JB-DC TO GEO WASH MEM PKWY @ DC To: GEO WASH MEM PKWY FROM RT 395 SOUTH	0.10	NA								NA		NA			
South 395 Ramp	Arlington County	From: I-395-S I-395-S010A TO BNDY CHAN To: I-395-S; 00-99015-N000A RAMP HOV-3 Lane	0.03	NA								NA		NA			
400 90005 Washington St	City of Alexandria	From: George Washington Memorial Parkway SCL Alexandria To: SR 236 Duke St	0.91	29000	F	98%	1%	0%	0%	0%	0%	C	0.104	F	0.793	31000	F
400 90005 Washington St	City of Alexandria	From: SR 236 Duke St To: Queen St	0.32	31000	F	98%	1%	0%	0%	0%	0%	F	0.083	F	0.846	33000	F
400 90005 Washington St	City of Alexandria	From: Queen St To: Madison St	0.39	32000	G	98%	1%	0%	0%	0%	0%	F	NA			34000	G
400 90005 Washington St	City of Alexandria	From: Madison St To: 1st Street; George Washington Memorial Parkway	0.17	34000	F	98%	1%	0%	0%	0%	0%	F	0.087	F	0.604	36000	F
401 Van Dorn St	City of Alexandria	From: SCL Alexandria To: Edsall Rd	0.62	50000	F	97%	0%	1%	1%	0%	0%	F	0.078	F	0.546	53000	F
401 Van Dorn St	City of Alexandria	From: Edsall Rd To: SR 236 Duke St	0.43	35000	F	97%	0%	1%	1%	0%	0%	C	0.076	F	0.520	38000	F

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW								
							2Axle	3+Axle	1Trail	2Trail														
401 Van Dorn St	City of Alexandria	From: SR 236 Duke St To: Seminary Ave	1.56	23000 F	99%	0%	1%	0%	0%	0%	C	0.095	F	0.684	25000	F								
402 Quaker Lane	City of Alexandria	From: SR 420 Seminary Rd To: SR 7 King St	0.69	20000 F	98%	1%	1%	0%	0%	0%	F	0.086	F	0.534	21000	F								
402 Quaker Lane	City of Alexandria	From: SR 7 King St To: I-395	0.96	21000 F	98%	1%	1%	0%	0%	0%	C	0.093	F	0.568	22000	F								
402 Ramp	City of Alexandria (Maint: 00)	From: SR 402 TO RT 395 NORTH To: I-395-N FROM RT 402 NORTH00- QUAKER LANE	0.12	NA									NA			NA								
													NA			NA								
402 Ramp	City of Alexandria (Maint: 00)	From: ISR 402-P TO RT 395 SOUTH To: I-395-S FROM RT 402 NORTH & SOUTH00- SHI	0.16	NA									NA			NA								
													NA			NA								
North 402 Ramp	City of Alexandria (Maint: 00)	From: SR 402; 00-6714 TO SHIRLINGTON CIRCLE To: 00-1250 FROM SHIRLINGTON CIRCLE NORTH	0.04	NA									NA			NA								
													NA			NA								
402 Ramp	City of Alexandria (Maint: 00)	From: ISR 402-P Gap CONNECTOR TO SHIR To: SR 402 Gap FROM SHIRLINGTON CIR	0.07	NA									NA			NA								
													NA			NA								
420 Seminary Rd	City of Alexandria	From: I-395 Shirley Hwy, 100-6706 To: SR 402 Quaker Lane	1.72	16000 F	98%	1%	1%	0%	0%	0%	C	0.089	F	0.62	17000	F								
													NA			NA								
420 Janneys Lane	City of Alexandria	From: SR 402 Quaker Lane To: SR 7 King St	1.03	6700 F	98%	1%	1%	0%	0%	0%	F	0.126	F	0.634	7100	F								
													NA			NA								
420 Ramp	City of Alexandria (Maint: 29)	From: SR 420 To: I-395 R	0.17	2200 F									0.131 F			2200 F								
													NA			NA								
East 420	Arlington County	From: SR-00420-E000X(B)/SPLIT OF RAMP FROM RT 6706 To: IS-00395-S004X(L)/RAMP FROM RT 6706/SR420	0.05	NA									NA			NA								
													NA			NA								
East 420 Ramp	City of Alexandria (Maint: 29)	From: SR 420; 100-6706 SR 420-W000X CO To: I-395-S004X RT 395 S & RT 420 EAST COLL	0.12	NA									NA			NA								
													NA			NA								
East 420 Ramp	City of Alexandria (Maint: 29)	From: I-395-S004X RT 395 S & RT 420 EAST COLL To: I-395-N004X RT 395 N & RT 420 EAST COLL	0.06	NA									NA			NA								
													NA			NA								
East 420 Ramp	City of Alexandria (Maint: 29)	From: I-395-N004X RT 395 N & RT 420 EAST COLL To: SR 420 SR 420-W000X COLLECTOR ROADS	0.10	NA									NA			NA								
													NA			NA								

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 420 Ramp	City of Alexandria (Maint: 29)	0.08	NA									NA		NA		
	From: SR 420 SR 420-E000X COLLECTOR ROADS															
West 420 Ramp	City of Alexandria (Maint: 29)	0.03	NA									NA		NA		
	To: I-395-N004X RT 395 N & RT 420 WEST COLL															
West 420 Ramp	City of Alexandria (Maint: 29)	0.03	NA									NA		NA		
	From: SR 420- A TO & FROM REVERSIBLE LANE															
West 420 Ramp	City of Alexandria (Maint: 29)	0.11	NA									NA		NA		
	To: I-395-S004X RT 395 S & RT 420 WEST COLL															
90005 400 Washington St	City of Alexandria	0.91	29000	F	98%	1%	0%	0%	0%	0%	C	0.104	F	0.793	31000	F
	From: SCL Alexandria															
90005 400 Washington St	City of Alexandria	0.32	31000	F	98%	1%	0%	0%	0%	0%	F	0.083	F	0.846	33000	F
	To: SR 236 Duke St															
90005 400 Washington St	City of Alexandria	0.39	32000	G	98%	1%	0%	0%	0%	0%	F	NA			34000	G
	From: Queen St															
90005 400 Washington St	City of Alexandria	0.17	34000	F	98%	1%	0%	0%	0%	0%	F	0.087	F	0.604	36000	F
	To: Madison St															
90005 George Washington Memorial Parkway	City of Alexandria (Maint: US)	1.81	49000	O								NA		NA		
	From: 1st Street															
90005 George Washington Memorial Parkway	Arlington County (Maint: US)	5.56	62000	O								NA		NA		
	To: NCL Alexandria															
90005 George Washington Memorial Parkway	Arlington County (Maint: US)	3.10	71000	O								NA		NA		
	From: 00-6741 Spout Run Parkway															
	To: Fairfax County Line															

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(244) 23 Columbia Pike	1.67	27000	G	97%	1%	1%	0%	0%	0%	C	0.081	F	0.54	29000	G	2012
From: Fairfax County Line																
(244) 23 Columbia Pike	1.03	26000	G	97%	1%	1%	0%	0%	0%	F	0.095	F	0.788	28000	G	2012
From: SR 120 Glebe Rd																
(244) 23 Columbia Pike	0.60	11000	G	97%	1%	1%	0%	0%	0%	F	0.095	F	0.609	12000	G	2012
From: SR 27 W, Washington Blvd																
(244) 23 Columbia Pike	0.51	2400	G	97%	2%	1%	0%	0%	0%	C	0.114	F	0.805	2500	G	2012
From: N Rolfe St																
(F699)																
To: 00-6747; 00-6852 RAMP TO RT 50																
(F700) Arlington Blvd Frontage	0.15	50	R											NA		11/09/2010
From: SR 237 10th Street																
(F702)	0.31	430	G											0.126	F	0.541
From: N Filmore St																
To: 00-6700 Washington Blvd																
(F703)	0.47	470	G											0.107	F	0.563
From: S FENWICK STREET																
To: 00-5; 00-18 WALTER REED DR																
(F704)	0.03	10	G											0.333	F	0.625
From: N IRVING STREET																
To: SR 237 10th Street																
(F705)	0.05	90	G											0.134	F	0.64
From: SR 237 10th Street																
To: S HUDSON STREET																
(F706) US 50 Arlington Blvd Frontage	0.24	420	G											0.136	F	0.767
From: Old Glebe Rd																
To: US 50 Arlington Blvd																
(F707) Arlington Blvd Frontage	0.19	560	G											0.117	F	560
From: N Pershing Dr																
To: George Mason Dr																
(F707) Arlington Blvd Frontage	0.24	1200	G											0.177	F	1200
From: N Thomas St																
(F708)	0.67	970	G											0.194	F	0.984
From: Dead End																
To: Dead End																
(F710) Arlington Blvd Frontage	0.17	180	G											0.184	F	0.855
From: N Park Dr																
To: N Henderson Rd																
(F710) Arlington Blvd Frontage	0.22	330	G											0.101	F	330
From: N Pershing Dr																
(F711) Arlington Blvd Frontage	0.09	320	G											0.117	F	320
From: N Edison St																
To: N Columbus St																
(F712) Arlington Blvd Frontage	0.53	1600	G											0.104	F	1600
From: Fairfax County Line																
To: S Lexington St																
(F713) Arlington Blvd Frontage	0.18	1300	G											0.154	F	0.852
From: Fairfax County Line																
To: N Manchester Street																
(F714) SR 120, S Glebe Rd Frontage	0.22	430	G											0.124	F	430
From: SR 120, S Glebe Rd, W Glebe Rd, Four Mile Run Dr																
To: S Troy St																
(1) 20th St	0.05	6500	G	97%	1%	1%	0%	0%	0%	F	0.083	F	0.567	6900	G	2012
From: US 1 Jefferson Davis Hwy																

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(1) 20th St	0.15	5000	G	97%	1%	1%	0%	0%	0%	C	0.104	F	0.820	5300	G	2012
			From:	US 1 Jefferson Davis Hwy								To:	Crystal Dr			
(2) 26th St	0.07	2500	G	90%	4%	5%	1%	0%	0%	C	0.107	F	0.876	2600	G	2012
			From:	00-6587 Clark St								To:	00-6724 Crystal Dr			
(3) 27th St	0.09	3700	G	94%	3%	2%	0%	0%	0%	F	0.112	F	0.756	4000	G	2012
			From:	US 1 Jefferson Davis Hwy								To:	00-6724 Crystal Dr			
(4) Clarendon Blvd	0.78	13000	G	96%	1%	2%	0%	0%	0%	C	0.097	F		14000	G	2012
			From:	00-6700 Washington Blvd								To:	00-6812 Courthouse Rd			
(5) Courthouse Rd	0.58	5600	G	94%	2%	3%	1%	0%	0%	C	0.088	F	0.646	6000	G	2012
			From:	SR 244 Columbia Pike								To:	FR-703; Walter Reed Dr			
(7) Columbus St	0.12	1200	G	98%	0%	1%	1%	0%	0%	C	0.085	F	0.755	1200	G	2012
			From:	30th St								To:	31st St			
(8) Fairfax Dr	0.38	32000	G	99%	0%	0%	0%	0%	0%	C	0.070	F	0.509	34000	G	2012
			From:	I-66								To:	SR 120; SR 237 Fairfax Dr E			
West																
(8) Ramp	0.36	17000	G								NA			17000	G	2012
			From:	00-8 I-66-E071A FROM RT 66 EAST								To:	00-8 I-66-E071A FROM RT 66 EAST			
(9) Harrison St	0.30	7500	G	99%	0%	0%	0%	0%	0%	F	0.083	F	0.542	8000	G	2012
			From:	00-6809 Patrick Henry Dr								To:	US 29 Lee Hwy			
(9) Harrison St	0.30	9600	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.522	10000	G	2012
			From:	27th St								To:	Williamsburg Blvd			
(10) Little Falls Rd	0.25	3600	G	99%	0%	1%	0%	0%	0%	C	0.108	F	0.587	3800	G	2012
			From:	00-6771 Yorktown Blvd								To:	00-6626, N George Mason Dr			
(11) S Manchester St	0.15	8500	G	99%	0%	0%	0%	0%	0%	C	0.09	F	0.621	9100	G	2012
			From:	Fairfax County Line								To:	US 50 Arlington Blvd			
(12) Memorial Dr	0.39	13000	G	99%	0%	1%	0%	0%	0%	F	0.111	F	0.791	14000	G	2012
			From:	SR 110								To:	District of Columbia Line			
(13) Nash St	0.11	6200	G	96%	1%	1%	1%	1%	0%	F	0.088	F	0.671	6600	G	2012
			From:	00-6608 Wilson Blvd								To:	00-6744 Key Blvd			
(13) Nash St	0.14	2300	G	96%	1%	1%	1%	1%	0%	C	0.116	F	0.817	2500	G	2012
			From:	US 29												
(14) Pierce St	0.07	5700	G	98%	2%	1%	0%	0%	0%	F	0.103	F	0.581	6000	G	2012
			From:	00-6812 Clarendon Blvd								To:	00-6608 Wilson Blvd			
(15) Quinn St	0.25	4300	G	96%	1%	1%	1%	1%	0%	F	0.112	F	0.617	4600	G	2012
			From:	Key Blvd												
(16) Randolph St	0.19	9800	G	94%	3%	2%	0%	0%	0%	C	0.093	F	0.598	10000	G	2012
			From:	SR 120, N Glebe Rd								To:	00-6608 Wilson Blvd			
(16) Randolph St	0.18	6200	G	94%	3%	2%	0%	0%	0%	F	0.098	F	0.528	6600	G	2012
			From:	SR 237 Fairfax Dr								To:				

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(17) Stuart St	0.07	5300	G	96%	1%	1%	1%	1%	0%	F	0.094	F	0.565	5600	G	2012
			From:	00-6608 Wilson Blvd												
			To:	00-6753, 9 th Street												
(19) Washington Blvd	0.42	2400	G	98%	0%	1%	0%	0%	0%	C	0.137	F		2600	G	2012
			From:	00-6780 Westmoreland St												
			To:	SR 237 P; US 29 Lee Hwy												
West (19) Ramp	0.10	NA	From:	00-19 TO RT 66 WEST								NA		NA		
			To:	I-66-W FROM WASHINGTON BOULEVARD												
(20) Monroe St	0.10	3200	G	97%	1%	1%	0%	0%	0%	C	0.110	F	0.616	3400	G	2012
			From:	00-6608 Wilson Blvd												
			To:	SR 237 Fairfax Dr												
(20) Monroe St	0.20	3600	G	98%	1%	1%	0%	0%	0%	C	0.1	F	0.592	3800	G	2012
			From:	SR 237												
			To:	00-6700 Washington Blvd												
(21) 19th St	0.15	8900	G	96%	1%	2%	0%	0%	0%	F	0.097	F	0.605	9500	G	2012
			From:	00-6746 Ft Myer Dr												
			To:	Kent St												
(23) Columbia Pike	1.67	27000	G	97%	1%	1%	0%	0%	0%	C	0.081	F	0.54	29000	G	2012
			From:	Fairfax County Line												
			To:	SR 120 Glebe Rd												
(23) Columbia Pike	1.03	26000	G	97%	1%	1%	0%	0%	0%	F	0.095	F	0.788	28000	G	2012
			From:	SR 27 W, Washington Blvd												
(23) Columbia Pike	0.60	11000	G	97%	1%	1%	0%	0%	0%	F	0.095	F	0.609	12000	G	2012
			From:	State Maintenance Boundary												
(25) Park Dr	0.17	1300	G	99%	0%	1%	0%	0%	0%	C	0.084	F	0.570	1400	G	2012
			From:	00-6710 George Mason Dr												
			To:	00-6811 Carlin Springs Rd												
(27) N Pollard St	0.33	NA	From:	Cul-de-Sac								NA		NA		
			To:	Wilson Blvd												
(1250) Shirlington Circle	0.13	20000	G	96%	2%	1%	0%	0%	0%	C	0.094	F		21000	G	2012
			From:	I-395; SR 402 Par												
			To:	00-6714 Shirlington Rd												
(6587) Old Jefferson Davis Hwy	1.73	2900	G	95%	2%	1%	1%	0%	0%	C	0.125	F	0.813	3100	G	2012
			From:	14th Rd												
			To:	Dead End												
(6591) Arlington Ridge Rd	1.20	13000	G	97%	2%	0%	0%	0%	0%	C	0.111	F	0.736	13000	G	2012
			From:	NCL Alexandria												
			To:	S Lynn Street												
(6591) S Lynn St	0.32	2400	G	97%	2%	0%	0%	0%	0%	F	0.111	F	0.785	2600	G	2012
			From:	Arlington Ridge Rd												
			To:	Army Navy Dr												
(6602) West Glebe Rd	0.10	17000	G	98%	0%	1%	1%	0%	0%	F	0.075	F	0.621	19000	G	2012
			From:	100-6602 ; NCL Alexandria												
			To:	SR 120, S Glebe Rd												
(6605) Adams St; Army Navy Dr	0.42	4100	G	96%	0%	3%	0%	0%	0%	F	0.122	F	0.805	4400	G	2012
			From:	26th Street												
			To:	28th Street												
(6605) Army Navy Dr	1.50	5100	G	96%	0%	3%	0%	0%	0%	C	0.122	F	0.793	5400	G	2012
			From:	I-395; S Hayes St												
			To:	12th St												
(6605) Army Navy Dr	0.45	7700	G	96%	0%	3%	0%	0%	0%	F	0.099	F	0.745	8200	G	2012
			From:	00-6605; 00-6606 I-395-N008C FRO												
			To:	00-6605- 2B TO RT 27 WEST												
(6605) Ramp	0.17	NA								NA				NA		
			From:													
			To:													

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(6605) Ramp	0.13	NA				From: 00-6605- 2B TO RT 27 WEST				NA				NA		
(6605) Ramp	0.03	NA				To: I-395-S FROM ARMY NAVY DRIVE & HAYES ST				NA				NA		
(6606) 18th St	0.37	12000	G	97%	1%	2%	0%	0%	0%	F	0.088	F	0.538	12000	G	2012
(6606) Hayes St	0.66	12000	G	97%	1%	2%	0%	0%	0%	C	0.092	F	0.522	13000	G	2012
(6608) Wilson Blvd	0.56	16000	G	96%	2%	1%	0%	1%	0%	F	0.096	F	0.581	17000	G	2012
(6608) Wilson Blvd	0.89	15000	G	96%	2%	1%	0%	1%	0%	F	0.105	F	0.608	16000	G	2012
(6608) Wilson Blvd	0.41	15000	G			From: N George Mason Dr				0.095	F	0.662	16000	G	2012	
(6608) Wilson Blvd	0.92	17000	G	96%	2%	1%	0%	1%	0%	C	0.086	F	0.553	18000	G	2012
(6608) Wilson Blvd	0.14	18000	G	96%	2%	1%	0%	1%	0%	F	0.078	F	0.502	19000	G	2012
(6608) Wilson Blvd	1.45	11000	G	96%	2%	1%	0%	1%	0%	F	0.096	F		12000	G	2012
(6608) Wilson Blvd	0.28	17000	G	96%	2%	1%	0%	1%	0%	F	0.093	F	0.531	18000	G	2012
(6622) Walter Reed Dr	0.70	16000	G	99%	1%	1%	0%	0%	0%	C	0.107	F	0.666	17000	G	2012
(6622) Walter Reed Dr	0.69	14000	G	99%	1%	1%	0%	0%	0%	F	0.098	F	0.775	14000	G	2012
(6622) Walter Reed Dr	0.53	13000	G	99%	1%	1%	0%	0%	0%	F	0.103	F	0.806	14000	G	2012
(6622) Walter Reed Dr	0.36	12000	G	99%	1%	1%	0%	0%	0%	F	0.096	F	0.646	13000	G	2012
(6622) Fillmore St	0.40	9500	G	99%	1%	1%	0%	0%	0%	F	0.097	F	0.620	10000	G	2012
North (6624) Ramp	0.06	NA				From: 00-6624 TO RT 395 & 27 WEST				NA				NA		
(6626) N George Mason Dr	0.35	2700	G	99%	0%	1%	0%	0%	0%	C	0.115	F	0.568	2900	G	2012
(6682) Sycamore St	0.26	20000	G	99%	0%	0%	0%	0%	0%	F	0.082	F	0.671	21000	G	2012
(6682) Sycamore St	0.25	20000	G	99%	0%	0%	0%	0%	0%	C	0.083	F	0.708	21000	G	2012
(6682) Sycamore St	0.12	20000	N	99%	0%	0%	0%	0%	0%	N	0.083	N	0.708	21000	N	2012
(6682) Sycamore St	0.20	20000	N	99%	0%	0%	0%	0%	0%	N	0.083	N	0.708	21000	N	2012

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(6682) Sycamore St	0.67	11000	G	99%	0%	0%	0%	0%	0%	F	0.110	F	0.567	12000	G	2012
From: US 29 Lee Hwy																
To: Williamsburg Blvd																
(6682) Williamsburg Blvd	0.47	7600	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.641	8000	G	2012
From: Sycamore St																
To: John Marshall Dr																
(6682) Williamsburg Blvd	0.76	7600	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.691	8100	G	2012
From: SR 309 Old Dominion Dr																
To: SR 120, North Glebe Rd																
(6682) Ramp	0.17	5300	G	99%	0%	0%	0%	0%	0%	C	0.114	F		5600	G	2012
From: Sycamore St																
To: I-66 East																
(6686) 16th St	0.77	1800	G	97%	1%	1%	0%	0%	0%	C	0.107	F	0.547	1900	G	2012
From: Four Mile Run Dr																
To: SR 120, S Glebe Rd																
(6700) Washington Blvd	0.76	40000	G	98%	1%	1%	0%	0%	0%	F	0.084	F	0.542	43000	G	2012
From: SR 27: US 50 Arlington Blvd																
To: SR 237 10th Street																
(6700) Washington Blvd	0.41	23000	G	98%	1%	1%	0%	0%	0%	F	0.085	F	0.635	24000	G	2012
From: SR 120, N Glebe Rd																
To: 00-6741 Kirkwood Rd																
(6708) 23rd St	0.29	2700	G	97%	2%	1%	0%	0%	0%	F	0.104	F	0.699	2900	G	2012
From: Arlington Ridge Rd																
(6708) 23rd St	0.71	7600	G	97%	2%	1%	0%	0%	0%	C	0.1	F	0.663	8100	G	2012
From: Fern St																
To: US 1 Jefferson Davis Hwy																
(6708) S 23rd St	0.15	12000	G	97%	2%	1%	0%	0%	0%	F	0.093	F	0.803	13000	G	2012
From: Crystal Drive																
(6710) George Mason Dr																
From: Fairfax County Line																
To: SR 244 Columbia Pike																
(6710) George Mason Dr	0.78	28000	G	98%	0%	1%	0%	0%	0%	F	0.092	F	0.612	30000	G	2012
From: US 50																
To: Carlin Springs Rd																
(6710) George Mason Dr	0.99	22000	G	98%	0%	1%	0%	0%	0%	F	0.091	F	0.553	24000	G	2012
From: SR 237 Washington Blvd																
(6710) George Mason Dr	0.89	17000	G	98%	0%	1%	0%	0%	0%	C	0.089	F	0.544	18000	G	2012
From: US 29 Lee Highway																
(6710) George Mason Dr	0.48	8000	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.589	8500	G	2012
From: Yorktown Blvd																
(6712) Greenbrier St																
From: 00-6737 Carlin Springs Rd																
To: SR 244 Columbia Pike																
(6714) Shirlington Rd	0.14	17000	G	97%	1%	1%	0%	0%	0%	F	0.08	F	0.616	19000	G	2012
From: SR 402 Quaker Lane																
To: Four Mile Run Dr																
(6714) Four Mile Run Dr	1.54	17000	G	97%	1%	1%	0%	0%	0%	C	0.089	F	0.522	18000	G	2012
From: Shirlington Rd																
To: SR 244 Columbia Pike																

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(6716) Jefferson Street South	0.11	8100	G	98%	1%	0%	0%	0%	F	0.087	N	0.531	8700	G	2012	
			From:	Fairfax County Line												
			To:	SR 244 Columbia Pike												
(6717) 31st St	0.03	5000	G	96%	4%	1%	0%	0%	C	0.087	F	0.591	5300	G	2012	
			From:	Dead End												
			To:	Columbus St												
(6717) 31st St	0.60	NA											NA			
			From:	Randolph St												
			To:	Arlington Mill Dr												
(6717) Quincy St	0.30	7400	G	96%	4%	1%	0%	0%	F	0.086	F	0.519	7900	G	2012	
			From:	00-6622 Walter Reed Dr												
			To:	00-6714 Shirlington Rd; I-395 Ramp												
(6718) Arlington Mill Dr	0.69	12000	G	95%	2%	2%	1%	0%	0%	C	0.088	F	0.572	13000	G	2012
			From:	00-6622 Walter Reed Dr												
			To:	00-6714 Shirlington Rd; I-395 Ramp												
(6719) Highland St	0.25	1700	G	94%	2%	3%	1%	0%	0%	F	0.089	F	0.662	1800	G	2012
			From:	00-6622 Walter Reed Dr												
			To:	SR 244 Columbia Pike												
(6720) 24th Rd	0.18	6700	G	96%	0%	3%	0%	0%	0%	F	0.087	F	0.659	7200	G	2012
			From:	00-6721 Shirlington Rd												
			To:	SR 120 , S Glebe Rd												
(6721) Shirlington Rd	0.40	9300	G	91%	4%	3%	2%	0%	0%	C	0.086	F	0.540	10000	G	2012
			From:	00-6714 Four Mile Run Dr												
			To:	Kenmore St												
(6721) Kenmore St	0.47	2600	G	91%	4%	3%	2%	0%	0%	F	0.092	F	0.506	2800	G	2012
			From:	Shirlington Rd												
			To:	Walter Reed Dr												
(6722) Joyce St	0.55	11000	G	97%	1%	1%	0%	0%	0%	F	0.1	F	0.564	11000	G	2012
			From:	Army Navy Drive												
			To:	S Hayes St												
(6722) 15th St	0.55	17000	G	97%	1%	1%	0%	0%	0%	C	0.083	F	0.558	18000	G	2012
			From:	US 1 Jefferson Davis Hwy												
(6723) Eades St	0.37	10000	G	94%	3%	2%	0%	0%	0%	F	0.097	F	0.806	11000	G	2012
			From:	SR 120, S Glebe Rd												
			To:	Fort Scott Dr												
(6723) Eades St	0.53	10000	G	94%	3%	2%	0%	0%	0%	C	0.091	F	0.763	11000	G	2012
			From:	20th St												
			To:	I-395												
(6723) Ramp	0.10	NA											NA			
			From:	00-6723 I-395-1000A FROM & TO RT 39												
			To:	I-395-1 FROM PENTAGON & EADS ST-BUSES O												
(6724) Crystal Dr	0.60	5200	G	94%	3%	2%	0%	0%	0%	F	0.18	F		5500	G	2012
			From:	US 1 Jefferson Davis Hwy												
			To:	26th St												
(6724) Crystal Dr	0.73	6500	G	94%	3%	2%	0%	0%	0%	F	0.124	F		6900	G	2012
			From:	12th St												
			To:	Crystal Dr												
(6724) 12th St	0.45	4200	G	94%	3%	2%	0%	0%	0%	F	0.11	F	0.753	4500	G	2012
			To:	00-6723 Eads St												
(6725) Fern St	0.81	4900	G	98%	0%	2%	0%	0%	0%	C	0.102	F	0.740	5200	G	2012
			From:	23 rd Street S												
			To:	Army Navy Drive												
(6725) S Fern St	0.14	6600	G	98%	0%	2%	0%	0%	0%	F	0.116	F	0.676	7000	G	2012
			From:	Entrance to Pentagon Parking Lot												
(6728) 2nd St	0.30	5400	G	95%	2%	2%	0%	0%	0%	C	0.091	F	0.513	5800	G	2012
			To:	SR 120, S Glebe Rd												
			To:	Irving Street S												

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(6728) 2nd St	0.68	5900	G	95%	2%	2%	0%	0%	0%	F	0.095	F	0.691	6300	G	2012
(6728) Carpenter St	0.04	5900	N	95%	2%	2%	0%	0%	0%	N	0.095	N	0.691	6300	N	2012
(6731) McKinley Rd	0.55	3200	G	98%	1%	1%	0%	0%	0%	C	0.098	F	0.512	3400	G	2012
(6731) Ohio St	0.25	2900	G	98%	1%	1%	0%	0%	0%	F	0.106	F	0.577	3100	G	2012
(6731) Ohio St	0.09	150	G	98%	1%	1%	0%	0%	0%	F	0.192	F	0.754	160	G	2012
(6731) John Marshall Dr	0.19	410	G	98%	1%	1%	0%	0%	0%	F	0.097	F	0.782	440	G	2012
(6731) John Marshall Dr	0.84	680	G	98%	1%	1%	0%	0%	0%	F	0.122	F	0.557	720	G	2012
(6735) Glen Carlyn Rd	0.14	4600	G	99%	0%	0%	0%	0%	0%	F	0.104	F	0.614	4900	G	2012
(6736) Joyce St	0.27	14000	G	97%	1%	1%	0%	0%	0%	F	0.099	F	0.587	15000	G	2012
(6737) Carlin Springs Rd	0.59	29000	G	99%	1%	1%	0%	0%	0%	C	0.085	F	0.587	31000	G	2012
(6737) Carlin Springs Rd	0.36	28000	G	99%	1%	1%	0%	0%	0%	F	0.090	F	0.618	29000	G	2012
(6737) Carlin Springs Rd	0.88	18000	G	99%	1%	1%	0%	0%	0%	F	0.093	F	0.625	19000	G	2012
(6738) Pershing Dr	0.22	6500	G	99%	1%	1%	0%	0%	0%	F	0.101	F	0.653	7000	G	2012
(6738) N Pershing Dr	0.92	7700	G	99%	1%	1%	0%	0%	0%	F	0.099	F	0.662	8200	G	2012
(6738) N Pershing Dr	0.34	5700	G	99%	1%	1%	0%	0%	0%	F	0.117	F	0.7	6000	G	2012
(6741) Kirkwood Rd	0.80	6500	G	98%	1%	1%	0%	0%	0%	C	0.1	F	0.555	7000	G	2012
(6741) Spout Run Pkwy	0.89	19000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.754	20000	G	2012
(6742) Lorcom Lane	0.60	7800	G	99%	0%	1%	0%	0%	0%	F	0.111	F	0.772	8300	G	2012
(6742) Lorcom Lane	0.38	6900	G	99%	0%	1%	0%	0%	0%	C	0.115	F	0.82	7400	G	2012
(6742) Lorcom Lane	0.49	13000	G	99%	0%	1%	0%	0%	0%	F	0.113	F	0.799	13000	G	2012
(6743) Quincy St	0.18	9200	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.538	9800	G	2012
(6743) Quincy St	0.24	9700	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.546	10000	G	2012

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(6743) Quincy St	0.28	11000	G	99%	0%	0%	0%	0%	0%	F	0.095	F	0.541	11000	G	2012
From: Washington Blvd																
(6743) Quincy St	0.50	8600	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.519	9200	G	2012
To: 15th St																
(6743) Quincy St	0.51	4800	G	99%	0%	0%	0%	0%	0%	F	0.092	F	0.553	5100	G	2012
From: US 29 Old Dominion Dr; Military Rd																
(6743) Military Rd	0.55	8200	G	99%	0%	0%	0%	0%	0%	F	0.106	F	0.608	8800	G	2012
From: Nellie Custis Dr																
(6743) Military Rd	0.48	6500	G	99%	0%	0%	0%	0%	0%	C	0.108	F	0.679	6900	G	2012
From: Beechwood Circle																
(6743) Military Rd	0.78	5500	G	99%	0%	0%	0%	0%	0%	F	0.113	F	0.572	5800	G	2012
To: SR 120, N Glebe Rd																
(6744) Quinn St	0.12	3100	G	96%	1%	2%	0%	0%	0%	F	0.184	F	0.949	3300	G	2012
From: US 29 Lee Highway NB																
(6744) Key Blvd	0.33	4500	G	96%	1%	2%	0%	0%	0%	F	0.162	F	0.784	4800	G	2012
From: Key Blvd																
(6745) Henderson Rd	0.24	8400	G	97%	1%	1%	0%	0%	0%	C	0.089	F	0.645	8900	G	2012
From: Quinn St																
(6745) N Quincy St	0.26	1300	G	97%	1%	1%	0%	0%	0%	F	0.141	F	0.629	1400	G	2012
From: Fort Myer Dr																
(6746) Fairfax Dr	0.37	570	G	96%	1%	2%	0%	0%	0%	F	0.158	F	0.782	610	G	2012
From: Troy St																
(6746) Fairfax Dr	0.35	3900	G	96%	1%	2%	0%	0%	0%	F	0.133	F	0.770	4200	G	2012
From: 14th St																
(6746) Fort Myer Dr	0.34	14000	G	96%	1%	2%	0%	0%	0%	F	0.091	F		15000	G	2012
From: Fort Myer Dr																
(6747) Lynn St	0.39	21000	G	95%	2%	2%	0%	0%	0%	F	0.102	F		22000	G	2012
From: US 29 Lee Hwy NB																
(6748) Nellie Custis Dr	0.44	5800	G	99%	0%	1%	0%	0%	0%	F	0.112	F	0.745	6100	G	2012
From: Lorcom Lane																
(6749) Williamsburg Blvd	0.95	7600	G	99%	0%	1%	0%	0%	0%	C	0.103	F	0.508	8100	G	2012
From: Fairfax County Line																
(6750) 16th St	0.53	1600	G	98%	0%	2%	0%	0%	0%	F	0.139	F	0.694	1700	G	2012
From: Patrick Henry Dr																
(6750) 16th St	0.50	6300	G	98%	0%	2%	0%	0%	0%	C	0.105	F	0.696	6800	G	2012
From: George Mason Dr																
(6751) Rhodes St	0.51	4300	G	97%	2%	1%	0%	0%	0%	C	0.119	F	0.719	4600	G	2012
From: Wilson Blvd																
(6752) 15th St	0.24	1700	G	98%	0%	2%	0%	0%	0%	F	0.142	F	0.617	1800	G	2012
From: SR 120, N Glebe Rd																
(6752) 15th St	0.16	2400	G	98%	0%	2%	0%	0%	0%	F	0.153	F	0.698	2500	G	2012
From: Utah St																
From: N Stafford St																

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(6753) Stuart St	0.07	3000	G	95%	2%	2%	0%	0%	0%	F	0.081	F	0.655	3200	G	2012
			From:	SR 237 Fairfax Dr						To:	9th St					
(6753) 9th St	0.07	3800	G	95%	2%	2%	0%	0%	0%	F	0.092	F	0.551	4000	G	2012
			From:	Stuart St						To:	Stafford St					
(6753) Stafford St	0.09	2900	G	95%	2%	2%	0%	0%	0%	F	0.119	F	0.530	3100	G	2012
			From:	SR 237 Fairfax Dr						To:	9th St					
(6753) Stafford St	0.43	3400	G	95%	2%	2%	0%	0%	0%	F	0.178	F	0.736	3700	G	2012
			From:	SR 237 Fairfax Dr						To:	15th St					
(6755) Highland St	0.44	830	G	95%	2%	2%	0%	0%	0%	F	0.103	F	0.707	880	G	2012
			From:	US 50 Arlington Blvd						To:	Pershing Dr					
(6755) Highland St	0.38	2000	G	95%	2%	2%	0%	0%	0%	F	0.105	F	0.654	2100	G	2012
			From:	SR 237 10th St						To:	SR 237 10th St					
(6755) Highland St	0.21	4100	G	95%	2%	2%	0%	0%	0%	F	0.098	F	0.501	4400	G	2012
			From:	Wilson Blvd						To:	Wilson Blvd					
(6755) Highland St	0.24	4100	N	95%	2%	2%	0%	0%	0%	N	0.098	N	0.501	4400	N	2012
			From:	Key Blvd						To:	US 29 Lee Hwy					
(6757) Barton St	0.53	3400	G	98%	2%	1%	0%	0%	0%	F	0.126	F	0.83	3600	G	2012
			From:	Dead End						To:	SR 237 10th Street					
(6757) Barton St	0.31	5800	G	98%	2%	1%	0%	0%	0%	C	0.111	F	0.724	6200	G	2012
			From:	SR 237, 10th St						To:	14th St					
(6757) 14th St	0.26	4500	G	98%	2%	1%	0%	0%	0%	F	0.106	F	0.653	4800	G	2012
			From:	Barton St						To:	Courthouse Rd					
(6759) N Veitch St	0.79	7700	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.527	8200	G	2012
			From:	Clarendon Blvd						To:	US 29					
(6770) Chesterbrook Rd	0.28	3100	G	98%	1%	1%	0%	0%	0%	F	0.145	F	0.703	3300	G	2012
			From:	SR 120 Glebe Rd						To:	29-689; Fairfax County Line					
(6771) Little Falls Rd	0.44	6200	G	98%	1%	1%	0%	0%	0%	F	0.114	F	0.569	6600	G	2012
			From:	Sycamore St						To:	Yorktown Blvd					
(6771) Yorktown Blvd	0.60	6800	G	98%	1%	1%	0%	0%	0%	C	0.13	F	0.693	7300	G	2012
			From:	Little Falls Rd						To:	28th St					
(6771) Yorktown Blvd	0.65	4600	G	98%	1%	1%	0%	0%	0%	F	0.114	F	0.608	4900	G	2012
			From:	Yorktown Blvd						To:	26th St					
(6771) 26th St	0.97	3200	G	98%	1%	1%	0%	0%	0%	F	0.118	F	0.609	3400	G	2012
			From:	Yorktown Blvd						To:	Military Rd					
(6773) Moore St	0.20	5000	G	97%	2%	1%	0%	0%	0%	F	0.08	F	0.515	5300	G	2012
			From:	Wilson Blvd						To:	US 29 Lee Hwy					
(6774) Fairfax Dr	0.15	10000	G	98%	1%	1%	0%	0%	0%	F	0.113	F	0.620	11000	G	2012
			From:	ECL Falls Church						To:	Little Falls Rd					
(6774) Fairfax Dr	0.43	6800	G	98%	1%	1%	0%	0%	0%	F	0.127	F		7300	G	2012
			From:	US 29 Lee Highway						To:	US 29 Lee Highway					

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(6780) Westmoreland St	0.34	7600	G	99%	0%	1%	0%	0%	0%	F	0.106	F	0.602	8100	G	2012
			From:	00-6774 Fairfax Dr												
(6780) Westmoreland St	0.13	7300	G	99%	0%	1%	0%	0%	0%	F	0.119	F	0.531	7800	G	2012
			To:	Williamsburg Blvd												
			From:	Fairfax County Line												
(6787) Woodstock St	0.35	1800	G	98%	1%	1%	0%	0%	0%	C	0.097	F	0.579	1900	G	2012
			To:	SR 309 Lee Highway; 00-6742 Lorcom Lane												
(6794) 16th Street N	0.14	2400	G	98%	0%	1%	1%	1%	0%	F	0.110	F	0.510	2600	G	2012
			To:	Roosevelt St												
			From:	110-6797; ECL Falls Church												
(6797) Little Falls Rd	0.12	3500	G	99%	0%	1%	0%	0%	0%	F	0.11	F	0.637	3700	G	2012
			To:	00-6774 Fairfax Dr												
			From:	00-6682 Sycamore St												
(6798) 19th St	0.17	2700	G	99%	0%	1%	0%	0%	0%	F	0.108	F	0.546	2900	G	2012
			To:	Westmoreland St												
			From:	19th St												
(6798) Westmoreland St	0.27	2100	G	99%	0%	1%	0%	0%	0%	C	0.103	F	0.692	2200	G	2012
			To:	US 29 Lee Hwy												
			From:	SR 309 Old Dominion Dr												
(6801) 26th St	0.06	4300	G	98%	1%	1%	0%	0%	0%	F	0.113	F	0.622	4600	G	2012
			To:	00-6771 Yorktown Blvd												
			From:	Patrick Henry Dr												
(6805) 16th St	0.03	2200	G	99%	0%	1%	0%	0%	0%	F	0.126	F	0.712	2300	G	2012
			To:	Lexington St												
			From:	16th St												
(6805) Lexington St	0.43	2300	G	99%	0%	1%	0%	0%	0%	F	0.11	F	0.59	2400	G	2012
			To:	22nd St												
(6805) Lexington St	0.28	2000	G	99%	0%	1%	0%	0%	0%	F	0.101	F	0.643	2100	G	2012
			To:	US 29 Lee Hwy												
(6805) Lexington St	0.56	950	G	99%	0%	1%	0%	0%	0%	C	0.101	F	0.552	1000	G	2012
			To:	Little Falls Rd												
			From:	Yorktown Blvd												
(6805) Kensington St	0.26	680	G	99%	0%	1%	0%	0%	0%	F	0.117	F	0.743	720	G	2012
			To:	Williamsburg Blvd												
			From:	00-6759 Veitch St												
(6808) 15th St	0.08	7300	G	97%	1%	1%	0%	0%	0%	F	0.080	F	0.579	7800	G	2012
			To:	00-6812 Courthouse Rd												
			From:	Wilson Blvd												
(6809) Patrick Henry Dr	0.79	6100	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.577	6500	G	2012
			To:	SR 237 Washington Blvd												
(6809) Patrick Henry Dr	0.88	3500	G	99%	0%	1%	0%	0%	0%	C	0.097	F	0.605	3700	G	2012
			To:	George Mason Dr												
			From:	George Mason Dr												
(6811) Carlin Springs Rd	0.41	12000	G	99%	1%	1%	0%	0%	0%	F	0.088	F	0.645	13000	G	2012
			To:	SR 120, N Glebe Rd												
			From:	US 50 Arlington Blvd												
(6812) Courthouse Rd	0.44	10000	G	98%	2%	1%	0%	0%	0%	F	0.078	F	0.503	11000	G	2012
			To:	Clarendon Blvd												
			From:	Courthouse Rd												
(6812) Clarendon Blvd	0.37	10000	G	98%	2%	1%	0%	0%	0%	F	0.099	F		11000	G	2012
			To:	Oak St												
			From:	Walter Reed Dr												
(6813) Monroe St	0.58	3100	G	95%	2%	2%	0%	0%	0%	F	0.115	F	0.733	3300	G	2012
			To:	SR 244 Columbia Pike												

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
(6817) McKinley Rd	0.10	2400	G	99%	0%	1%	0%	0%	0%	F	0.102	F	0.587	2600	G	2012
(6817) 18th St	0.14	880	G	99%	0%	1%	0%	0%	0%	F	0.097	F	0.526	930	G	2012
(6852) Marshall Dr	0.30	3700	G	96%	1%	1%	1%	1%	0%	F	0.102	F	0.628	3900	G	2012
(6852) Meade St	0.24	4800	G	96%	1%	1%	1%	1%	0%	F	0.105	F	0.508	5100	G	2012
(6915) Thomas Ave	1.36	NA												NA	NA	
South (99005) Ramp	0.26	NA												NA	NA	
(99014) Ramp	0.15	NA												NA	NA	
East (99014) Ramp	0.24	NA												NA	NA	
North (99015) Ramp	0.08	NA												NA	NA	
South (99015) Ramp	0.10	NA												NA	NA	
South (99015) Ramp	0.09	NA												NA	NA	
North (99016) Ramp	0.06	NA												NA	NA	
North (99016) Ramp	0.07	NA												NA	NA	
South (99016) Ramp	0.07	NA												NA	NA	
South (99016) Ramp	0.10	NA												NA	NA	
City of Alexandria																
(1) Cameron St	1.00	4900	F	98%	1%	1%	0%	0%	0%	C	0.134	F		5200	F	2012
(2) Daingerfield Rd	0.19	6000	F	95%	2%	3%	0%	0%	0%	C	0.096	F	0.643	6400	F	2012
(3) Filmore Ave	0.36	3500	F	92%	5%	2%	0%	0%	0%	C	0.081	F	0.541	3800	F	2012
(4) Franklin St	0.40	2900	F	97%	0%	2%	0%	0%	0%	C	0.087	F	0.869	3000	F	2012

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
(5) 100 Gibbon St	0.40	2000	F	99%	0%	0%	0%	0%	0%	C	0.093	F	0.857	2100	F	2012
			From:	US 1 Patrick St						To:	Fairfax St					
(6) 100 Holland Lane	0.32	8100	F	98%	0%	1%	0%	0%	0%	C	0.126	F	0.818	8600	F	2012
			From:	Eisenhower Ave						To:	SR 236 Duke St					
(7) 100 King St	0.24	4600	F	90%	4%	6%	0%	0%	0%	F	0.081	F	0.541	4900	F	2012
			From:	SR 400 Washington St						To:	100-21 Fairfax Street					
(8) 100 Lincolnia Rd	0.11	5400	F	93%	3%	3%	0%	1%	0%	C	0.081	F	0.574	5800	F	2012
			From:	Breckenridge Pl						To:	Beauregard St					
(9) 100 Mill Rd	0.88	7300	G	99%	0%	0%	0%	0%	0%	C	NA			7800	G	2012
			From:	W Eisenhower Ave						To:	E Eisenhower Ave					
(9) 100 Mill Rd	0.20	NA									NA				NA	
			From:	Ramps To and From I-95 3						To:						
East (9) 100 Ramp	0.56	3300	F	99%	0%	0%	0%	0%	0%	F	0.174	F		3500	F	2012
			From:	Mill Rd						To:	I-95 NB Express Lanes					
(10) 100 Montgomery St	0.48	3000	F	87%	2%	5%	5%	1%	0%	C	0.102	F		3200	F	2012
			From:	Fairfax St						To:	US 1 Par. Henry St					
(11) 100 Pendleton St	0.66	4100	F	92%	5%	2%	0%	0%	0%	C	0.098	F	0.567	4400	F	2012
			From:	West St						To:	Fairfax St					
(12) 100 Pershing Ave	0.16	4500	F	98%	0%	1%	1%	0%	0%	C	0.148	F	0.641	4800	F	2012
			From:	SR 241 Telegraph Rd						To:	Stoval St					
(13) 100 Prince St	0.50	6400	F	97%	1%	1%	0%	1%	0%	F	0.116	F	0.515	6800	F	2012
			From:	Reinekers Lane						To:	US 1 Patrick St					
(13) 100 Prince St	0.18	4500	F	97%	1%	1%	0%	1%	0%	C	0.099	F		4800	F	2012
			From:	SR 400 Washington St						To:						
(13) 100 Prince St	0.24	2900	F	97%	1%	1%	0%	1%	0%	F	0.113	F	0.845	3000	F	2012
			From:	Fairfax St						To:						
(14) 100 Slaters Lane	0.38	12000	F	99%	0%	1%	0%	0%	0%	C	0.094	F	0.56	13000	F	2012
			From:	US 1 Jefferson Davis Hwy						To:	George Washington Memorial Pkwy					
(15) 100 Stevenson Ave	0.16	12000	F	97%	1%	2%	0%	0%	0%	C	0.092	F	0.582	13000	F	2012
			From:	Walker St						To:	S Van Dorn St					
(16) 100 Stoval St	0.13	13000	G	90%	4%	6%	0%	0%	0%	F	NA			14000	G	2012
			From:	100-6588; Eisenhower Ave						To:	100-9 Mill Rd					
(17) 100 Walker St	0.10	20000	F	99%	0%	1%	0%	0%	0%	C	0.075	F	0.595	21000	F	2012
			From:	Duke St						To:	SR 236 Duke St					
(18) 100 West St	0.63	5600	F	98%	1%	1%	0%	0%	0%	C	0.13	F	0.717	6000	F	2012
			From:	Wythe St						To:						
(19) 100 1st St	0.06	5100	F	97%	0%	1%	1%	0%	0%	F	0.123	F	0.742	5400	F	2012
			From:	SR 400; Washington St						To:	Saint Asaph St					
(19) 100 1st St	0.05	3500	F	96%	1%	1%	1%	0%	0%	C	0.108	F	0.748	3700	F	2012
			From:	Pitt St						To:						

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
(20) TM Wythe St	0.66	4700	F	98%	1%	1%	0%	0%	0%	C	0.108	F	0.627	5000	F	2012
			From:	West St												
			To:	Fairfax St												
(21) 100 Fairfax St	1.12	4500	F	94%	2%	4%	0%	0%	0%	C	0.111	F	0.654	4800	F	2012
			From:	Franklin St												
			To:	Montgomery St												
(22) 100 Church St	0.09	6300	F	90%	4%	6%	0%	0%	0%	F	0.117	F		6800	F	2012
			From:	I-95 Ramp												
			To:	SR 400 Washington St												
(6500) 100 Duke St	0.23	3800	F	97%	1%	2%	0%	0%	0%	C	0.076	F	0.511	4000	F	2012
			From:	SR 400 Washington St												
			To:	Fairfax St												
(6572) 100 Edsall Rd	0.49	16000	F	98%	1%	1%	1%	0%	0%	C	0.083	F	0.663	17000	F	2012
			From:	WCL Alexandria												
			To:	Van Dorn St												
(6572) 100 Edsall Rd	0.24	11000	F	98%	1%	1%	1%	0%	0%	F	0.085	F	0.534	11000	F	2012
			From:	S Pickett St												
			To:	S Seminary Rd												
(6573) 100 Van Dorn St	1.08	5500	F	97%	2%	0%	0%	0%	0%	C	0.129	F	0.88	5900	F	2012
			From:	Seminary Rd												
			To:	SR 7 King St												
(6575) 100 S Pickett St	0.36	11000	F	98%	1%	1%	0%	0%	0%	F	0.078	F	0.537	12000	F	2012
			From:	Van Dorn St												
			To:	Edsall Rd												
(6575) 100 S Pickett St	0.57	15000	F	98%	1%	1%	0%	0%	0%	C	0.075	F	0.527	16000	F	2012
			From:	SR 236 Duke St												
(6579) 100 Clermont Ave	0.13	14000	F	96%	1%	1%	1%	1%	0%	C	0.117	F	0.535	14000	F	2012
			From:	I-95 Ramps												
			To:	100-6588 Eisenhower Ave												
(6583) 100 W Taylor Run Pkwy	0.52	4900	F	99%	0%	0%	0%	0%	0%	C	0.103	F	0.626	5200	F	2012
			From:	Duke St												
			To:	Janneys Lane												
(6584) 100 Pitt St	0.07	3900	F	97%	0%	1%	1%	0%	0%	C	0.126	F	0.663	4200	F	2012
			From:	Montgomery St												
			To:	1st Street												
(6585) 100 Commonwealth Ave	0.94	6300	F	99%	0%	1%	0%	0%	0%	F	0.106	F	0.603	6700	F	2012
			From:	King St												
			To:	Monroe Ave												
(6585) 100 Commonwealth Ave	0.79	5900	F	99%	0%	1%	0%	0%	0%	C	0.1	F	0.547	6200	F	2012
			From:	Mt Vernon Ave												
			To:	Reed St												
(6585) 100 Commonwealth Ave	0.41	4100	F	99%	0%	1%	0%	0%	0%	F	0.096	F	0.617	4300	F	2012
			From:	SR 236 Duke St												
			To:	SR 7 King St												
(6586) 100 Diagonal Rd	0.30	5800	F	90%	4%	6%	0%	0%	0%	C	0.101	F	0.625	6200	F	2012
			From:	SR 236 Duke St												
			To:	SR 7 King St												
(6588) 100 Eisenhower Ave	3.18	12000	F	98%	0%	1%	1%	0%	0%	C	0.104	F	0.694	13000	F	2012
			From:	SR 401 Van Dorn St												
			To:	SR 241 Telegraph Rd												
(6588) 100 Eisenhower Ave	0.94	17000	F	99%	0%	0%	0%	0%	0%	C	0.109	F	0.894	18000	F	2012
			From:	Holland Lane												
(6591) 100 Mt Vernon Ave	1.21	8000	F	96%	2%	1%	0%	0%	0%	C	0.089	F	0.603	8600	F	2012
			From:	Braddock Rd												
			To:	Commonwealth Ave												
(6591) 100 Mt Vernon Ave	1.00	10000	F	96%	2%	1%	0%	0%	0%	F	0.088	F	0.594	11000	F	2012
			From:	NCL Alexandria												

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
(6592) 100	Braddock Rd	1.72	10000	F	97%	1%	1%	1%	0%	C	0.089	F	0.530	11000	F	2012
(6592) 100	Braddock Rd	1.39	9700	F	98%	0%	1%	0%	0%	C	0.103	F	0.557	10000	F	2012
(6592) 100	Braddock Rd	0.77	7500	F	98%	0%	1%	0%	0%	F	0.108	F	0.545	8000	F	2012
(6593) 100	Callahan Dr	0.22	14000	F	97%	1%	1%	0%	0%	C	0.093	F	0.608	15000	F	2012
(6593) 100	Russell Rd	0.89	7800	F	98%	0%	1%	0%	0%	F	0.1	F	0.556	8300	F	2012
(6593) 100	Russell Rd	0.31	6400	F	98%	0%	1%	0%	0%	C	0.119	F	0.508	6800	F	2012
(6593) 100	Russell Rd	1.06	6800	F	98%	0%	1%	0%	0%	F	0.113	F	0.553	7300	F	2012
(6593) 100	Russell Rd	0.16	5200	F	98%	0%	1%	0%	0%	F	0.123	F	0.701	5500	F	2012
(6594) 100	Gunston Rd	0.26	2500	F	97%	1%	1%	1%	0%	C	0.130	F	0.898	2600	F	2012
(6595) 100	Quaker Lane	0.62	23000	F	98%	1%	1%	0%	0%	C	0.082	F	0.606	25000	F	2012
(6595) 100	Valley Dr	1.33	1100	F	98%	0%	1%	1%	0%	C	0.100	F	0.591	1200	F	2012
(6596) 100	Monroe Ave	0.89	6500	F	99%	0%	0%	0%	0%	C	0.106	F	0.621	6900	F	2012
(6597) 100	Monticello Blvd	0.21	2600	F	96%	2%	2%	0%	0%	F	0.097	F	0.533	2800	F	2012
(6597) 100	Old Dominion Blvd	0.71	970	F	96%	2%	2%	0%	0%	C	0.135	F	0.613	1000	F	2012
(6597) 100	Tennessee Ave	0.17	740	F	96%	2%	2%	0%	0%	F	0.101	F	0.534	790	F	2012
(6597) 100	Tennessee Ave	0.25	2000	F	96%	2%	2%	0%	0%	F	0.101	F	0.623	2200	F	2012
(6597) 100	Martha Custis Dr	0.52	4500	F	96%	2%	2%	0%	0%	F	0.1	F	0.507	4800	F	2012
(6599) 100	Cameron Mills Rd	0.39	1900	F	95%	1%	3%	1%	0%	C	0.106	F	0.516	2000	F	2012
(6600) 100	Crest St	0.27	1600	F	97%	1%	1%	0%	0%	C	0.102	F	0.549	1700	F	2012
(6600) 100	Summit Ave	0.27	2100	F	97%	1%	1%	0%	0%	F	0.118	F	0.519	2200	F	2012
(6600) 100	Monticello Blvd	0.23	2600	F	97%	1%	1%	0%	0%	F	0.133	F	0.572	2800	F	2012

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
(6601) 100 Scroggins Rd	0.36	1600	F	98%	1%	1%	0%	0%	0%	C	0.124	F	0.704	1700	F	2012
			From:	SR7 King St						To:	Braddock Rd					
(6602) 100 W Glebe Rd	0.94	16000	F	98%	0%	1%	1%	0%	0%	F	0.082	F	0.511	17000	F	2012
			From:	NCL Alexandria						To:	Mount Vernon Ave					
(6602) 100 E Glebe Rd	0.62	8900	F	98%	0%	1%	1%	0%	0%	C	0.080	F	0.555	9400	F	2012
			From:	US 1 Jefferson Davis Hwy						To:	US 1 Jefferson Davis Hwy					
(6604) 100 Reed Ave	0.54	2800	F	96%	1%	2%	0%	0%	0%	C	0.091	F	0.504	3000	F	2012
			From:	Mt Vernon Ave						To:	US 1 Jefferson Davis Hwy					
(6622) 100 Beauregard St	2.12	18000	F	98%	1%	1%	0%	0%	0%	C	0.087	F	0.586	19000	F	2012
			From:	WCL Alexandria						To:	Braddock Rd					
(6622) 100 Beauregard St	0.28	18000	F	99%	1%	0%	0%	0%	0%	C	0.085	F	0.598	19000	F	2012
			From:	Braddock Rd						To:	SR 7 King St					
(6622) 100 Walter Reed Dr	0.07	14000	F	99%	0%	0%	0%	0%	0%	C	0.099	F	0.634	15000	F	2012
			From:	NCL Alexandria						To:	US 1 Jefferson Davis Hwy					
(6698) 100 Taney Dr	1.04	2600	F	96%	3%	0%	1%	0%	0%	C	0.089	F	0.525	2800	F	2012
			From:	SR 401 Van Dorn St						To:	Jordan St					
(6701) 100 Pegram St	0.78	1900	F	96%	3%	1%	0%	0%	0%	C	0.155	F	0.682	2100	F	2012
			From:	Taney Ave						To:	Pickett St					
(6701) 100 Pickett St	0.15	2500	F	96%	3%	0%	0%	0%	0%	C	0.125	F	0.529	2600	F	2012
			From:	Pegram St						To:	Seminary Rd					
(6702) 100 Sanger Ave	0.37	14000	F	98%	1%	1%	0%	0%	0%	C	0.086	F	0.625	14000	F	2012
			From:	Beauregard St						To:	SR 401 Van Dorn St					
(6703) 100 Jordan St	0.94	6400	F	99%	0%	0%	0%	0%	0%	C	0.087	F	0.672	6800	F	2012
			From:	SR 236 Duke St						To:	SR 420 Seminary Rd					
(6706) 100 Seminary Rd	0.60	38000	F	98%	1%	0%	0%	0%	0%	C	0.077	F	0.542	40000	F	2012
			From:	Fairfax County Line: 29-716						To:	Beauregard St					
(6706) 100 Seminary Rd	0.22	56000	F	98%	1%	0%	0%	0%	0%	F	0.078	F	0.594	60000	F	2012
			From:	Beauregard St						To:	I-395 Shirley Hwy; SR 420					
(6707) 100 Howard St	0.56	4800	F	98%	1%	0%	0%	0%	0%	C	0.084	F	0.589	5100	F	2012
			From:	Jordan St						To:	SR 420 Seminary Rd					
(6707) 100 Howard St	0.36	6900	F	98%	1%	0%	0%	0%	0%	F	0.136	F	0.686	7300	F	2012
			From:	SR 420 Seminary Rd						To:	100-6592 Braddock Rd					
(6711) 100 Hampton Dr N	0.43	4900	F	97%	1%	2%	0%	0%	0%	C	0.102	F	0.653	5200	F	2012
			From:	Braddock Rd						To:	SR 7 King St					
Arlington County																
16th St	1600	G									0.086	F	0.728	1600	G	2012
			From:	SR 120 North Glebe Rd						To:	Monroe Street					
20th St	940	G									0.097	F	0.604	940	G	2012
			From:	S Kent St						To:	Joyce Street					
24th St	380	G									0.106	F	0.585	380	G	2012
			From:	Grant Street						To:	Fern Street					

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Arlington County																	
26th Street North	1300	M													NA	2012	
			From:			N George Mason Dr											
			To:			N Columbus St											
27th St	610	G									0.132	F	0.558	610	G	2012	
			From:			Ohio Street											
			To:			John Marshall Dr											
31st St	530	G									0.090	F	0.725	530	G	2012	
			From:			Eads Street											
			To:			Fern Street											
9th St	600	G									0.096	F	0.619	600	G	2012	
			From:			Cleveland Street											
			To:			Danville Street											
Arlington Ridge Rd	3000	G												NA	3000	G	2012
			From:			Wilson Blvd											
			To:			Kent St											
Culpeper St	260	G									0.123	F	0.561	260	G	2012	
			From:			Chesterfield Rd											
			To:			23 rd St											
Dittmar Rd	990	G									0.091	F	0.503	990	G	2012	
			From:			Albemarle Street											
			To:			35th Street											
Fairfax Dr	1100	G									0.096	F	0.605	1100	G	2012	
			From:			Cleveland St											
			To:			Barton St											
Fort Scott Dr	1000	G									0.112	F	0.522	1000	G	2012	
			From:			Ives St											
			To:			26th Rd											
Garfield St	190	G									0.111	F	0.767	190	G	2012	
			From:			US 50 Arlington Blvd											
			To:			2nd Street N											
Greenbriar St	2000	G									0.088	F	0.586	2000	G	2012	
			From:			7th Rd											
			To:			8th Rd											
Henderson Rd	10000	G									0.092	F	0.628	10000	G	2012	
			From:			SR 120, N Glebe Rd											
			To:			Thomas Street											
Ivy St	400	G									0.127	F	0.513	420	G	2012	
			From:			6th Rd											
			To:			10th St											
Jefferson St	370	G									0.095	F	0.718	370	G	2012	
			From:			Wilson Blvd											
			To:			9th St											
Kensington St	570	G									0.094	F	0.596	570	G	2012	
			From:			22nd St											
			To:			23th St											
Key Blvd	850	G									0.112	F	0.544	850	G	2012	
			From:			Hartford Street											
			To:			Hancock Street											
Lebanon St	290	G									0.138	F	0.728	290	G	2012	
			From:			Wilson Blvd											
			To:			9th Street											
Pollard St	400	G									0.103	F	0.6	400	G	2012	
			From:			16th Street											
			To:			18th Street											
Quincy St	1100	G									0.101	F	0.596	1100	G	2012	
			From:			16th Street											
			To:			18th Street											

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Arlington County																
Randolph St	2400	G								0.105	F	0.525	2400	G	2012	
		From:	SR 237 Washington Blvd								To:	11th Street				
South Irving St	1900	G								0.100	F	0.734	1900	G	2012	
		From:	2nd St S								To:	US 50 Arlington Blvd				
SR 120 Ramp	3200	G								NA			3200	G	2012	
		From:	US 50								To:	SR 120				
SR 120 Ramp	4800	G								NA			4800	G	2012	
		From:	US 50								To:	SR 120				
Stafford St	1500	G								0.123	F	0.528	1500	G	2012	
		From:	15th Street								To:	17th Street				
Taylor St	570	G								0.128	F	0.638	570	G	2012	
		From:	SR 309 Lee Hwy								To:	19th St				
Thomas St	1100	G								0.081	F	0.615	1100	G	2012	
		From:	Four Mile Run Drive								To:	Melkin Street				
Troy St	150	G								0.15	F	0.644	150	G	2012	
		From:	SR 120, S Glebe Rd								To:	27th Street				
US 50 Ramp	1100	G								NA			1100	G	2012	
		From:	SR 120								To:	US 50 East				
US 50 Ramp	5200	G								NA			5200	G	2012	
		From:	SR 120								To:	US 50 West				
US 50 Ramp	2000	G								NA			2000	G	2012	
		From:	SR 120								To:	US 50 East				
City of Alexandria																
Braddock Rd	13000	G								NA			14000	G	2012	
		From:	Kenwood Ave								To:	Crest St				
Canterbury Lane	260	F								0.177	F	0.68	270	F	2012	
		From:	Chancel Pl								To:	Trinity Dr				
Clifford Ave	380	F								0.111	F	0.511	410	F	2012	
		From:	Turner Rd								To:	Montross Ave				
Curtis Ave	410	F								0.106	F	0.663	440	F	2012	
		From:	Russell Rd								To:	Rosecrest Ave				
Glendale Ave	220	F								0.136	F	0.515	240	F	2012	
		From:	Newton St								To:	Wayne St				
Green St	3100	F								0.150	F	0.885	3300	F	2012	
		From:	Washington St								To:	Asaph St				
Hickory St	250	F								0.121	F	0.574	270	F	2012	
		From:	Kennedy St								To:	Dead End				
Kentucky Ave	340	F								0.123	F	0.584	370	F	2012	
		From:	Old Dominion Blvd								To:	Russell Rd				

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Arlington Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<u>City of Alexandria</u>																
Key Dr	130	F								0.117	F	0.684	140	F	2012	
	From:	Francis Hammond Pkwy														
	To:	Roan Lane														
Mansion Dr	350	F								0.155	F	0.524	370	F	2012	
	From:	Virginia Ave														
	To:	Russell Rd														
Mount Vernon Ave	6500	G								NA			7000	G	2012	
	From:	Monroe Ave														
	To:	Nelson Ave														
N Owen St	140	F								0.136	F	0.548	150	F	2012	
	From:	Taney Ave														
	To:	Polk Ave														
Old Dominion Blvd	1300	F								0.152	F	0.691	1400	F	2012	
	From:	Kentucky Ave														
	To:	Halcyon Dr														
Rayburn Ave	5000	F								0.106	F	0.694	5300	F	2012	
	From:	Reading Ave														
	To:	N Beauregard St														
Ridge Rd	300	F								0.123	F	0.659	320	F	2012	
	From:	Summit Ave														
	To:	Fordham Rd														
Rose Crest Ave	420	F								0.138	F	0.590	450	F	2012	
	From:	Russel Rd														
	To:	Custis Ave														
S French St	570	F								0.121	F	0.695	600	F	2012	
	From:	Usher Ave														
	To:	SR 236 Duke St														
S Pickett St	5100	F								0.088	F	0.565	5400	F	2012	
	From:	SR 401 Van Dorn St														
	To:	Dead End														
Stewart Ave	460	F								0.091	F	0.57	490	F	2012	
	From:	Mt Vernon Ave														
	To:	Dewitt Ave														
Ulano Ave	370	F								0.116	F	0.653	390	F	2012	
	From:	N Gladden St														
	To:	N Grayson St														
Yoakum Pkwy	5800	G								NA			6200	G	2012	
	From:	Edsall Rd														
	To:	Stevenson Rd														